

## Checklist with first records for the Echinoderms of northern Tunisia (central Mediterranean Sea)

Hayfa Chammem<sup>1,3</sup>, Jamila Ben Souissi<sup>1,2</sup>, Angel Pérez-Ruzafa<sup>3</sup>

<sup>1</sup> University of Tunis El Manar, Faculty of Sciences of Tunis, 2092 El Manar II, Tunisia. (HC) (Corresponding author) E-mail: [hayfa.chammem@um.es](mailto:hayfa.chammem@um.es). ORCID-iD: <https://orcid.org/0000-0002-6814-5834>  
<sup>2</sup> University of Carthage, National Agronomic Institute of Tunisia (INAT), 1082 Tunis, Tunisia. (JBS) E-mail: [jbensouissi@yahoo.com](mailto:jbensouissi@yahoo.com). ORCID-iD: <https://orcid.org/0000-0003-1761-4204>  
<sup>3</sup> University of Murcia, Faculty of Biology, Campus de Espinardo, 30100 Murcia, Spain. (APR) E-mail: [angelpr@um.es](mailto:angelpr@um.es). ORCID-iD: <https://orcid.org/0000-0003-4769-8912>

**Summary:** Tunisia occupies a strategic biogeographic position in the Mediterranean Sea and the Strait of Sicily is considered a biogeographical boundary that separates the eastern and western basins. Despite the importance of marine biodiversity in Tunisia, the few studies of Echinodermata fauna in this region date from long ago. In order to update and produce a validated checklist of the echinoderms that occur in northern Tunisia, a study of this phylum was carried out between 2012 and 2016. Forty-five species were inventoried and distributed into the five living Echinodermata classes (Crinoidea, Asteroidea, Ophiuroidea, Echinoidea and Holothuroidea). New occurrences of four species from Tunisian marine waters [*Asterina pancerii* (Gasco, 1876), *Luidia atlantidea* (Madsen, 1950), *Ophiactis virens* (Sars, 1859) and *Leptopentacta tergestina* (Sars, 1857)], are cited and discussed here for the first time.

**Keywords:** echinoderms; new occurrences; biodiversity; Tunisia; Mediterranean Sea.

### Listado con primeros registros de los equinodermos del norte de Túnez (Mediterráneo central)

**Resumen:** Túnez ocupa un área biogeográfica estratégica en el Mediterráneo. El estrecho tunecino-siciliano es considerado una frontera biogeográfica que separa las cubetas oriental y occidental. Sin embargo, a pesar de su interés, los estudios sobre la fauna de equinodermos de Túnez son antiguos y escasos. Con el fin de elaborar el inventario de los equinodermos de la región septentrional del mar de Túnez, se realizó un estudio de este filum entre los años 2012 y 2016. Se han inventariado cuarenta y cinco especies pertenecientes a las cinco clases actuales de Echinodermata (Crinoidea, Asteroidea, Ophiuroidea, Echinoidea y Holothuroidea). Cuatro especies [*Asterina pancerii* (Gasco, 1876), *Luidia atlantidea* (Madsen, 1950), *Ophiactis virens* (Sars, 1859) y *Leptopentacta tergestina* (Sars, 1857)] se han recolectado por primera vez en estas aguas.

**Palabras clave:** equinodermos; nuevas citas; biodiversidad; Túnez; mar Mediterráneo.

**Citation/Como citar este artículo:** Chammem H., Ben Souissi J., Pérez-Ruzafa A. 2019. Checklist with first records for the Echinoderms of northern Tunisia (central Mediterranean Sea). *Sci. Mar.* 83(3): 277-288. <https://doi.org/10.3989/scimar.04899.19A>

**Editor:** X. Turon.

**Received:** December 12, 2018. **Accepted:** June 3, 2019. **Published:** July 2, 2019.

**Copyright:** © 2019 CSIC. This is an open-access article distributed under the terms of the Creative Commons Attribution 4.0 International (CC BY 4.0) License.

## INTRODUCTION

Tunisia occupies a central position between the western and eastern Mediterranean Sea. It is the northernmost point of the African continent (36°34'N, 9°129'E). The Strait of Sicily, from Cape Bon (north-eastern Tunisia) to Mazara dell Vallo (Sicily, southern Italy), has been considered a biogeographical barrier that separates the eastern and western Mediterranean

basins (Bianchi and Morri 2000, Mejri et al. 2009). This separation is not only important from the point of view of connectivity between two basins with different hydrographical conditions, but also because of its geological history after the Messinian crises that isolated the two basins and a time lag in recolonization by Atlantic species (Zenetos 2010, Coll et al. 2010, Lipej et al. 2017). In fact, several genetic investigations on fish and macro-invertebrates in their different life

stages, have demonstrated that the Strait of Sicily acts as a genetic boundary for African Mediterranean Sea species (Pérez-Losada et al. 2007, Zitari-Chatti et al. 2009, Deli et al. 2017). The colonization of new species in the Mediterranean Sea, first by the Lessepsian invasions after the opening of the Suez Canal and, more recently, through the Strait of Gibraltar as climate change becomes more evident (Zenetos 2010), makes Tunisia the point of convergence of the two processes, with a significant stretch of coastline on each side of this “boundary”.

The phylum Echinodermata includes marine invertebrate species and is composed of five living classes: Crinoidea, Asteroidea, Ophiuroidea, Echinoidea and Holothuroidea. They cover a wide range of biological strategies, habitats and depths. Echinoderms are found from the shallow intertidal to the abyssal zone, where they play an important role in the ecological processes of marine ecosystems.

Lack of research on Echinodermata is a knowledge gap regarding Tunisian marine biodiversity. Only two studies, by Cherbonnier (1956) and Gautier-Mechaz (1958), have published checklists of Tunisian echinoderms. These checklists are old and need to be updated regarding aspects such as climate change, invasive species, diversity estimation and marine protected areas. This phylum is currently cited associated with the megabenthic invertebrate inventories of Le Danois (1925), Azouz (1973), Ben Othman (1973), El Lakhraich et al. (2012). Other authors have focused on one particular class, generally one of economic interest such as Echinoidea (Sellem et al. 2001) or Holothuroidea (Louiz et al. 2003).

In order to update the inventory of marine diversity of Echinodermata species in the Tunisian Sea, research was performed between 2012 and 2016. The acquired data were used to produce a validated checklist of the Echinodermata of northern Tunisia.

## MATERIALS AND METHODS

### Study area

Echinoderms were sampled at 93 sites in eight locations along the northern coasts of Tunisia (Supplementary material Table S1). The study area extends over 300 km of the Tunisian coastline, from the Algerian-Tunisian border (37°01'06.0"N, 8°44'04.5"E) to the Cape Bon Peninsula (36°26'53.1"N 10°51'36.5"E). (Fig. 1).

This area of the central Mediterranean Sea is constantly affected by incoming Atlantic marine currents (Lubet and Azouz 1969, Azouz 1973). It is characterized by a continental shelf with a small, irregular plateau and a steep slope (Azouz 1973). The heterogeneity of its bottom type, with hard and soft substrates, enriches the biodiversity of northern Tunisia (Azouz 1973, Ayari and Afli 2003).

### Data collection

The Echinodermata inventory was carried out from March 2012 to July 2016. A variety of sampling strategies were adopted depending on the substrate type (rocky or soft bottom, depth) and respecting the benthic bionomics of the Mediterranean Sea (Table 1). Specimens were collected using a dredge for inshore shallow areas at depths of less than 50 m and a professional benthic fishing trawl for offshore waters where the depth exceeds 50 m. Hand collection and diving were used for mid- and infralittoral levels (<5 m) (Supplementary material Table S2).

### Taxonomic work

The collected material was measured, photographed and preserved in ethanol. Specimens were identified based on external morphology and internal




Fig. 1. – Map of the locations (L.) in northern Tunisian waters sampled for echinoderms, also showing the sites of new records: *Asterina panzerii* (green), *Luideia atlantidea* (orange), *Ophiactis virens* (red), *Leptopentacta tergestina* (purple).

Table 1. – The checklist of Echinodermata of northern Tunisia. M, Mediterranean Sea; A, Atlantic Ocean; ME, Mediterranean endemics; C, cosmopolitan; R, Red Sea; A, Algae; Cy, *Cymodocea*; G, gorgonian; S, sandy bottom; M, muddy bottom; R, rocky bottom; \*, first records of species; Abundance, total number of individuals; Location (L) from Figure 1.

Taxa	Distribution	Depth range (m)	Habitat	Abundance	Location (L)
Class CRINOIDEA					
Family Antedonidae					
<i>Antedon bifida</i> (Pennant, 1777)	M, A	50-190	S, M, R	50	1, 2, 8
<i>Antedon mediterranea</i> (Lamarck, 1816)	ME	50-190	S, M, R	68	1, 2, 8
<i>Leptometra phalangium</i> (Müller, 1841)	M, A	72-194	S, M	33	1, 8
Class ASTREROIDEA					
Family Asteroiidae					
<i>Coscinasterias tenuispina</i> (Lamarck, 1816)	M, A	20-51	S	2	2, 8
<i>Marthasterias glacialis</i> (Linnaeus, 1758)	M, A	75-220	S, M, R	11	2, 8
Family Asterinidae					
<i>Anseropoda placenta</i> (Pennant, 1777)	M, A	185-220	S	1	8
<i>Asterina gibbosa</i> (Pennant, 1777)	M, A	0.45-0.65	R, A	13	3, 5
<i>Asterina pancerii</i> (Gasco, 1876) *	ME	3-5	Cy	3	4
Family Astropectinidae					
<i>Astropecten aranciacus</i> (Linnaeus, 1758)	M, A	51-177	S, M	24	2, 8
<i>Astropecten bispinosus</i> (Otto, 1823)	M, A	1-35	S, M	11	2, 3, 4
<i>Astropecten irregularis</i> (Pennant, 1777)	M, A	50-220	S	33	1, 2, 8
<i>Astropecten jonstoni</i> (Delle Chiaje, 1827)	ME	3-5	S	1	4
<i>Tethyaster subinermis</i> (Philippi, 1837)	M, A	50-220	S, M	39	1, 2, 8
Family Chaetasteridae					
<i>Chaetaster longipes</i> (Retzius, 1805)	M, A	70-170	S, M	21	1, 2, 8
Family Echinasteridae					
<i>Echinaster (Echinaster) sepositus</i> (Retzius, 1783)	M, A	3-220	S, M, R	96	1, 2, 8
Family Luidiidae					
<i>Luidia atlantidea</i> Madsen, 1950 *	A	65-95	S	1	8
<i>Luidia sarsii sarsii</i> Düben and Koren in Düben, 1844	M, A	175-193	M	1	1
Family Ophiasteridae					
<i>Hacelia attenuata</i> Gray, 1840	M, A	70-85	R	1	1
Class OPHIUROIDEA					
Family Amphiuroidae					
<i>Amphipholis squamata</i> (Delle Chiaje, 1828)	C	0.4-0.6	A	16	5
Family Gorgonocephalidae					
<i>Astrospartus mediterraneus</i> (Risso, 1826)	M, A	98-105	S	2	8
Family Ophiacanthidae					
<i>Ophiacantha setosa</i> (Bruzelius, 1805)	M, A	70-165	G	54	1
Family Ophiactidae					
<i>Ophiactis savignyi</i> (Müller and Troschel, 1842)	C	3-5	S	1	5
<i>Ophiactis virens</i> (M. Sars, 1859) *	M, A	0.4-0.6	A	184	5
Family Ophiocomidae					
<i>Ophiocomina nigra</i> (Abildgaard in O.F. Müller, 1789)	M, A	50-58	M	1	2
Family Ophiodermatidae					
<i>Ophioderma longicauda</i> (Bruzelius, 1805)	M, A	0.65	R, A	1	7
Family Ophiomyxidae					
<i>Ophiomyxa pentagona</i> (Lamarck, 1816)	M, A	50-210	S, M, R	81	2, 8
Family Ophiotrichidae					
<i>Ophiotrichus quinqueaculata</i> (Delle Chiaje, 1828)	ME	72-175	S, M, R	21	2
Family Ophiuridae					
<i>Ophiura ophiura</i> (Linnaeus, 1758)	M, A	3-194	S, M, R	124	1, 2, 4, 8
Class ECHINOIDEA					
Family Arbaciidae					
<i>Arbacia lixula</i> (Linnaeus, 1758)	M, A	0.25-5	S, R	12	1, 2, 7
Family Cidaroidae					
<i>Cidaris cidaris</i> (Linnaeus, 1758)	M, A	50-220	S, M, R	114	1, 2, 8
<i>Stylocidaris affinis</i> (Mortensen, 1909)	C	50-220	S, M, R	114	1, 2, 8
Family Diadematidae					
<i>Centrostephanus longispinus</i> (Philippi, 1845)	M, A	50-220	S, M	74	2, 8
Family Echinidae					
<i>Gracilechinus acutus</i> Lamarck, 1816	M, A	50-125	S, R	18	8
Family Parechinidae					
<i>Paracentrotus lividus</i> (Lamarck, 1816)	M, A	0.2-6	S, R	48	1, 2, 7
Family Spatangidae					
<i>Spatangus purpureus</i> (O.F. Müller, 1776)	M, A	3-5	S	1	8
Family Toxopneustidae					
<i>Sphaerechinus granularis</i> (Lamarck, 1816)	M, A	0.6-5	R, A	2	7
Class HOLOTHUROIDEA					
Family Cucumariidae					
<i>Hemiocnus syracusanus</i> (Grube, 1840)	M	3-5	S	1	4
<i>Leptopentacta elongata</i> (Düben and Koren, 1846)	M, A	77-145	S	1	8
<i>Leptopentacta tergestina</i> (M. Sars, 1857) *	ME	77-145	S	3	8
Family Holothuriidae					
<i>Holothuria (Holothuria) mammata</i> Grube, 1840	ME	3-8	S, R, A		2
<i>Holothuria (Holothuria) tubulosa</i> Gmelin, 1791	M, A, R	0.2-185	S, M, R, A	40	1, 2, 7
<i>Holothuria (Platyperona) sanctori</i> Delle Chiaje, 1823	M, A, R	0.2-0.4	R, A	8	7
<i>Holothuria (Roweothuria) poli</i> Delle Chiaje, 1824	M, A, R	0.2-8	S, R, A	16	2, 7
<i>Holothuria (Thymiosycia) impatiens</i> (Forskål, 1775)	C	0.45	R	1	6
Family Stichopodidae					
<i>Parastichopus regalis</i> (Cuvier, 1817)	M, A	0.2-194	S, M, R	58	1, 8

anatomy following the taxonomic criteria of Mortensen (1927), Tortonese (1965), Koehler (1969) and Clark and Downey (1992). The nomenclature followed the World Register of Marine Species (WoRMS Editorial Board 2019). Sometimes, morphological characters can be ambiguous. For example, spicules of some of our individuals of sea cucumber from the genus *Holothuria* showed confusing anatomical and morphological characteristics. In fact, buttons of our individuals of *Holothuria* [*Holothuria (Holothuria) tubulosa* (Gmelin, 1791) and *Holothuria (Roweothuria) poli* (Delle Chiaje, 1824)] were twisted, which is a typical button characteristics of the eastern Atlantic species *Holothuria (Vaneyothuria) lentiginosa* (Marenzeller von, 1892) (Miller and Pawson 1979). The same species was cited in the Alboran Sea by Pérez-Ruzafa and López-Ibor (1988). In these cases, for the determination and identification of individuals, morphological studies were completed with genetic analyses.

### Molecular analysis

**Samples.** To clarify the taxonomic status of these individuals, a genetic analysis was performed on 28 samples from the genus *Holothuria*, including the 17 doubtful specimens from northern Tunisia, in addition to 10 specimens of *H. poli* and *H. tubulosa* from Spain and a single specimen of *H. lentiginosa* from the Canary Islands from the collection of Dr Angel Pérez-Ruzafa at the Department of Ecology and Hydrology of the Faculty of Biology (University of Murcia). We used as an outgroup taxon 6 individuals of *H. (Panninogothuria) forskali* Delle Chiaje, 1823 and *H. (Platyperrona) sanctori* Delle Chiaje, 1823. The sequences were taken from Genbank (GenBank accession numbers GQ214761-GQ214762, EU220819, KY774322, GQ214763-GQ214764).

**DNA extraction, PCR amplification and sequencing.** DNA was extracted from 15-25 mg of muscle tissue of holothurian samples, which was conserved in ethanol following the standard protocol of Sambrook et al. (1989). Only the mitochondrial gene subunit I of cytochrome oxidase (COI) (*ca.* 650 bp) was amplified. The primers used for the amplification were COIeI 5'ATAATGATA GGAGGRTTTGG 3' and COIeII 5'GCTCGTGTRTCTACRTCCAT 3' (Palumbi 1996, Borrero-Pérez et al. 2009). Amplifications were carried out in a 12 µL final volume of reaction mixture containing 1.2 µL of 10× buffer (Biotools), 0.6 µL MgCl<sub>2</sub> (50Mm), 0.24 µL dNTP (10 mM), 0.6 µL of each primer (10 µM), 0.6 µL BSA (20 mg/ml), 0.1 µL of Taq DNA polymerase (5U/ µL) (Biotools) and 1 µL of genomic DNA (10 ng/µL). The complete PCR cycle was 94°C for 3 minutes, then 40 cycles of denaturation at 94°C for 30 s, annealing at 50°C for 30 s and extension at 72°C for 20 s, followed by a 20 min final extension time at 72°C (Uthicke et al. 2005). PCR products were visualized on 1% agarose gels. Purified DNA was sequenced at the Molecular Biology section of the Research Support Service at the University of Murcia (Spain) using Big Dye Terminator Cycle Sequencing v. ABI Prism 310 technology (Applied Biosystems).

**Phylogenetic reconstruction.** Twenty-eight sequences of 500 bp were edited and aligned using ClustalW as a default alignment parameter of the MEGA program, version 7 (Kumar et al. 2016). The DNA sequences were analysed to conduct a neighbour-joining tree using MEGA version 7 (Kumar et al. 2016). Pairwise nucleotide distances were calculated using the Kimura 2-parameter (K2P) model of base substitution (Kimura 1980).

Samples of the collected material are deposited in the zoology collection of the University of Murcia (UMCZ).

## RESULTS

### Faunal diversity

Forty-five echinoderm species were collected and identified in northern Tunisia waters (Table 1). They belonged to the five classes of Echinodermata and comprised three sea lilies (Crinoidea), 15 starfishes (Asteroidea), 10 brittle stars (Ophiuroidea), 8 sea urchins (Echinoidea) and 9 sea cucumbers (Holothuroidea). They were divided into 32 genera and 27 families.

All the inventoried species are present in the Mediterranean Sea, except for the starfish-*Luidia atlantidea* (Madsen, 1950), which is an Atlantic species recently recorded in the Alboran Sea (Gallardo-Roldán et al. 2015).

Six of the collected species are endemic in the Mediterranean Sea, namely: *Asterina pancerii* (Gasco, 1876), *Astropecten jonstoni* (Delle Chiaje, 1827), *Holothuria (Holothuria) mammata* (Grube, 1840), *Leptopentacta tergestina* (Sars, 1857), *Ophiothrix quinque maculata* (Delle Chiaje, 1828) and *Antedon mediterranea* (Lamarck, 1816). Four others have a wide distribution and are cosmopolitan: *Amphipholis squamata* (Delle Chiaje, 1828), *Ophiactis savignyi* (Müller and Troschel, 1842), *Holothuria (Thymiosycia) impatiens* (Forsskål, 1775) and *Stylocidaris affinis* (Mortensen, 1909).

Four collected species were first records for Tunisia: *Asterina pancerii* (Gasco, 1876), *Luidia atlantidea* (Madsen, 1950), *Ophiactis virens* (Sars, 1859) and *Leptopentacta tergestina* (Sars, 1857). Two are exclusively Mediterranean species (*Asterina pancerii* and *Leptopentacta tergestina*), and one is an Atlantic species (*Luidia atlantidea*) (Fig. 2)

### New occurrences

The new species recorded for the first time in the present work (Fig. 3, Table 1) are two asteroids (*Asterina pancerii*, *Luidia atlantidea*), one ophiuroid (*Ophiactis virens*) and one holothurian (*Leptopentacta tergestina*) belonging to three Echinodermata classes.

Class ASTEROIDEA Blainville, 1830  
Order VALVATIDA Perrier, 1884  
Family ASTERINIDAE Gray, 1840  
Genus *Asterina* Nardo, 1834




Fig. 2. – Maps of the geographic distribution (in black) of the species newly recorded in Tunisia: *Leptopentacta tergestina* (A), *Ophiactis virens* (B), *Luideia atlantidea* (C) and *Asterina pancerii* (D) (according to WoRMS, and López-Márquez et al. 2018, for *Asterina pancerii*).

***Asterina pancerii*** (Gasco, 1876)  
Figs 2D, 3A-B

*Asteriscus pancerii* Gasco 1870: 86-90. Gasco 1876: 38-40  
*Asterina gibbosa* var. *panceri* Kähler 1924: 133-134  
*Asterina pancerii* Tortonese 1965: 172-173. Oliver et al. 1997: 103-107. Tanti and Schembri 2006: 163-165.

**Diagnosis.** Flat body with a noticeable pentagonal shape; five rays, short and rounded with two or three papulae; abactinal plates close to each other and covered by spinelets; actinal gonopore are present; subambilacral and supactinal plates are absent; skeletal plates are few and large; actinal plates are distinct with three actinal spines per plate; numerous suboral spines with three usually tending to form a row parallel to the oral furrow spines.

**Description.** A very small starfish, it is pentagonal in shape and has several colours (brick red or purple, green, olive green or blue) (Tortonese 1965, Oliver et al. 1997). Its diameter does not exceed 15 mm. It has a flat form, with no superambulacral and superactinal plates. It has three suboral spines and gonopores on the ventral side (Clark and Downey 1992).

**Examined material.** Three specimens. Sector and location: Gulf of Tunis (S.2/L.4). Depth: 3-5 m. Substrates: associated with seagrass *Cymodocea nodosa* (Ascherson, 1870) (Table 1).

**Distribution.** Mediterranean Sea. It has been reported in several Mediterranean regions: France (Tortonese 1965), Murcia (Galán et al. 1982) and Mallorca (Oliver et al. 1997) in Spain, Athens (Tortonese 1965), Turkey (Özaydın et al. 1995) and Tripoli (Tortonese 1965). The species has been recorded in several localities in Spain, including Ibiza and Mallorca (Ballesteros et al. 1987, Oliver et al. 1997), Almeria, Murcia and Alicante (Luque and Templado 2004, Moreno et al. 2008). Recently López-Márquez et al. (2018) provided molecular evidence that the morphological identification of the specimens of *Asterina pancerii* from Alicante is incorrect and corresponds to *A. phylactica* (Emson and Crump, 1979).

**Remarks.** *Asterina pancerii* is a very small asteroid. Its morphology, which is extremely similar to that of juvenile *Asterina gibbosa* (Pennant, 1777), has led some authors (Hattour and Ben Mustapha 2015) to re-




Fig. 3. – *Asterina pancerii* aboral view (A) and oral view (B); scale bar 1 cm. *Luidea atlantidea* aboral view (C) and oral view (D); scale bar 1 cm. *Leptopentacta tergestina* lateral view (E); scale bar 0.5 cm. Body wall ossicules of *Leptopentacta tergestina* (F); scale bar 0.5 cm. *Ophiactis virens* aboral view (J) and oral view (H).

port its presence in Tunisian waters (Gulf of Gabès). However, it was not cited in the final checklist of the same study.

Order PAXILLOSIDA Perrier, 1884  
Family LUIDIIDAE Sladen, 1889  
Genus *Luidia* Forbes, 1839  
*Luidia atlantidea* Madsen, 1950  
Fig. 2C, 3C-D

*Luidia africana* Doderlein 1920: 288-289 [Non *L. africana* Sladen, 1889]

*Luidia atlantidea* Madsen 1950: 192-198. Nataf and Cherbonnier 1973: 76-80. Clark and Downey 1992: 10-11.

**Diagnosis.** Flat body with five long thin arms; rays not very robust and narrow; abactinal paxillae with two marginal longitudinal series on each side with a white colour; coarser spinelets; the number of supermarginal paxillae is around 15 to 20, with rounded and flattened shape; lateral alignment of inferomarginal plates with two or three large and erect spines; marginal spines with dark base and white tips; presence of large pedicellaria on furrow face of each oral plate.

**Description.** It has five long, flattish arms with the presence of a marked main line of paxillae, arranged longitudinally (Clark and Downey 1992, Gallardo-Roldán et al. 2015). Central spinelets are distinctly coarser than peripheral ones. Supermarginal paxillae are rounded. Abactinal paxillae with two matching longitudinal lateral series on each side. Adambulacral plates with three large spines in a line at right-angles to the furrow. The central spinelets are distinctly coarser than the peripheral ones. Colour is grey with a white stripe along the supermarginal paxillae, white below, with dark purple marginal spines and white tips (Clark and Downey 1992). The diameter is about 6 cm.

**Examined material.** One specimen. Sector and location: Cape Bon (S.3/L.8). Substrates: Sand. Depth: 65-95 m (Table 1).

**Distribution.** Atlantic Ocean. It is present along the Atlantic coast from Morocco to Zaire, including the Cape Verde Islands (Clark and Downey 1992, Entrambasaguas 2008).

**Remarks.** The genus *Luidia* is represented by two species in the Mediterranean Sea: *L. sarsii sarsii* (Düben and Koren in Düben, 1844) and *L. ciliaris* (Philippi, 1837) (Cherbonnier 1956, Tortonese 1965, Koehler 1969). The main difference between these two Mediterranean species is the number of arms: more than five in *L. ciliaris* (Cherbonnier 1956, Tortonese 1965, Koehler 1969). In addition, *L. atlantidea* differ from *L. sarsii sarsii* in the number of lateral paxillae (more than 17 for *L. sarsii sarsii*) and the central and peripheral spinelets, which are uniform (Clark and Downey 1992).

Class OPHIUROIDEA Gray, 1840  
Order OPHIURIDA Müller and Troschel, 1840

Family OPHIACTIDAE Matsumoto, 1915  
Genus *Ophiactis* Lütken, 1856  
*Ophiactis virens* (M. Sars, 1859)  
Figs 2B, 3G-H

*Amphiura virens* Sars 1859: 95.

*Ophiactis virens* Simroth 1876: 417-485. Koehler, 1924: 294. Tortonese 1965: 238-239.

**Diagnosis.** Small brittle star with six long, thin arms; small disc, rounded and convex, covered by small irregular plates; peripheral plates have a very short and conical spinelet; six triangular radial shields, very small, more or less sunken and distally joined; two mouth papillae; four radial spines; dorsal plates of arms very broad; no genital slits.

**Description.** It is a very small brittle star, with a disc diameter of 3-5 mm, characterized by the presence of six arms (Tortonese 1965, Koehler 1969). Disc colour is a yellowish-grey or is greenish with darker spots (Koehler 1924, 1969, Tortonese 1965). Dorsal disc is covered by plates with six triangular radials shields. Two mouth papillae on each side of jaw with four small arm spines. Dorsal plates of arms are very broad and without genital slits (Mortensen 1927, Koehler 1969).

**Examined material.** 184 individuals. Sector and location: Gulf of Tunis (S.2/L.5). Depth: 0.40-0.60 m. Substrates: Algae (Table 1).

**Distribution.** Atlantic Ocean and Mediterranean Sea. It has been recorded from the west coast of Africa to the archipelagos of Azores, Madeira, Cape Verde and the Gulf of Gascony (Marques 1980, Entrambasaguas 2008), Italy (Koehler 1924, Tortonese 1965), and Turkey (Özaydın et al. 1995, Öztoprak 2014).

**Remarks.** *Ophiactis virens* is morphologically close to *Ophiactis savignyi* (Müller and Troschel, 1842), which is a cosmopolitan species characterized by the absence or the presence of one or two papillae, oral shields with rounded edges and five thorny arm spines (Clark 1918).

Class HOLOTHUROIDEA Brin, 1860  
Order DENDROCHIROTIDA Grube, 1840  
Family CUCUMARIIDAE Ludwig, 1894  
Genus *Leptopentacta* Clark, 1938  
*Leptopentacta tergestina* (M. Sars, 1857)  
Figs 2A, 3E-F

*Cucumaria incurvata* Perrier 1886: 497.

*Cucumaria tergestina* Sars 1859: 127. Koehler 1924: 158-160.

*Trachythoyone tergestina* (M. Sars, 1857) Panning 1949: 426. Tortonese 1965: 83-85.

**Diagnosis.** Small species with a curved body; ambulacral feet are small, rigid, pointed and conical; they are arranged in two parallel rows; spicules are large and have an irregular shape; perforated plates which are large and irregular (30-50 µm) with numerous perforations; irregular and curved rods.




Fig. 4. – DNA sequence analysis of sea cucumbers from the genus *Holothuria*. Neighbour-joining tree analysis of 500 bp COI fragments based on p-distance. The bootstrap consensus tree inferred from 10000 replicates. Only bootstrap value branches exceeding 50% are indicated. The p distances were computed using the Kimura 2-parameter method and they were in the units of the number of base substitutions per site. Analyses were conducted in MEGA7. H, *Holothuria*; \*, doubtful species; T, Tunisia; S, Spain; C-I, Canary Islands.

**Description.** This species has a curved U-shaped body and is between 5 and 7 cm long. It is usually a brownish-yellow colour (Tortonese 1965, Koehler 1969). Spicules of body have the form of large and elongated plates pierced with many holes, accompanied by irregular knobbed buttons and smooth elongated rods.

**Examined material.** Three specimens. Sector and location: Cape Bon (S.3/L.8). Depth: 77-145 m. Substrates: Sand (Table 1).

**Distribution.** Mediterranean Sea. It has been reported at many sites along the Italian coast (Koehler 1924, Tortonese 1965) and in France (Koehler 1924, Tortonese 1965), Spain (Tortonese 1965), Turkey (Özaydin et al 1995, Öztoprak 2014) and the Maltese Islands (Tanti and Schembri 2006).

**Remarks.** *L. tergestina* may have been confused with *L. elongata* (Düben and Koren, 1846), which very often has the same shape and colour. The main difference between these two species is the form of spicules.

### Molecular study

Genetic analysis identified the doubtful specimens of the genus *Holothuria* as the species *H. poli* and *H. tubulosa*, while neighbour-joining analysis showed 28 monophyletic lineages supported by a high bootstrap value (99%). The molecular analyses favour the subdivision of all the group taxa into two major clades: Clade I and Clade II (Fig. 4). Clade I is divided into two subclades: Clade (1) and (2), both highly supported. Clade (1) comprises only members of *H. poli* from Mediterranean locations (Tunisia and Spain), with a high bootstraps value (99%). However, Clade



Table 2. – Genetic distances between the three *Holothuria* species obtained from the phylogenetic reconstruction based on the Kimura two-parameter model (K2P).

	<i>H. tubulosa</i>	<i>H. sanctori</i>	<i>H. poli</i>	<i>H. lentiginosa lentiginosa</i>	<i>H. forskali</i>
<i>H. tubulosa</i>	-				
<i>H. sanctori</i>	0.209	-			
<i>H. poli</i>	<b>0.165</b>	0.223	-		
<i>H. lentiginosa lentiginosa</i>	<b>0.092</b>	0.192	<b>0.157</b>	-	
<i>H. forskali</i>	0.260	0.189	0.259	0.249	-

(2) also gains high support (95%) and comprises both specimens of *H. lentiginosa lentiginosa* with an Atlantic origin (Canary Islands) and the Mediterranean specimens *H. tubulosa* (Spain and Tunisia).

Clade II, comprising the outgroup species *H. forskali* and *H. sanctori*, was separated from Clade I with high bootstraps values (99%).

The K2P distances, based on COI sequences, are shown in Table 2. The highest divergence distance was found between *H. poli* and *H. tubulosa* (16.5%) and the lowest between *H. tubulosa* and *H. lentiginosa lentiginosa* (9.2%). The distance between *H. poli* and *H. lentiginosa lentiginosa* (15.7%) was very close to that between *H. poli* and *H. tubulosa* (16.5%).

## DISCUSSION

### Species first record

The Asteroidea are characterized by two new findings: *Asterina pancerii* and *Luidia atlantidea*. The starfish *Asterina pancerii* is an endemic species of the Mediterranean Sea (Tortonese 1965). According to Annex II of the Bern Convention in the protocol of Specially Protected Areas and Biological Diversity in the Mediterranean Sea from the Barcelona Convention and the Spanish Catalogue of Threatened Species (López-Márquez et al. 2018), it is listed as an endangered and protected species in the Mediterranean Sea. *Asterina pancerii* was found for the first time in Tunisia in northern inshore waters (3-5 m). However, several authors, including Ballesteros et al. (1987), Oliver et al. (1997) and López-Márquez et al. (2018), have reported that this species is typical of *Posidonia oceanica* (Linnaeus) Delile, 1813 meadows. The only specimens of *A. pancerii* found so far in Tunisia were associated with *Cymodocea nodosa* beds.

A single *Luidia atlantidea* specimen was collected for the first time in the northeastern Tunisian Sea (Cape Bon, East Mediterranean Sea) by trawl-fishing gear at a depth of 65-95 m. *Luidia atlantidea* is an Atlantic species. It was recently found and reported for the first time in the Mediterranean Sea, in the northern Alboran Sea (western Mediterranean Sea) (Gallardo-Roldán et al. 2015), 31 individuals being collected by mechanized dredging performed at depths of between 0.9 and 11.6 m (Gallardo-Roldán et al. 2015). The present report on *Luidia atlantidea* is the first in Tunisia and the second in the Mediterranean Sea.

We report new findings of the ophiuroid *Ophiactis virens*, an eastern and northern Atlantic species. In the Mediterranean Sea, it has been so far reported only in Naples (Koehler 1924, Tortonese 1965) and in the

Turkish Levantine Sea (Özaydın et al. 1995, Öztoprak 2014). Over 184 specimens were found for the first time off the northeastern coast of Tunisia (Gulf of Tunis), at a depth of 40-60 cm. The presence of diverse *Ophiactis virens* individuals over several years (from 2012 to 2015) may indicate the persistence of a local population on the shallow circalittoral Tunisian coast, as this species is well known for its asexual reproduction and fission of its body into two equal parts (Wilkie 1984). The presence of *Ophiactis virens* is the first to be reported in Tunisia and the third in the Mediterranean Sea.

Holothuroidea is represented by one new record for the Tunisian Sea: *Leptopentacta tergestina*. This sea cucumber is an endemic Mediterranean species (Koehler 1924, Tortonese 1965). In Tunisia, three individuals were found off Cape Bon (northeastern Tunisia). The *Leptopentacta tergestina* specimens were collected by commercial trawling at depths of between 60 and 150 m.

Two species of the Ophiuroidea class, *Astrospartus mediterraneus* (Risso, 1826) and *Ophiacantha setosa* (Bruzellius, 1805), were found and reported for the second time in this present study after the first finding by Cherbonnier (1956). More than 30 *Ophiacantha setosa* specimens were found associated with the yellow gorgonian, *Eunicella cavolini* (Koch, 1887), close to the Algerian deep sea border. Because of its evasiveness, *Ophiacantha setosa* is recorded for the second time in Tunisia in this study.

### Species diversity

The echinoderms recorded from northern Tunisian marine water in this study are quite diverse (45 species). Among the recorded groups, Asteroidea were the most diverse, with 15 species, followed by Ophiuroidea (10 species), Holothuroidea (9), Echinoidea (8) and Crinoidea (3). This can be explained by the techniques and gears used to sample them (hand collection, dredging, trawling and diving). Accordingly, the present research method increased the collection area by covering the marine benthic zones of the Mediterranean Sea, from the infralittoral level to the bathyal level.

Most of the new recorded species (*Asterina pancerii*, *Luidia atlantidea* and *Ophiactis virens*) were found in the northeastern Tunisian Sea (Cape Bon peninsula), close to the Strait of Sicily, which marks the transition between the two major western and eastern Mediterranean basins (Boudouresque 2004, Coll et al. 2010). This result confirms the importance of the Strait of Sicily as a highly primary production area with a wide range of biodiversity due its moderate depth, hy-

drography and diversity of habitat types (Bianchi and Morri 2000, Lejeusne et al. 2010). It is one of the biodiversity hotspots in the Mediterranean Sea (Lejeusne et al. 2010, Coll et al. 2010).

A review of the relevant literature of megabenthic Tunisian inventories, including the Echinodermata phylum, by Le Danois (1925), Cherbonnier (1956), Lubet and Azouz (1969), Azouz (1971, 1973), Ben Othman (1973), Boudouresque (1997), Anonymous (1997) and El Lakhraich et al. (2012) shows the presence of 73 valid species in Tunisia. The present work increases the number of echinoderms to 77, with four new occurrences in Tunisian marine waters.

Northern Tunisia alone (from the Algerian-Tunisian border to Ras Kapudia) showed the highest number, with 69 species against 61 in the south (from Ras Kapudia to the Libyan border, including the Gulf of Gabès). However, some species present in the northern part are absent in the south and vice versa (Ben Othman 1973, Boudouresque 1997, El Lakhraich et al. 2012). Some previously recorded species were not found in the present work, since the adopted methodology and fishing gears depend on the depths frequented by fishermen.

Little research has been done on Echinodermata in deep Mediterranean waters (Koukouras et al. 2007, Coll et al. 2010), and the knowledge gap includes especially the north African coast of the Maghreb (Dauvin et al. 2013).

Echinodermata marine biodiversity along the Algerian coast, from the Moroccan border to the Tunisian border, is very low compared with that in northern Tunisia, with 48 species being recorded in Algeria (Dauvin et al. 2013). According to Koukouras et al. (2007), about 144 echinoderms are known from the western Mediterranean Sea, only 53.5 % of which have been found in Tunisia. On the other hand, Tunisia shares over 83.7% of a total of 91 echinoderms reported from the central Mediterranean Sea.

These findings confirm the importance of northern Tunisia area, which emerging a large number of exotic marine species and a high rate of endemic species (Ayari and Afli 2003, Ounifi Ben Amor et al. 2016). Indeed, there are more endemic species in the western part of the Mediterranean and the number of non-native species entering through the Suez Canal in the eastern basin and the Strait of Gibraltar in the western basin has increased spectacularly since the early 20th century (Boudouresque 2004, Zenetos et al. 2010, Ben Souissi et al. 2011). Most have been introduced by maritime transport.

Overall, the present work enhances the importance of the studied fauna in northern Tunisia. To maintain the diversity of echinoderms in Tunisia's marine waters, it is necessary to promote efforts and acquire knowledge about this macrobenthic group by involving southern and eastern Tunisia.

### Systematic and molecular

Systematic studies based on taxonomical and anatomical criteria have often been confusing and doubtful because of the large morphological similarity between

species. Many authors have been involved in research on systematic identification and/or revision of the taxonomical status of different classes of Echinodermata and have provided molecular evidence to support their findings (Borrero-Pérez et al. 2009, Laakman et al. 2016, López-Márquez et al. 2018).

For the class Holothuroidea, Borrero-Pérez et al. (2009) evaluated the taxonomic status of some Atlanto-Mediterranean species of the subgenus *Holothuria* using molecular analysis and showed that the combination of the two approaches may solve the taxonomical problems associated with species identification, as was the case with *H. (Holothuria) stellati* Delle Chiaje, 1824 and *H. tubulosa*. The same authors confirmed the morphological variability in the specimens of *H. stellati* and *H. tubulosa*, as mentioned in the literature, but their molecular results showed *H. stellati* to be a junior subjective synonym of *H. tubulosa*.

As regards our doubtful species, *H. poli* and *H. tubulosa*, the outcome of the phylogenetic neighbour-joining analysis showed a close relation between *H. tubulosa* and *H. lentiginosa lentiginosa*. Although *H. poli* and *H. tubulosa* are different species with different clades, the sequences of the sea cucumber *H. lentiginosa lentiginosa* were between those of the two holothurians, confirming the spicule similarity between the studied taxa.

In addition, the present study points to great morphological and molecular similarities between sea cucumbers from the Atlantic Ocean and the Mediterranean Sea. They were all characterized by elongated and twisted buttons. However, these characteristics are very common in *H. lentiginosa lentiginosa* species (Miller and Pawson 1979) and have recently been observed in *H. poli* and *H. tubulosa* individuals from the northern Tunisian Sea.

Though spicule morphology is an effective taxonomic character, it may show some overlap in some genera, such as the *Holothuria* genus and subgenus (Rowe 1969, Borrero-Pérez et al. 2009). This could be due to phylogenetic relationships between species that are still not well studied, or perhaps to environmental influences such as temperature, which could condition spicule formation and carbonate precipitation—another aspect worthy of study.

At present, the systematic position of the sea cucumbers of the genus *Holothuria* is dubious (Rowe 1969, Zavodnik 1999, Borrero-Pérez et al. 2009), so molecular and morphometric approaches are required if morphological identification is uncertain or impossible. Supported by ecological and biogeographical parameters, these techniques are a strong driving force in taxonomic study.

### ACKNOWLEDGEMENTS

Special thanks are due to the fishermen for their help during the sampling along the northern coast of Tunisia. We express our sincere gratitude to Helena Ibáñez from the Department of Ecology and Hydrology (University of Murcia) and Alejandro López-López and José Galián from the Department of Zoology and

Physical Anthropology (University of Murcia) for their help and advice on molecular analyses. We also thank the journal editor and two anonymous referees for their constructive criticism on an earlier version of this paper.

## REFERENCES

- Anonymus. 1997. Les invertébrés aquatiques de Tunisie II. Rapp. Ministère de l'Environnement et de l'Aménagement du territoire, Tunis, 335 pp.
- Ayari R., Afli A. 2003. Bionomie benthique du petit golfe de Tunis. Bull. Inst. Natl. Sci. Tech. Océanogr. Pêche Salammbô 30: 79-90.
- Azouz A. 1971. Etude des biocénoses benthiques de la faune ichthyologique des fonds chalutables de la Tunisie. Région nord et sud-est. Ph.D. thesis. Univ. Caen, 243 pp.
- Azouz A. 1973. Les fonds chalutables de la région Nord de la Tunisie. 1: Cadre physique des côtes Nord de la Tunisie. Bull. Inst. Océanogr. Pêche. Salammbô 2: 473-564.
- Ballesteros M., Castello J., Gallés M. 1987. Invertebrados algui-colas marinos de las islas Pitiusas. Consell Insular d'Eivissa i Formentera. Eivissa, 96 pp.
- Ben Othman S. 1973. Le Sud Tunisien (golfe de Gabès): hydrologie, sédimentologie, flore et faune. Bull. Inst. Natl. Sci. Tech. Océanogr. Pêche. Salammbô 2: 103-120.
- Ben Souissi J., Diatta Y., Gargouri Ben Abdallah L., et al. 2011. Occurrence of the Monrovia surgeonfish *Acanthurus monroviae* (Osteichthyes: Acanthuridae) off the coast of Tunisia (central Mediterranean). Cah. Biol. Mar. 52: 331-335.
- Bianchi C.N., Morri C. 2000. Marine Biodiversity of the Mediterranean Sea: Situation, Problems and Prospects for Future Research. Mar. Poll. Bull. 40: 367-376. [https://doi.org/10.1016/S0025-326X\(00\)00027-8](https://doi.org/10.1016/S0025-326X(00)00027-8)
- Borrero-Pérez G.H., Pérez-Ruzafa A., Marcos C., et al. 2009. The taxonomic status of some Atlanto-Mediterranean species in the subgenus *Holothuria* (Echinodermata: Holothuroidea: Holothuriidae) based on molecular evidence. Zool. J. Linn. Soc. 157: 51-69. <https://doi.org/10.1111/j.1096-3642.2009.00529.x>
- Boudouresque C.F. 1997. Conclusions et recommandations (Partie I). In: La diversité biologique marine et lagunaire en Tunisie: état et connaissance actuels, recommandations pour une stratégie nationale de conservation et d'utilisation durable. Rapport RAC/SPA - MEAT, 28 pp.
- Boudouresque C.F. 2004. Marine biodiversity in the Mediterranean: status of species, populations and communities. Sci. Rep. Port-Cros. Natl. Park 20: 97-146.
- Cherbonnier G. 1956. Les Echinodermes de Tunisie. Bull. Inst. Natl. Sci. Tech. Océanogr. Pêche. Salammbô 53: 1-23.
- Clark H.L. 1918. Brittle-stars, new and old. Bull. Mus. Comp. Zool. Harvard, College LXII: 266-338.
- Clark A.M., Downey M.E. 1992. Starfishes of the Atlantic. Chapman and Hall, London, 794 pp.
- Coll M., Piroddi C., Steenbeek J., et al. 2010. The biodiversity of the Mediterranean Sea: estimates, patterns and threats. PLoS ONE 5: e1184236. <https://doi.org/10.1371/journal.pone.0011842>
- Dauvin J.C., Grimes S., Bakalem A. 2013. Marine Biodiversity on the Algerian Continental Shelf (Mediterranean Sea). J. Nat. Hist. 47: 25-28. <https://doi.org/10.1080/00222933.2012.752545>
- Deli T., Ben Attia M.H., Zitari-Chatti R., et al. 2017. Genetic and morphological divergence in the purple sea urchin *Paracentrotus lividus* (Echinodermata, Echinoidea) across the African Mediterranean coast. Acta Oceanol. Sin. 36: 52-66. <https://doi.org/10.1007/s13131-017-1090-3>
- Doderlein L. 1920. Die Asteriden der Siboga-Expedition. 2. Die Gattung *Luidia* und ihre Stammesgeschichte. Siboga Expedition 46: 193-291.
- El Lakhraç H., Hattour A., Jarbouio O., et al. 2012. Spatial distribution and abundance of the megabenthic fauna community in Gabès Gulf (Tunisia, eastern Mediterranean Sea). Mediterr. Mar. Sci. 13: 12-29. <https://doi.org/10.12681/mms.19>
- Entrambasaguas L. 2008. Estudio faunístico y ecológico de los equinodermos del archipiélago de Cabo Verde. Ph.D. thesis. Universidad de Murcia, 301 pp.
- Galán C., López-Ibor A., Templado J. 1982. Primera cita en la península Ibérica de *Asterina pancerii* (Gasco, 1870), (Asteroidea, Asterinidae). Actas II Simp. Iber. Estud. Bentos Mar. 3: 267-269.
- Gallardo-Roldán H., Urra J., García T., et al. 2015. First record of the starfish *Luidia atlantidea* (Madsen, 1950) in the Mediterranean Sea, with evidence of persistent populations. Cah. Biol. Mar. 56: 263-270.
- Gasco F. 1870. Intorno ad una nuova specie di *Asteriscus*. Bulletino dell'Associazione dei naturalisti e medici per la mutua istruzione, Napoli 6: 86-90.
- Gasco F. 1876. Descrizione di alcuni Echinodermi nuovi o per la prima volta trovati nel Mediterraneo. Rend. Acad. Sci. Fis. Mat. Napoli 15: 32-41.
- Gautier-Michaz M. 1958. Echinodermes. Bull. Inst. Natl. Sci. Tech. Océanogr. Pêche. Salammbô 34: 45-155.
- Hattour A., Ben Mustapha K. 2015. Le golfe de Gabès: Espèces des Eaux de Ballast, Patrimoniales et Introduites: Synthèse des Campagnes 2009 et 2010 et Actualisation. Publ. Inst. Natl. Sci. Tech. Mer. 360 pp.
- Kimura M. 1980. A simple method for estimating evolutionary rates of base substitutions through comparative studies of nucleotide sequences. J. Mol. Evol. 16: 111-120. <https://doi.org/10.1007/BF01731581>
- Koehler R. 1924. Les Échinodermes des Mers d'Europe. Tomo I. Librairie Octave Doin, Paris, 362 pp.
- Koehler R. 1969. Faune de France. Echinodermes, Kraus Reprint, Nendeln/ Liechtenstein, 216 pp.
- Koukouras A., Sinis A.I., Bobori D., et al. 2007. The echinoderm (Deuterostomia) fauna of the Aegean Sea, and comparison with those of the neighbouring seas. J. Biol. Res 7: 67-92.
- Kumar S., Stecher G., Tamura K. 2016. MEGA7: Molecular Evolutionary Genetics Analysis version 7.0 for bigger datasets. Mol. Biol. Evol. 33: 1870-1874. <https://doi.org/10.1093/molbev/msw054>
- Laakman S., Boos K., Knebelberger T., et al. 2016. Species identification of echinoderms from the North Sea by combining morphology and molecular data. Helgol. Mar. Res. 70: 18. <https://doi.org/10.1186/s10152-016-0468-5>
- Le Danois E. 1925. Recherches sur les fonds chalutables des cotes de Tunisie (Croisière du chalutier «Tranche» en 1924). Bull. Inst. Natl. Sci. Tech. Océanogr. Pêche Salammbô 1: 1-56.
- Lejeune S., Chevaldonné P., Pergent-Martini C., et al. 2010. Climate change effects on a miniature ocean: the highly diverse, highly impacted Mediterranean Sea. Trends Ecol. Evol. 25: 250-260. <https://doi.org/10.1016/j.tree.2009.10.009>
- Lipej L., Acevedo I., Akel E.H.K., et al. 2017. New Mediterranean Biodiversity Records (March 2017). Mediterr. Mar. Sci. 18: 179-201. <https://doi.org/10.12681/mms.2068>
- López-Márquez V., Acevedo I., Manjón-Cabeza M.E., et al. 2018. Looking for morphological evidence of cryptic species in *Asterina* Nardo, 1834 (Echinodermata: Asteroidea). The redescription of *Asterina pancerii* (Gasco, 1870) and the description of two new species. Invertebr. Syst. 32: 505-523. <https://doi.org/10.1071/IS17024>
- Louiz I., Sellem F., Tekitek A., et al. 2003. Etude des saponines isolées d'une espèce d'Holothurie *Holothuria tubulosa* de la lagune de Bizerte. Bull. Inst. Natl. Sci. Tech. Océanogr. Pêche Salammbô 30: 115-120.
- Lubet P., Azouz A. 1969. Etude des fonds chalutables du golfe de Tunjs. Bull. Inst. Océanogr. Pêche Salammbô 1: 87-111.
- Luque A.A., Templado J. 2004. Praderas y Bosques Marinos de Andalucía. Junta de Andalucía, Sevilla.
- Madsen, F.J. 1950. The echinoderms collected by the Atlantide Expedition, 1945-46. 1. Asteroidea. Atlantide Rep. 1: 167-222.
- Marques V.M. 1980. Echinodermes recueillis pendant la mission «Hesperides 76» du N/O Jean Charcot. Archives du Muséum Bocage, 2<sup>e</sup> Serie, 7: 95-10.
- Mejri R., Lo Brutto S., Ben Hassine O.K., et al. 2009. A study on *Pomatoschistus tortonesei* Miller 1968 (Perciformes, Gobiidae) reveals the Siculo-Tunisian Strait (STS) as a breakpoint to gene flow in the Mediterranean basin. Mol. Phylogenet. Evol. 53: 596-601. <https://doi.org/10.1016/j.ympev.2009.04.018>
- Miller J.E., Pawson D.L. 1979. A new subspecies of *Holothuria lentiginosa* Marenzeller from the western Atlantic Ocean. Proc. Biol. Soc. Wash. 91: 912-922.
- Moreno D., Acevedo I., Templado J., et al. 2008. *Asterina pancerii*

- (Gasco, 1870). In: Libro Rojo de los Invertebrados de Andalucía. Consejería de Medio Ambiente, Junta de Andalucía, Sevilla, pp. 626-629.
- Mortensen T. 1927. Handbook of the Echinoderms of the British Isles. Clarendon Press, Oxford, 471 pp.  
<https://doi.org/10.5962/bhl.title.6841>
- Nataf G., Cherbonnier G. 1973. Les astérides d'Afrique occidentale, utilisation du microscope électronique à balayage pour une étude systématique des *Luidia*. Bull. Mus. Hist. Natl. Paris 81: 69-101.
- Oliver J.A., Terrasa J., Guillén M. 1997. Dos nuevas citas de asterinas (Astridea, Asterinidae) en Mallorca: *Asterina pancerii* (Gasco, 1870) y *Asterina phylactica* (Emson y Crump, 1979). Boll. Soc. Hist. Nat. Balears 4: 103-107.
- Ounifi Ben Amor K., Rifi M., Ghanem R., et al. 2016. Update of alien fauna and new records from Tunisian marine waters. Mediterr. Mar. Sci. 17: 124-143.  
<https://doi.org/10.12681/mms.1371>
- Özaydın O., Katağan T., Ünsal S. 1995. The Echinoderms of the Turkish seas. Isr. J. Zool. 41: 57-68.
- Öztoprak B., Doğan A., Dağlı E. 2014. Checklist of Echinodermata from the coasts of Turkey. Turk. J. Zool. 38: 892-900.  
<https://doi.org/10.3906/zoo-1405-82>
- Palumbi S.R. 1996. Nucleic acids II: the polymerase chain reaction. In: Hillis D.M., Moritz C.M., et al. (eds), Molecular systematics, Sinauer Associates, Inc., Sunderland, MA, pp. 205-247.
- Panning A. 1949. Versuch einer Neuordnung der familie Cucumariidae (Holothurioidea, Dendrochirota). Zool. Jahrb. Abt. Syst. Okol. Geogr. Tiere 78: 404-470.
- Pérez-Losada M., Nolte M.J., Crandall K.A et al. 2007. Testing hypotheses of population structuring in the Northeast Atlantic Ocean and Mediterranean Sea using the common cuttlefish *Sepia officinalis*. Mol. Ecol. 16: 2667-2679.  
<https://doi.org/10.1111/j.1365-294X.2007.03333.x>
- Pérez-Ruzafa A., López-Ibor A. 1988. Echinoderm fauna from the south-western Mediterranean, Biogeographic relationships. In: Burke R.D., Mladenov P.V., et al. (eds) Echinoderm biology. AA Balkema, Rotterdam, pp. 355-362.
- Perrier E, 1886. Les explorations sous-marines. Librairie Hachette et Cie., Paris, 352 pp.
- Rowe F.W.E. 1969. A review of the family Holothuriidae (Holothurioidea: Aspidochirota). Bull. Br. Mus. (Nat. Hist.) Zool. 18: 119-170.  
<https://doi.org/10.5962/bhl.part.18419>
- Sambrook E., Fritsch F., Maniatis T. 1989. Molecular cloning. Cold Spring Harbour Press, NY.
- Sars M. 1859. Bidrag til Kundskaben om Middelhavets Littoral-fauna. Nyt Mag. Naturv. 10: 57-155.
- Sellem F., Langar H., El Abed A. 2001. Ecobiology and sustainable management of sea urchin in the southeast of the gulf of Tunisia. In: Ozhan E. (eds) Proc. Fifth Int. Conf. Mediterr. Coast. Environ., MEDCOAST 01, Hammamet, Tunisia, 23-27 October 2001, 2: 833-837.
- Simroth H. 1876. Anatomie und Schizogonie der *Ophiactis virens* Sars. Ein Beitrag zur Kenntniss der Echinodermen. Z. Wiss. Zool. 27: 417-485.
- Tanti C.M., Schembri P.J. 2006. A synthesis of the echinoderm fauna of the Maltese islands. J. Mar. Biol. UK 86: 163-165.  
<https://doi.org/10.1017/S0025315406012987>
- Tortonese E. 1965. Echinodermata. Fauna d'Italia. Vol. 6. Edizioni Calderini, Bologna, 422 pp.
- Uthicke S., Purcell S., Blockmans B. 2005. Natural hybridization does not dissolve species boundaries in commercially important sea cucumbers. Biol. J. Linnean Soc. 85: 261-270.  
<https://doi.org/10.1111/j.1095-8312.2005.00489.x>
- Wilkie I.C. 1984. Variable tensility in echinoderm collagenous tissues: a review. Mar. Freshw. Behav. Physiol 11: 1-34.  
<https://doi.org/10.1080/10236248409387032>
- WoRMS Editorial Board. 2019. World Register of Marine Species. Accessed 7/5/2019. Available at <http://www.marinespecies.org>
- Zavodnik D. 1999. Echinodermata of Kastela Bay (Adriatic Sea, Croatia). Acta Adriat. 40: 45-54.
- Zenetos A. 2010. Trend in alien species in the Mediterranean. An answer to Galil, 2009 "Taking stock: Inventory of alien species in the Mediterranean Sea". Biol. Invasions 12: 3379-3381.  
<https://doi.org/10.1007/s10530-009-9679-x>
- Zitari-Chatti R., Chatti N., Fulgione D., et al. 2009. Mitochondrial DNA variation in the carapace prawn *Penaeus (Melicertus) kerathurus* across a transition zone in the Mediterranean Sea. Genetica 136: 439-447.  
<https://doi.org/10.1007/s10709-008-9344-9>

## SUPPLEMENTARY MATERIAL

The following supplementary material is available through the online version of this article and at the following link:  
<http://scimar.icm.csic.es/scimar/supplm/sm04899esm.pdf>

Table S1. – Collection sites and sampling methods of the echinoderms from different localities of northern Tunisia.

Table S2. – Samples name's and diameters. With the habitat type, depth (maximum and minimum) and date of collection of each sample.

## **Checklist with first records for the Echinoderms of northern Tunisia (central Mediterranean Sea)**

Hayfa Chammem, Jamila Ben Souissi, Angel Pérez-Ruzafa

Supplementary material

Table S1. – Collection sites and sampling methods of the echinoderms from different localities of northern Tunisia.

Sectors (S)	Locations (L)	No.	Geographic coordinates		Sampling methods	Year	
			Latitude	Longitude			
S.1	L.1	1	37.3614°S	8.5078°W	Hand collection	2016	
		2	37.2458°S	8.6238°W	Experimental Dredge	2016	
		3	37.0633°S	8.6267°W	Experimental Dredge	2016	
		4	37.0556°S	8.6383°W	Experimental Dredge	2016	
		5	37.0771°S	8.6440°W	Experimental Dredge	2016	
		6	37.0882°S	8.6443°W	Experimental Dredge	2016	
		7	37.0864°S	8.6459°W	Experimental Dredge	2016	
		8	37.0582°S	8.7455°W	Experimental Dredge	2016	
		9	36.9644°S	8.7551°W	Diving	2016	
		10	36.9591°S	8.7554°W	Diving	2016	
		11	36.9635°S	8.7555°W	Diving	2016	
		12	36.9592°S	8.7558°W	Diving	2016	
		13	36.9657°S	8.7572°W	Diving	2016	
		14	37.1157°S	8.7579°W	Benthic Trawling	2016	
		15	37.1226°S	8.7839°W	Benthic Trawling	2016	
		16	37.1219°S	8.7847°W	Benthic Trawling	2016	
		17	37.1312°S	8.7909°W	Benthic Trawling	2016	
		18	37.0655°S	8.8366°W	Benthic Trawling	2016	
		19	37.5643°S	8.8978°W	Benthic Trawling	2016	
		20	37.4715°S	8.8992°W	Benthic Trawling	2016	
		21	37.1731°S	8.9538°W	Benthic Trawling	2016	
		22	37.2006°S	8.9716°W	Benthic Trawling	2016	
		23	37.5015°S	8.8893°W	Benthic Trawling	2016	
		24	37.4462°S	8.6197°W	Benthic Trawling	2016	
		25	37.5664°S	8.9713°W	Benthic Trawling	2016	
	S.1	L.2	1	37.4189°S	8.7187°W	Benthic Trawling	2016
			2	37.4550°S	9.0303°W	Benthic Trawling	2016
			3	37.3833°S	9.1417°W	Benthic Trawling	2016
			4	37.3799°S	9.0167°W	Benthic Trawling	2016
			5	37.3375°S	9.1923°W	Benthic Trawling	2016
6			37.3675°S	9.3199°W	Benthic Trawling	2016	
7			37.1506°S	9.8706°W	Experimental Dredge	2015	
8			37.1426°S	9.8726°W	Experimental Dredge	2015	
9			37.1470°S	9.8740°W	Experimental Dredge	2015	
10			37.2716°S	9.8793°W	Hand collection	2013	
11			37.2717°S	9.8795°W	Hand collection	2013	
12			37.2715°S	9.8843°W	Hand collection	2013	
13			37.6016°S	9.9434°W	Benthic Trawling	2016	
14			37.6445°S	9.9682°W	Benthic Trawling	2016	
15			37.3217°S	9.9670°W	Benthic Trawling	2016	
16			37.4550°S	9.0303°W	Benthic Trawling	2016	
17			37.1426°S	9.8726°W	Experimental Dredge	2016	
18			37.3833°S	9.1417°W	Experimental Dredge	2016	
19			37.3934°S	10.0499°W	Benthic Trawling	2016	
20			37.6782°S	10.0633°W	Benthic Trawling	2016	
21			37.5448°S	10.1377°W	Benthic Trawling	2016	
22			37.5598°S	10.0670°W	Benthic Trawling	2016	
23			37.6205°S	10.2040°W	Benthic Trawling	2016	
24			37.6124°S	10.2516°W	Benthic Trawling	2016	
25			37.4995°S	10.2526°W	Benthic Trawling	2016	
26			37.5643°S	10.2075°W	Benthic Trawling	2016	
27			37.6191°S	10.3120°W	Benthic Trawling	2016	
28			37.4431°S	10.3229°W	Benthic Trawling	2016	
29			37.5757°S	10.3278°W	Benthic Trawling	2016	
30			37.5236°S	10.3729°W	Benthic Trawling	2016	
S.2	L.3	1	36.8405°S	10.3292°W	Hand collection	2012	
		2	36.8441°S	10.3323°W	Hand collection	2013	
	L.4	1	36.8071°S	10.3066°W	Experimental Dredge	2012	
		2	36.8067°S	10.3075°W	Experimental Dredge	2013	
	L.5	3	36.8220°S	10.3137°W	Experimental Dredge	2013	
		1	36.7880°S	10.2878°W	Hand collection	2012	
S.3	L.6	2	37.2717°S	9.8795°W	Hand collection	2013	
		1	36.8159°S	10.5611°W	Hand collection	2013	
	L.7	1	37.0762°S	11.0526°W	Diving	2014	
		2	37.0760°S	11.0530°W	Hand collection	2015	
	L.8	3	37.0758°S	11.0539°W	Hand collection	2016	
		1	36.5593°S	10.9349°W	Benthic Trawling	2015	
		2	36.5507°S	11.0163°W	Benthic Trawling	2015	
		3	36.6083°S	11.0249°W	Benthic Trawling	2015	
		4	36.6683°S	11.0667°W	Benthic Trawling	2015	
		5	36.6433°S	11.0899°W	Benthic Trawling	2015	
6		36.7500°S	11.1017°W	Benthic Trawling	2015		
7		36.8138°S	11.1609°W	Benthic Trawling	2015		
8	36.6267°S	11.1784°W	Benthic Trawling	2015			
9	36.6507°S	11.1812°W	Benthic Trawling	2015			
10	36.7463°S	11.1583°W	Benthic Trawling	2015			

Sectors (S)	Locations (L)	No.	Geographic coordinates		Sampling methods	Year
			Latitude	Longitude		
S.3	L.8	11	36.6132°S	11.3574°W	Benthic Trawling	2015
		12	36.6322°S	11.1861°W	Benthic Trawling	2016
		13	36.8645°S	11.1996°W	Benthic Trawling	2016
		14	36.7517°S	11.2083°W	Benthic Trawling	2016
		15	36.8445°S	11.2182°W	Benthic Trawling	2016
		16	36.8812°S	11.2269°W	Benthic Trawling	2016
		17	36.6183°S	11.2194°W	Benthic Trawling	2016
		18	36.9323°S	11.2289°W	Benthic Trawling	2016
		19	36.7099°S	11.2233°W	Benthic Trawling	2016
		20	36.6767°S	11.2233°W	Benthic Trawling	2016
		21	36.8087°S	11.2505°W	Benthic Trawling	2016
		22	36.8367°S	11.2583°W	Benthic Trawling	2016
		23	36.5467°S	11.2517°W	Benthic Trawling	2016
		24	36.8752°S	11.2653°W	Benthic Trawling	2016
		25	36.6667°S	11.2683°W	Benthic Trawling	2016
		26	36.5957°S	11.2796°W	Benthic Trawling	2016
		27	36.2534°S	11.2768°W	Benthic Trawling	2016
		28	36.8078°S	11.3333°W	Benthic Trawling	2016
		29	36.7713°S	11.3447°W	Benthic Trawling	2016
		30	36.6132°S	11.3574°W	Benthic Trawling	2016

Table S2. – Samples name's and diameters. With the habitat type, depth (maximum and minimum) and date of collection of each sample.

Depth - Min (m)	Depth-Max (m)	Habitats	Abr	Species	Diameter (cm)	Year	Month
0.45	0.55	Rock	<i>Asgib</i>	<i>Asterina gibbosa</i>	5	2013	
0.52	0.65	Rock	<i>Asgib</i>	<i>Asterina gibbosa</i>	3	2013	
0.45	0.8	Rock	<i>Asgib</i>	<i>Asterina gibbosa</i>	4	2013	
0.45	0.8	Rock	<i>Asgib</i>	<i>Asterina gibbosa</i>	4.5	2013	
0.45	0.8	Rock	<i>Asgib</i>	<i>Asterina gibbosa</i>	4	2013	
0.45	0.8	Algea	<i>Asgib</i>	<i>Asterina gibbosa</i>	5	2013	
0.45	0.8	Algea	<i>Asgib</i>	<i>Asterina gibbosa</i>	3.5	2013	
0.45	0.8	Algea	<i>Asgib</i>	<i>Asterina gibbosa</i>	2	2013	
0.45	0.8	Algea	<i>Asgib</i>	<i>Asterina gibbosa</i>	2.5	2013	
0.45	0.8	Algea	<i>Asgib</i>	<i>Asterina gibbosa</i>	3	2013	
0.45	0.8	Algea	<i>Asgib</i>	<i>Asterina gibbosa</i>	1.3	2013	
0.45	0.8	Algea	<i>Asgib</i>	<i>Asterina gibbosa</i>	1.5	2013	
0.45	0.8	Algea	<i>Asgib</i>	<i>Asterina gibbosa</i>	1.7	2013	
2	5	Cymodocea	<i>Aspan</i>	<i>Asterina pancerii</i>	1	2013	
98	105	Sand	<i>Asara</i>	<i>Astropecten aranciacus</i>	5	2015	October
98	105	Sand	<i>Asara</i>	<i>Astropecten aranciacus</i>	5	2015	October
98	105	Sand	<i>Asara</i>	<i>Astropecten aranciacus</i>	5	2015	October
98	105	Sand	<i>Asara</i>	<i>Astropecten aranciacus</i>	5	2015	October
91	95	Sand	<i>Asara</i>	<i>Astropecten aranciacus</i>	5	2015	October
91	95	Sand	<i>Asara</i>	<i>Astropecten aranciacus</i>	7	2015	October
91	95	Sand	<i>Asara</i>	<i>Astropecten aranciacus</i>	7	2015	October
91	95	Sand	<i>Asara</i>	<i>Astropecten aranciacus</i>	7	2015	October
91	95	Sand	<i>Asara</i>	<i>Astropecten aranciacus</i>	7	2015	October
91	95	Sand	<i>Asara</i>	<i>Astropecten aranciacus</i>	7	2015	October
91	95	Sand	<i>Asara</i>	<i>Astropecten aranciacus</i>	7	2015	October
91	95	Sand	<i>Asara</i>	<i>Astropecten aranciacus</i>	7	2015	October
91	95	Sand	<i>Asara</i>	<i>Astropecten aranciacus</i>	7	2015	October
91	95	Sand	<i>Asara</i>	<i>Astropecten aranciacus</i>	8	2015	October
90	110	Mud-Sand	<i>Asara</i>	<i>Astropecten aranciacus</i>	8	2015	December
90	110	Mud-Sand	<i>Asara</i>	<i>Astropecten aranciacus</i>	8	2015	December
90	110	Mud-Sand	<i>Asara</i>	<i>Astropecten aranciacus</i>	8	2015	December
90	110	Mud-Sand	<i>Asara</i>	<i>Astropecten aranciacus</i>	12	2015	December
80	113	Mud	<i>Asara</i>	<i>Astropecten aranciacus</i>	12	2016	March
90	120	Sand	<i>Asara</i>	<i>Astropecten aranciacus</i>	12	2016	March
50	53	Sand	<i>Asara</i>	<i>Astropecten aranciacus</i>	14	2016	August
50	53	Sand	<i>Asara</i>	<i>Astropecten aranciacus</i>	14	2016	August
92	96	Mud	<i>Asara</i>	<i>Astropecten aranciacus</i>	14	2016	August
152	177	Sand	<i>Asara</i>	<i>Astropecten aranciacus</i>	16	2016	April
51	58	Mud	<i>Asara</i>	<i>Astropecten aranciacus</i>	16	2016	June
2	5	Sand	<i>Asbis</i>	<i>Astropecten bispinosus</i>	6	2013	
2	5	Sand	<i>Asbis</i>	<i>Astropecten bispinosus</i>	6	2013	
2	5	Sand	<i>Asbis</i>	<i>Astropecten bispinosus</i>	7	2013	
2	5	Sand	<i>Asbis</i>	<i>Astropecten bispinosus</i>	7	2013	
2	5	Sand	<i>Asbis</i>	<i>Astropecten bispinosus</i>	8	2013	
2	5	Sand	<i>Asbis</i>	<i>Astropecten bispinosus</i>	8	2013	
10	35	Sand	<i>Asbis</i>	<i>Astropecten bispinosus</i>	7	2014	
10	35	Sand	<i>Asbis</i>	<i>Astropecten bispinosus</i>	8	2014	
10	35	Sand	<i>Asbis</i>	<i>Astropecten bispinosus</i>	8	2014	
0	1	Sand	<i>Asbis</i>	<i>Astropecten bispinosus</i>	8	2014	

Depth - Min (m)	Depth-Max (m)	Habitats	Abr	Species	Diameter (cm)	Year	Month
0	1	Sand	Asbis	<i>Astropecten bispinosus</i>	8	2014	
98	105	Sand	Asirr	<i>Astropecten irregularis</i>	5	2015	October
98	105	Sand	Asirr	<i>Astropecten irregularis</i>	5	2015	October
68	94	Mud-Sand	Asirr	<i>Astropecten irregularis</i>	5	2015	October
68	94	Mud-Sand	Asirr	<i>Astropecten irregularis</i>	5	2015	October
91	95	Sand	Asirr	<i>Astropecten irregularis</i>	5	2015	October
91	95	Sand	Asirr	<i>Astropecten irregularis</i>	5	2015	October
91	95	Sand	Asirr	<i>Astropecten irregularis</i>	5	2015	October
120	145	Mud	Asirr	<i>Astropecten irregularis</i>	5	2015	December
120	145	Mud	Asirr	<i>Astropecten irregularis</i>	5	2015	December
79	80	Sand	Asirr	<i>Astropecten irregularis</i>	5	2016	March
100	115	Sand	Asirr	<i>Astropecten irregularis</i>	5	2016	March
100	115	Sand	Asirr	<i>Astropecten irregularis</i>	5	2016	March
100	115	Sand	Asirr	<i>Astropecten irregularis</i>	5	2016	March
50	65	Sand	Asirr	<i>Astropecten irregularis</i>	6	2016	March
50	65	Sand	Asirr	<i>Astropecten irregularis</i>	6	2016	March
50	65	Sand	Asirr	<i>Astropecten irregularis</i>	6	2016	March
50	103	Sand	Asirr	<i>Astropecten irregularis</i>	6	2016	August
50	103	Sand	Asirr	<i>Astropecten irregularis</i>	6	2016	August
101	105	Sand	Asirr	<i>Astropecten irregularis</i>	6	2016	August
101	105	Sand	Asirr	<i>Astropecten irregularis</i>	6	2016	August
101	105	Sand	Asirr	<i>Astropecten irregularis</i>	6	2016	August
185	220	Sand	Asirr	<i>Astropecten irregularis</i>	6	2016	April
185	220	Sand	Asirr	<i>Astropecten irregularis</i>	6	2016	April
51	58	Mud	Asirr	<i>Astropecten irregularis</i>	6	2016	June
130	140	Sand	Asirr	<i>Astropecten irregularis</i>	6	2016	June
81	100	Sand	Asirr	<i>Astropecten irregularis</i>	6	2016	June
81	100	Sand	Asirr	<i>Astropecten irregularis</i>	6	2016	June
90	160	Mud-Sand	Asirr	<i>Astropecten irregularis</i>	6	2016	July
176	179	Mud-Sand	Asirr	<i>Astropecten irregularis</i>	7	2016	July
181	186	Mud-Sand	Asirr	<i>Astropecten irregularis</i>	7	2016	July
181	186	Mud-Sand	Asirr	<i>Astropecten irregularis</i>	7	2016	July
179	185	Sand	Asirr	<i>Astropecten irregularis</i>	7	2016	July
181	190	Sand	Asirr	<i>Astropecten irregularis</i>	7	2016	July
3	5	Sand	Asjon	<i>Astropecten jonstoni</i>	6	2013	2013
190	230	Sand	Asirr	<i>Astropecten irregularis</i>	12	2016	June
180	200	Sand	Asirr	<i>Astropecten irregularis</i>	14	2016	June
185	220	Sand	Anpla	<i>Anseropoda placenta</i>	12	2016	April
98	105	Sand	Chlon	<i>Chætaster longipe</i>	6	2015	October
70	95	Rock	Chlon	<i>Chætaster longipe</i>	5	2016	June
70	95	Rock	Chlon	<i>Chætaster longipe</i>	5	2016	June
70	95	Rock	Chlon	<i>Chætaster longipe</i>	6	2016	June
72	90	Rock	Chlon	<i>Chætaster longipe</i>	6	2016	September
72	90	Rock	Chlon	<i>Chætaster longipe</i>	6	2016	September
72	90	Rock	Chlon	<i>Chætaster longipe</i>	6	2016	September
72	90	Rock	Chlon	<i>Chætaster longipe</i>	7	2016	September
72	90	Rock	Chlon	<i>Chætaster longipe</i>	7	2016	September
78	84	Rock	Chlon	<i>Chætaster longipe</i>	7	2016	September
78	84	Rock	Chlon	<i>Chætaster longipe</i>	7	2016	September
78	84	Rock	Chlon	<i>Chætaster longipe</i>	8	2016	September
135	170	Sand	Chlon	<i>Chætaster longipe</i>	8	2016	September
135	170	Sand	Chlon	<i>Chætaster longipe</i>	8	2016	September
135	170	Sand	Chlon	<i>Chætaster longipe</i>	8	2016	September
160	161	Sand	Chlon	<i>Chætaster longipe</i>	8	2016	July
70	85	Rock	Chlon	<i>Chætaster longipe</i>	8	2016	July
70	85	Rock	Chlon	<i>Chætaster longipe</i>	8	2016	July
70	85	Rock	Chlon	<i>Chætaster longipe</i>	10	2016	July
50	51	Rock	Chlon	<i>Chætaster longipe</i>	10	2016	July
50	51	Rock	Chlon	<i>Chætaster longipe</i>	12	2016	July
50	51	Rock	Coten	<i>Concinasteria tenuispina</i>	7	2016	August
0	0.55	Rock	Coten	<i>Concinasteria tenuispina</i>	12	2013	2013
85	98	Mud	Ecsep	<i>Echinaster sepositus</i>	4	2015	October
85	98	Mud	Ecsep	<i>Echinaster sepositus</i>	4	2015	October
85	98	Mud	Ecsep	<i>Echinaster sepositus</i>	4	2015	October
85	98	Mud	Ecsep	<i>Echinaster sepositus</i>	4	2015	October
98	105	Sand	Ecsep	<i>Echinaster sepositus</i>	5	2015	October
98	105	Sand	Ecsep	<i>Echinaster sepositus</i>	5	2015	October
98	105	Sand	Ecsep	<i>Echinaster sepositus</i>	5	2015	October
68	94	Mud-Sand	Ecsep	<i>Echinaster sepositus</i>	5	2015	October
68	94	Mud-Sand	Ecsep	<i>Echinaster sepositus</i>	5	2015	October
68	94	Mud-Sand	Ecsep	<i>Echinaster sepositus</i>	5	2015	October
68	94	Mud-Sand	Ecsep	<i>Echinaster sepositus</i>	5	2015	October
68	94	Mud-Sand	Ecsep	<i>Echinaster sepositus</i>	5	2015	October
68	94	Mud-Sand	Ecsep	<i>Echinaster sepositus</i>	5	2015	October
91	95	Sand	Ecsep	<i>Echinaster sepositus</i>	5	2015	October
91	95	Sand	Ecsep	<i>Echinaster sepositus</i>	6	2015	October
91	95	Sand	Ecsep	<i>Echinaster sepositus</i>	6	2015	October



Depth - Min (m)	Depth-Max (m)	Habitats	Abr	Species	Diameter (cm)	Year	Month
95	96	Sand	Ecsep	<i>Echinaster sepositus</i>	6	2015	October
95	96	Sand	Ecsep	<i>Echinaster sepositus</i>	6	2015	October
95	96	Sand	Ecsep	<i>Echinaster sepositus</i>	6	2015	October
95	96	Sand	Ecsep	<i>Echinaster sepositus</i>	6	2015	October
180	210	Sand	Ecsep	<i>Echinaster sepositus</i>	6	2015	December
180	210	Sand	Ecsep	<i>Echinaster sepositus</i>	6	2015	December
180	210	Sand	Ecsep	<i>Echinaster sepositus</i>	8	2015	December
120	145	Mud	Ecsep	<i>Echinaster sepositus</i>	8	2015	December
120	145	Mud	Ecsep	<i>Echinaster sepositus</i>	8	2015	December
120	145	Mud	Ecsep	<i>Echinaster sepositus</i>	8	2015	December
120	145	Mud	Ecsep	<i>Echinaster sepositus</i>	9	2015	December
68	77	Sand	Ecsep	<i>Echinaster sepositus</i>	9	2015	December
68	77	Sand	Ecsep	<i>Echinaster sepositus</i>	9	2015	December
68	77	Sand	Ecsep	<i>Echinaster sepositus</i>	9	2015	December
68	77	Sand	Ecsep	<i>Echinaster sepositus</i>	9	2015	December
67	70	Sand	Ecsep	<i>Echinaster sepositus</i>	10	2015	December
67	70	Sand	Ecsep	<i>Echinaster sepositus</i>	10	2015	December
67	70	Sand	Ecsep	<i>Echinaster sepositus</i>	10	2015	December
67	70	Sand	Ecsep	<i>Echinaster sepositus</i>	10	2015	December
67	70	Sand	Ecsep	<i>Echinaster sepositus</i>	10	2015	December
80	111	Mud	Ecsep	<i>Echinaster sepositus</i>	11	2015	December
80	111	Mud	Ecsep	<i>Echinaster sepositus</i>	11	2015	December
90	105	Mud-Sand	Ecsep	<i>Echinaster sepositus</i>	11	2015	December
90	105	Mud-Sand	Ecsep	<i>Echinaster sepositus</i>	11	2015	December
90	105	Mud-Sand	Ecsep	<i>Echinaster sepositus</i>	11	2015	December
80	120	Sand	Ecsep	<i>Echinaster sepositus</i>	11	2015	December
80	120	Sand	Ecsep	<i>Echinaster sepositus</i>	11	2015	December
80	120	Sand	Ecsep	<i>Echinaster sepositus</i>	12	2015	December
100	115	Sand	Ecsep	<i>Echinaster sepositus</i>	12	2016	March
100	115	Sand	Ecsep	<i>Echinaster sepositus</i>	12	2016	March
100	115	Sand	Ecsep	<i>Echinaster sepositus</i>	12	2016	March
100	115	Sand	Ecsep	<i>Echinaster sepositus</i>	12	2016	March
50	65	Sand	Ecsep	<i>Echinaster sepositus</i>	12	2016	March
50	65	Sand	Ecsep	<i>Echinaster sepositus</i>	12	2016	March
50	65	Sand	Ecsep	<i>Echinaster sepositus</i>	12	2016	March
50	60	Rock	Ecsep	<i>Echinaster sepositus</i>	12	2016	August
50	60	Rock	Ecsep	<i>Echinaster sepositus</i>	13	2016	August
50	60	Rock	Ecsep	<i>Echinaster sepositus</i>	13	2016	August
50	60	Rock	Ecsep	<i>Echinaster sepositus</i>	13	2016	August
101	115	Sand	Ecsep	<i>Echinaster sepositus</i>	13	2016	August
101	115	Sand	Ecsep	<i>Echinaster sepositus</i>	13	2016	August
101	115	Sand	Ecsep	<i>Echinaster sepositus</i>	13	2016	August
101	115	Sand	Ecsep	<i>Echinaster sepositus</i>	13	2016	August
101	115	Sand	Ecsep	<i>Echinaster sepositus</i>	13	2016	August
104	105	Sand	Ecsep	<i>Echinaster sepositus</i>	14	2016	August
104	105	Sand	Ecsep	<i>Echinaster sepositus</i>	14	2016	August
85	100	Rock	Ecsep	<i>Echinaster sepositus</i>	14	2016	April
85	100	Rock	Ecsep	<i>Echinaster sepositus</i>	14	2016	April
185	220	Sand	Ecsep	<i>Echinaster sepositus</i>	14	2016	April
185	220	Sand	Ecsep	<i>Echinaster sepositus</i>	15	2016	April
185	220	Sand	Ecsep	<i>Echinaster sepositus</i>	15	2016	April
185	220	Sand	Ecsep	<i>Echinaster sepositus</i>	15	2016	April
82	105	Rock	Ecsep	<i>Echinaster sepositus</i>	15	2016	April
82	105	Rock	Ecsep	<i>Echinaster sepositus</i>	15	2016	April
82	105	Rock	Ecsep	<i>Echinaster sepositus</i>	15	2016	April
51	58	Mud	Ecsep	<i>Echinaster sepositus</i>	15	2016	June
51	58	Mud	Ecsep	<i>Echinaster sepositus</i>	15	2016	June
130	140	Sand	Ecsep	<i>Echinaster sepositus</i>	15	2016	June
130	140	Sand	Ecsep	<i>Echinaster sepositus</i>	15	2016	June
79	110	Sand	Ecsep	<i>Echinaster sepositus</i>	15	2016	June
79	110	Sand	Ecsep	<i>Echinaster sepositus</i>	16	2016	June
79	110	Sand	Ecsep	<i>Echinaster sepositus</i>	16	2016	June
81	100	Sand	Ecsep	<i>Echinaster sepositus</i>	16	2016	June
81	100	Sand	Ecsep	<i>Echinaster sepositus</i>	16	2016	June
90	160	Mud-Sand	Ecsep	<i>Echinaster sepositus</i>	16	2016	September
90	160	Mud-Sand	Ecsep	<i>Echinaster sepositus</i>	16	2016	September
78	84	Rock	Ecsep	<i>Echinaster sepositus</i>	16	2016	September
135	170	Sand	Ecsep	<i>Echinaster sepositus</i>	16	2016	September
135	170	Sand	Ecsep	<i>Echinaster sepositus</i>	16	2016	September
135	170	Sand	Ecsep	<i>Echinaster sepositus</i>	16	2016	September
158	164	Sand	Ecsep	<i>Echinaster sepositus</i>	8	2016	July
70	85	Rock	Ecsep	<i>Echinaster sepositus</i>	16	2016	July
70	85	Rock	Ecsep	<i>Echinaster sepositus</i>	16	2016	July
70	85	Rock	Ecsep	<i>Echinaster sepositus</i>	16	2016	July
70	85	Rock	Ecsep	<i>Echinaster sepositus</i>	16	2016	July
70	85	Rock	Ecsep	<i>Echinaster sepositus</i>	16	2016	July
70	85	Rock	Ecsep	<i>Echinaster sepositus</i>	16	2016	July

Depth - Min (m)	Depth-Max (m)	Habitats	Abr	Species	Diameter (cm)	Year	Month
70	85	Sand	Ecsep	<i>Echinaster sepositus</i>	16	2016	July
3	5	Rock	Ecsep	<i>Echinaster sepositus</i>	12	2016	July
3	5	Rock	Ecsep	<i>Echinaster sepositus</i>	13	2016	July
70	85	Rock	Haatt	<i>Hacilia attenuata</i>	8	2016	July
68	77	Sand	Ecsep	<i>Echinaster sepositus</i>	13	2015	December
68	77	Sand	Ecsep	<i>Echinaster sepositus</i>	13	2015	December
90	105	Mud-Sand	Ecsep	<i>Echinaster sepositus</i>	7	2015	December
90	105	Mud-Sand	Ecsep	<i>Echinaster sepositus</i>	7	2015	December
100	115	Sand	Ecsep	<i>Echinaster sepositus</i>	8	2016	March
101	115	Sand	Ecsep	<i>Echinaster sepositus</i>	8	2016	August
104	105	Sand	Ecsep	<i>Echinaster sepositus</i>	8	2016	August
104	105	Sand	Ecsep	<i>Echinaster sepositus</i>	8	2016	August
70	95	Rock	Ecsep	<i>Echinaster sepositus</i>	8	2016	June
70	95	Rock	Ecsep	<i>Echinaster sepositus</i>	8.5	2016	June
72	90	Rock	Ecsep	<i>Echinaster sepositus</i>	8.5	2016	June
72	90	Rock	Ecsep	<i>Echinaster sepositus</i>	8.5	2016	June
160	161	Sand	Ecsep	<i>Echinaster sepositus</i>	8.5	2016	July
160	161	Sand	Ecsep	<i>Echinaster sepositus</i>	8.5	2015	July
91	95	Sand	Luatl	<i>Luidia atlantidea</i>	6	2015	October
175	193	Sand	Lusa	<i>Luidia sarssi</i>	8	2016	July
180	210	Sand	Magla	<i>Marthasterias glacialis</i>	14	2015	October
180	210	Sand	Magla	<i>Marthasterias glacialis</i>	14	2015	December
120	145	Mud	Magla	<i>Marthasterias glacialis</i>	15	2015	December
80	111	Mud	Magla	<i>Marthasterias glacialis</i>	15	2015	December
80	113	Mud	Magla	<i>Marthasterias glacialis</i>	15	2016	March
90	120	Sand	Magla	<i>Marthasterias glacialis</i>	16	2016	March
70	100	Sand	Magla	<i>Marthasterias glacialis</i>	16	2016	March
70	100	Sand	Magla	<i>Marthasterias glacialis</i>	16	2016	March
75	101	Rock	Magla	<i>Marthasterias glacialis</i>	16	2016	August
78	100	Mud-Sand	Magla	<i>Marthasterias glacialis</i>	18	2016	June
180	200	Sand	Magla	<i>Marthasterias glacialis</i>	18	2016	June
85	98	Mud	Tesub	<i>Tethyaster subinermis</i>	4	2015	October
98	105	Sand	Tesub	<i>Tethyaster subinermis</i>	4	2015	October
98	105	Sand	Tesub	<i>Tethyaster subinermis</i>	4	2015	October
98	105	Sand	Tesub	<i>Tethyaster subinermis</i>	4	2015	October
90	105	Mud-Sand	Tesub	<i>Tethyaster subinermis</i>	4	2015	December
90	105	Mud-Sand	Tesub	<i>Tethyaster subinermis</i>	4	2015	December
90	110	Mud-Sand	Tesub	<i>Tethyaster subinermis</i>	5	2015	December
90	110	Mud-Sand	Tesub	<i>Tethyaster subinermis</i>	5	2015	December
79	80	Sand	Tesub	<i>Tethyaster subinermis</i>	5	2016	March
79	80	Sand	Tesub	<i>Tethyaster subinermis</i>	5	2016	March
79	80	Sand	Tesub	<i>Tethyaster subinermis</i>	5	2016	March
100	125	Sand	Tesub	<i>Tethyaster subinermis</i>	6	2016	March
100	125	Sand	Tesub	<i>Tethyaster subinermis</i>	6	2016	March
50	60	Sand	Tesub	<i>Tethyaster subinermis</i>	6	2016	March
50	60	Sand	Tesub	<i>Tethyaster subinermis</i>	6	2016	March
101	115	Sand	Tesub	<i>Tethyaster subinermis</i>	6	2016	August
104	105	Sand	Tesub	<i>Tethyaster subinermis</i>	6	2016	August
104	105	Sand	Tesub	<i>Tethyaster subinermis</i>	6	2016	August
85	100	Rock	Tesub	<i>Tethyaster subinermis</i>	7	2016	April
185	220	Sand	Tesub	<i>Tethyaster subinermis</i>	7	2016	April
185	220	Sand	Tesub	<i>Tethyaster subinermis</i>	7	2016	April
152	177	Sand	Tesub	<i>Tethyaster subinermis</i>	7	2016	April
51	58	Mud	Tesub	<i>Tethyaster subinermis</i>	7	2016	June
51	58	Mud	Tesub	<i>Tethyaster subinermis</i>	7	2016	June
81	100	Sand	Tesub	<i>Tethyaster subinermis</i>	8	2016	June
85	100	Sand	Tesub	<i>Tethyaster subinermis</i>	8	2016	September
85	100	Sand	Tesub	<i>Tethyaster subinermis</i>	8	2016	September
85	100	Sand	Tesub	<i>Tethyaster subinermis</i>	8	2016	September
90	160	Mud-Sand	Tesub	<i>Tethyaster subinermis</i>	8	2016	September
135	170	Sand	Tesub	<i>Tethyaster subinermis</i>	8	2016	September
135	170	Sand	Tesub	<i>Tethyaster subinermis</i>	8	2016	September
160	194	Mud	Tesub	<i>Tethyaster subinermis</i>	12	2016	July
180	192	Mud	Tesub	<i>Tethyaster subinermis</i>	12	2016	July
175	193	Sand	Tesub	<i>Tethyaster subinermis</i>	12	2016	July
175	193	Sand	Tesub	<i>Tethyaster subinermis</i>	12	2016	July
176	179	Mud-Sand	Tesub	<i>Tethyaster subinermis</i>	12	2016	July
181	186	Mud-Sand	Tesub	<i>Tethyaster subinermis</i>	15	2016	July
181	190	Sand	Tesub	<i>Tethyaster subinermis</i>	15	2016	July
181	190	Sand	Tesub	<i>Tethyaster subinermis</i>	15	2016	July
85	98	Mud	Anbif	<i>Antedon bifida</i>	4	2015	October
85	98	Mud	Anbif	<i>Antedon bifida</i>	4	2015	October
85	98	Mud	Anbif	<i>Antedon bifida</i>	4	2015	October
98	105	Sand	Anbif	<i>Antedon bifida</i>	4	2015	October
98	105	Sand	Anbif	<i>Antedon bifida</i>	4	2015	October
98	105	Sand	Anbif	<i>Antedon bifida</i>	4	2015	October
68	94	Mud-Sand	Anbif	<i>Antedon bifida</i>	4	2015	October

Depth - Min (m)	Depth-Max (m)	Habitats	Abr	Species	Diameter (cm)	Year	Month
68	94	Mud-Sand	Anbif	<i>Antedon bifida</i>	4	2015	October
91	95	Sand	Anbif	<i>Antedon bifida</i>	4	2015	October
91	95	Sand	Anbif	<i>Antedon bifida</i>	4	2015	October
91	95	Sand	Anbif	<i>Antedon bifida</i>	4.5	2015	October
91	95	Sand	Anbif	<i>Antedon bifida</i>	4.5	2015	October
166	190	Sand	Anbif	<i>Antedon bifida</i>	4.5	2015	December
166	190	Sand	Anbif	<i>Antedon bifida</i>	4.5	2015	December
68	77	Sand	Anbif	<i>Antedon bifida</i>	4.5	2015	December
68	77	Sand	Anbif	<i>Antedon bifida</i>	4.5	2015	December
67	70	Sand	Anbif	<i>Antedon bifida</i>	4.5	2015	December
67	70	Sand	Anbif	<i>Antedon bifida</i>	5	2015	December
115	130	Sand	Anbif	<i>Antedon bifida</i>	5	2015	December
115	130	Sand	Anbif	<i>Antedon bifida</i>	5	2015	December
115	130	Sand	Anbif	<i>Antedon bifida</i>	5	2015	December
115	130	Sand	Anbif	<i>Antedon bifida</i>	5	2015	December
90	110	Mud-Sand	Anbif	<i>Antedon bifida</i>	5	2015	December
90	110	Mud-Sand	Anbif	<i>Antedon bifida</i>	5	2015	December
80	120	Sand	Anbif	<i>Antedon bifida</i>	5	2015	December
80	120	Sand	Anbif	<i>Antedon bifida</i>	5	2015	December
80	120	Sand	Anbif	<i>Antedon bifida</i>	5	2015	December
79	80	Sand	Anbif	<i>Antedon bifida</i>	6	2016	March
79	80	Sand	Anbif	<i>Antedon bifida</i>	6	2016	March
80	113	Mud	Anbif	<i>Antedon bifida</i>	6	2016	March
80	113	Mud	Anbif	<i>Antedon bifida</i>	6	2016	March
80	113	Mud	Anbif	<i>Antedon bifida</i>	6	2016	March
90	120	Sand	Anbif	<i>Antedon bifida</i>	6	2016	March
90	120	Sand	Anbif	<i>Antedon bifida</i>	6	2016	March
70	100	Sand	Anbif	<i>Antedon bifida</i>	6	2016	March
70	100	Sand	Anbif	<i>Antedon bifida</i>	6	2016	March
70	125	Sand	Anbif	<i>Antedon bifida</i>	6	2016	March
70	125	Sand	Anbif	<i>Antedon bifida</i>	7	2016	March
50	60	Rock	Anbif	<i>Antedon bifida</i>	7	2016	March
50	60	Rock	Anbif	<i>Antedon bifida</i>	7	2016	March
50	60	Rock	Anbif	<i>Antedon bifida</i>	7	2016	August
50	60	Rock	Anbif	<i>Antedon bifida</i>	7	2016	August
50	103	Sand	Anbif	<i>Antedon bifida</i>	7	2016	August
50	103	Sand	Anbif	<i>Antedon bifida</i>	7	2016	August
77	96	Mud	Anbif	<i>Antedon bifida</i>	7.5	2016	August
77	96	Mud	Anbif	<i>Antedon bifida</i>	7.5	2016	August
101	115	Sand	Anbif	<i>Antedon bifida</i>	8	2016	August
101	115	Sand	Anbif	<i>Antedon bifida</i>	8	2016	August
104	105	Sand	Anbif	<i>Antedon bifida</i>	8	2016	August
104	105	Sand	Anbif	<i>Antedon bifida</i>	8	2016	August
85	98	Mud	Anmed	<i>Antedon mediterranea</i>	4	2015	October
85	98	Mud	Anmed	<i>Antedon mediterranea</i>	4	2015	October
85	98	Mud	Anmed	<i>Antedon mediterranea</i>	4	2015	October
98	105	Sand	Anmed	<i>Antedon mediterranea</i>	4	2015	October
98	105	Sand	Anmed	<i>Antedon mediterranea</i>	4	2015	October
98	105	Sand	Anmed	<i>Antedon mediterranea</i>	4	2015	October
68	94	Mud-Sand	Anmed	<i>Antedon mediterranea</i>	4	2015	October
68	94	Mud-Sand	Anmed	<i>Antedon mediterranea</i>	4	2015	October
91	95	Sand	Anmed	<i>Antedon mediterranea</i>	4	2015	October
91	95	Sand	Anmed	<i>Antedon mediterranea</i>	4	2015	October
91	95	Sand	Anmed	<i>Antedon mediterranea</i>	4.5	2015	October
91	95	Sand	Anmed	<i>Antedon mediterranea</i>	4.5	2015	October
166	199	Sand	Anmed	<i>Antedon mediterranea</i>	4.5	2015	December
166	199	Sand	Anmed	<i>Antedon mediterranea</i>	4.5	2015	December
68	77	Sand	Anmed	<i>Antedon mediterranea</i>	4.5	2015	December
68	77	Sand	Anmed	<i>Antedon mediterranea</i>	4.5	2015	December
67	70	Sand	Anmed	<i>Antedon mediterranea</i>	4.5	2015	December
67	70	Sand	Anmed	<i>Antedon mediterranea</i>	5	2015	December
115	130	Sand	Anmed	<i>Antedon mediterranea</i>	5	2015	December
115	130	Sand	Anmed	<i>Antedon mediterranea</i>	5	2015	December
115	130	Sand	Anmed	<i>Antedon mediterranea</i>	5	2015	December
115	130	Sand	Anmed	<i>Antedon mediterranea</i>	5	2015	December
90	110	Mud-Sand	Anmed	<i>Antedon mediterranea</i>	5	2015	December
90	110	Mud-Sand	Anmed	<i>Antedon mediterranea</i>	5	2015	December
80	120	Sand	Anmed	<i>Antedon mediterranea</i>	5	2015	December
80	120	Sand	Anmed	<i>Antedon mediterranea</i>	5	2015	December
80	120	Sand	Anmed	<i>Antedon mediterranea</i>	5	2015	December
79	80	Sand	Anmed	<i>Antedon mediterranea</i>	5	2016	March
79	80	Sand	Anmed	<i>Antedon mediterranea</i>	5	2016	March
80	113	Mud	Anmed	<i>Antedon mediterranea</i>	5	2016	March
80	113	Mud	Anmed	<i>Antedon mediterranea</i>	5	2016	March
80	113	Mud	Anmed	<i>Antedon mediterranea</i>	5	2016	March
90	120	Sand	Anmed	<i>Antedon mediterranea</i>	5	2016	March
90	120	Sand	Anmed	<i>Antedon mediterranea</i>	6	2016	March

Depth - Min (m)	Depth-Max (m)	Habitats	Abr	Species	Diameter (cm)	Year	Month
70	100	Sand	Anmed	<i>Antedon mediterranea</i>	6	2016	March
70	100	Sand	Anmed	<i>Antedon mediterranea</i>	6	2016	March
100	125	Sand	Anmed	<i>Antedon mediterranea</i>	6	2016	March
100	125	Sand	Anmed	<i>Antedon mediterranea</i>	6	2016	March
50	60	Rock	Anmed	<i>Antedon mediterranea</i>	6	2016	March
50	60	Rock	Anmed	<i>Antedon mediterranea</i>	6	2016	March
50	60	Rock	Anmed	<i>Antedon mediterranea</i>	6	2016	August
50	60	Rock	Anmed	<i>Antedon mediterranea</i>	6	2016	August
50	103	Sand	Anmed	<i>Antedon mediterranea</i>	7	2016	August
50	103	Sand	Anmed	<i>Antedon mediterranea</i>	7	2016	August
77	96	Mud	Anmed	<i>Antedon mediterranea</i>	7	2016	August
77	96	Mud	Anmed	<i>Antedon mediterranea</i>	7	2016	August
101	115	Sand	Anmed	<i>Antedon mediterranea</i>	7	2016	August
101	115	Sand	Anmed	<i>Antedon mediterranea</i>	7	2016	August
104	105	Sand	Anmed	<i>Antedon mediterranea</i>	7	2016	August
104	105	Sand	Anmed	<i>Antedon mediterranea</i>	7	2016	August
85	100	Rock	Anmed	<i>Antedon mediterranea</i>	7	2016	April
85	100	Rock	Anmed	<i>Antedon mediterranea</i>	7	2016	April
152	177	Sand	Anmed	<i>Antedon mediterranea</i>	7	2016	April
152	177	Sand	Anmed	<i>Antedon mediterranea</i>	7	2016	April
152	177	Sand	Anmed	<i>Antedon mediterranea</i>	7	2016	April
152	177	Sand	Anmed	<i>Antedon mediterranea</i>	7	2016	April
78	100	Mud-Sand	Anmed	<i>Antedon mediterranea</i>	7	2016	June
78	100	Mud-Sand	Anmed	<i>Antedon mediterranea</i>	7	2016	June
51	58	Mud	Anmed	<i>Antedon mediterranea</i>	7	2016	June
70	95	Rock	Anmed	<i>Antedon mediterranea</i>	7	2016	June
70	95	Rock	Anmed	<i>Antedon mediterranea</i>	7	2016	June
70	95	Rock	Anmed	<i>Antedon mediterranea</i>	7	2016	June
79	110	Sand	Anmed	<i>Antedon mediterranea</i>	7	2016	June
79	110	Sand	Anmed	<i>Antedon mediterranea</i>	7	2016	June
81	100	Sand	Anmed	<i>Antedon mediterranea</i>	7	2016	June
81	100	Sand	Anmed	<i>Antedon mediterranea</i>	7	2016	June
85	100	Sand	Anmed	<i>Antedon mediterranea</i>	7	2016	September
85	100	Sand	Anmed	<i>Antedon mediterranea</i>	7	2016	September
72	90	Rock	Lepha	<i>Leptometra phalangium</i>	4.5	2016	September
72	90	Rock	Lepha	<i>Leptometra phalangium</i>	4.5	2016	September
78	84	Rock	Lepha	<i>Leptometra phalangium</i>	4.5	2016	September
78	84	Rock	Lepha	<i>Leptometra phalangium</i>	4.5	2016	September
135	170	Sand	Lepha	<i>Leptometra phalangium</i>	4.5	2016	September
135	170	Sand	Lepha	<i>Leptometra phalangium</i>	4.5	2016	September
135	170	Sand	Lepha	<i>Leptometra phalangium</i>	5	2016	September
160	194	Mud	Lepha	<i>Leptometra phalangium</i>	5	2016	July
160	194	Mud	Lepha	<i>Leptometra phalangium</i>	5	2016	July
160	194	Mud	Lepha	<i>Leptometra phalangium</i>	5	2016	July
160	194	Mud	Lepha	<i>Leptometra phalangium</i>	5	2016	July
180	192	Mud	Lepha	<i>Leptometra phalangium</i>	5	2016	July
180	192	Mud	Lepha	<i>Leptometra phalangium</i>	5	2016	July
180	192	Mud	Lepha	<i>Leptometra phalangium</i>	5	2016	July
175	193	Sand	Lepha	<i>Leptometra phalangium</i>	5	2016	July
175	193	Sand	Lepha	<i>Leptometra phalangium</i>	5	2016	July
175	193	Sand	Lepha	<i>Leptometra phalangium</i>	5	2016	July
176	179	Mud-Sand	Lepha	<i>Leptometra phalangium</i>	5	2016	July
176	179	Mud-Sand	Lepha	<i>Leptometra phalangium</i>	5	2016	July
176	179	Mud-Sand	Lepha	<i>Leptometra phalangium</i>	5	2016	July
183	193	Sand	Lepha	<i>Leptometra phalangium</i>	5	2016	July
183	193	Sand	Lepha	<i>Leptometra phalangium</i>	5.5	2016	July
142	163	Mud	Lepha	<i>Leptometra phalangium</i>	5.5	2016	July
142	163	Mud	Lepha	<i>Leptometra phalangium</i>	5.5	2016	July
142	163	Mud	Lepha	<i>Leptometra phalangium</i>	5.5	2016	July
181	186	Mud-Sand	Lepha	<i>Leptometra phalangium</i>	5.5	2016	July
181	186	Mud-Sand	Lepha	<i>Leptometra phalangium</i>	5.5	2016	July
179	185	Sand	Lepha	<i>Leptometra phalangium</i>	5.5	2016	July
179	185	Sand	Lepha	<i>Leptometra phalangium</i>	5.5	2016	July
179	185	Sand	Lepha	<i>Leptometra phalangium</i>	5.5	2016	July
181	190	Sand	Lepha	<i>Leptometra phalangium</i>	5.5	2016	July
181	190	Sand	Lepha	<i>Leptometra phalangium</i>	5.5	2016	July
181	190	Sand	Lepha	<i>Leptometra phalangium</i>	5.5	2016	July
0.2	0.6	Algea	Arlix	<i>Arbacia lixula</i>	4.5	2016	July
0.2	0.6	Algea	Arlix	<i>Arbacia lixula</i>	4.5	2016	July
0.2	0.6	Algea	Arlix	<i>Arbacia lixula</i>	5	2016	July
0.2	0.6	Algea	Arlix	<i>Arbacia lixula</i>	5	2016	July
3	6	Sand	Arlix	<i>Arbacia lixula</i>	5	2016	May
3	6	Sand	Arlix	<i>Arbacia lixula</i>	5	2016	May
3	6	Sand	Arlix	<i>Arbacia lixula</i>	5	2016	May
3	6	Sand	Arlix	<i>Arbacia lixula</i>	5.5	2016	May
3	5	Sand	Arlix	<i>Arbacia lixula</i>	5.5	2016	July
0	3	Sand	Arlix	<i>Arbacia lixula</i>	6	2016	July

Depth - Min (m)	Depth-Max (m)	Habitats	Abr	Species	Diameter (cm)	Year	Month
0	3	Rock	Arlx	<i>Arbacia lixula</i>	6	2016	July
3	5	Rock	Arlx	<i>Arbacia lixula</i>	6	2016	July
85	98	Mud	Celon	<i>Centrostephanus longispinus</i>	5	2015	October
85	98	Mud	Celon	<i>Centrostephanus longispinus</i>	5	2015	October
85	98	Mud	Celon	<i>Centrostephanus longispinus</i>	5	2015	October
98	105	Sand	Celon	<i>Centrostephanus longispinus</i>	5	2015	October
98	105	Sand	Celon	<i>Centrostephanus longispinus</i>	5	2015	October
98	105	Sand	Celon	<i>Centrostephanus longispinus</i>	5	2015	October
98	105	Sand	Celon	<i>Centrostephanus longispinus</i>	5	2015	October
68	94	Mud-Sand	Celon	<i>Centrostephanus longispinus</i>	6	2015	October
68	94	Mud-Sand	Celon	<i>Centrostephanus longispinus</i>	6	2015	October
91	95	Sand	Celon	<i>Centrostephanus longispinus</i>	6	2015	October
91	95	Sand	Celon	<i>Centrostephanus longispinus</i>	6	2015	October
91	95	Sand	Celon	<i>Centrostephanus longispinus</i>	6	2015	October
91	95	Sand	Celon	<i>Centrostephanus longispinus</i>	6	2015	October
91	95	Sand	Celon	<i>Centrostephanus longispinus</i>	6	2015	October
180	210	Sand	Celon	<i>Centrostephanus longispinus</i>	6	2015	December
180	210	Sand	Celon	<i>Centrostephanus longispinus</i>	6	2015	December
180	210	Sand	Celon	<i>Centrostephanus longispinus</i>	6	2015	December
120	145	Mud	Celon	<i>Centrostephanus longispinus</i>	6	2015	December
120	145	Mud	Celon	<i>Centrostephanus longispinus</i>	6	2015	December
68	77	Sand	Celon	<i>Centrostephanus longispinus</i>	6	2015	December
68	77	Sand	Celon	<i>Centrostephanus longispinus</i>	6	2015	December
67	70	Sand	Celon	<i>Centrostephanus longispinus</i>	7	2015	December
67	70	Sand	Celon	<i>Centrostephanus longispinus</i>	7	2015	December
80	111	Mud	Celon	<i>Centrostephanus longispinus</i>	7	2015	December
80	111	Mud	Celon	<i>Centrostephanus longispinus</i>	7	2015	December
80	111	Mud	Celon	<i>Centrostephanus longispinus</i>	7	2015	December
90	105	Mud-Sand	Celon	<i>Centrostephanus longispinus</i>	7	2015	December
90	105	Mud-Sand	Celon	<i>Centrostephanus longispinus</i>	7	2015	December
79	80	Sand	Celon	<i>Centrostephanus longispinus</i>	7	2016	March
79	80	Sand	Celon	<i>Centrostephanus longispinus</i>	7	2016	March
79	80	Sand	Celon	<i>Centrostephanus longispinus</i>	7	2016	March
80	113	Mud	Celon	<i>Centrostephanus longispinus</i>	8	2016	March
80	113	Mud	Celon	<i>Centrostephanus longispinus</i>	8	2016	March
80	113	Mud	Celon	<i>Centrostephanus longispinus</i>	8	2016	March
100	115	Sand	Celon	<i>Centrostephanus longispinus</i>	8	2016	March
100	115	Sand	Celon	<i>Centrostephanus longispinus</i>	8	2016	March
50	60	Rock	Celon	<i>Centrostephanus longispinus</i>	8	2016	March
50	60	Rock	Celon	<i>Centrostephanus longispinus</i>	8	2016	March
50	60	Rock	Celon	<i>Centrostephanus longispinus</i>	8	2016	March
50	60	Rock	Celon	<i>Centrostephanus longispinus</i>	8	2016	August
50	60	Rock	Celon	<i>Centrostephanus longispinus</i>	8	2016	August
50	60	Rock	Celon	<i>Centrostephanus longispinus</i>	9	2016	August
75	101	Rock	Celon	<i>Centrostephanus longispinus</i>	9	2016	August
75	101	Rock	Celon	<i>Centrostephanus longispinus</i>	9	2016	August
75	101	Rock	Celon	<i>Centrostephanus longispinus</i>	9	2016	August
101	115	Sand	Celon	<i>Centrostephanus longispinus</i>	9	2016	August
101	115	Sand	Celon	<i>Centrostephanus longispinus</i>	9	2016	August
104	105	Sand	Celon	<i>Centrostephanus longispinus</i>	9	2016	August
104	105	Sand	Celon	<i>Centrostephanus longispinus</i>	9	2016	August
92	96	Mud	Celon	<i>Centrostephanus longispinus</i>	9	2016	August
92	96	Mud	Celon	<i>Centrostephanus longispinus</i>	9	2016	August
85	100	Rock	Celon	<i>Centrostephanus longispinus</i>	9.5	2016	April
85	100	Rock	Celon	<i>Centrostephanus longispinus</i>	9.5	2016	April
85	100	Rock	Celon	<i>Centrostephanus longispinus</i>	9.5	2016	April
85	100	Rock	Celon	<i>Centrostephanus longispinus</i>	10	2016	April
185	220	Sand	Celon	<i>Centrostephanus longispinus</i>	10	2016	April
185	220	Sand	Celon	<i>Centrostephanus longispinus</i>	10	2016	April
152	177	Sand	Celon	<i>Centrostephanus longispinus</i>	10	2016	April
152	177	Sand	Celon	<i>Centrostephanus longispinus</i>	10	2016	April
152	177	Sand	Celon	<i>Centrostephanus longispinus</i>	10.5	2016	April
152	177	Sand	Celon	<i>Centrostephanus longispinus</i>	10.5	2016	April
78	100	Mud-Sand	Celon	<i>Centrostephanus longispinus</i>	10.5	2016	June
78	100	Mud-Sand	Celon	<i>Centrostephanus longispinus</i>	10.5	2016	June
51	58	Mud	Celon	<i>Centrostephanus longispinus</i>	10.5	2016	June
51	58	Mud	Celon	<i>Centrostephanus longispinus</i>	10.5	2016	June
130	140	Sand	Celon	<i>Centrostephanus longispinus</i>	10.5	2016	June
130	140	Sand	Celon	<i>Centrostephanus longispinus</i>	12	2016	June
79	110	Sand	Celon	<i>Centrostephanus longispinus</i>	12	2016	June
79	110	Sand	Celon	<i>Centrostephanus longispinus</i>	12	2016	June
81	100	Sand	Celon	<i>Centrostephanus longispinus</i>	12	2016	June
81	100	Sand	Celon	<i>Centrostephanus longispinus</i>	12	2016	June
85	100	Sand	Celon	<i>Centrostephanus longispinus</i>	12	2016	September
85	100	Sand	Celon	<i>Centrostephanus longispinus</i>	12	2016	September
85	100	Sand	Celon	<i>Centrostephanus longispinus</i>	12	2016	September
98	105	Sand	Cicid	<i>Cidaris cidaris</i>	3.5	2015	October

Depth - Min (m)	Depth-Max (m)	Habitats	Abr	Species	Diameter (cm)	Year	Month
98	105	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	3.5	2015	October
98	105	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	3.5	2015	October
91	95	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	3.5	2015	October
91	95	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	3.5	2015	October
91	95	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	3.5	2015	October
91	95	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	3.5	2015	October
166	199	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	4	2015	December
166	199	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	4	2015	December
166	199	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	4	2015	December
180	210	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	4	2015	December
180	210	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	4	2015	December
180	210	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	4	2015	December
120	145	Mud	<i>Cicid</i>	<i>Cidaris cidaris</i>	4.5	2015	December
120	145	Mud	<i>Cicid</i>	<i>Cidaris cidaris</i>	4.5	2015	December
120	145	Mud	<i>Cicid</i>	<i>Cidaris cidaris</i>	4.5	2015	December
67	70	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	4.5	2015	December
67	70	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	4.5	2015	December
80	111	Mud	<i>Cicid</i>	<i>Cidaris cidaris</i>	4.5	2015	December
80	111	Mud	<i>Cicid</i>	<i>Cidaris cidaris</i>	4.5	2015	December
90	105	Mud-Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	5	2015	December
90	105	Mud-Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	5	2015	December
90	105	Mud-Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	5	2015	December
90	110	Mud-Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	5	2015	December
90	110	Mud-Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	5	2015	December
80	120	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	5	2015	December
80	120	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	5	2015	December
79	80	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	5	2016	March
79	80	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	5	2016	March
80	113	Mud	<i>Cicid</i>	<i>Cidaris cidaris</i>	5	2016	March
80	113	Mud	<i>Cicid</i>	<i>Cidaris cidaris</i>	5	2016	March
80	113	Mud	<i>Cicid</i>	<i>Cidaris cidaris</i>	5	2016	March
80	113	Mud	<i>Cicid</i>	<i>Cidaris cidaris</i>	5	2016	March
90	120	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	5	2016	March
90	120	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	5	2016	March
70	115	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	5	2016	March
70	115	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	5	2016	March
70	100	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	5	2016	March
70	100	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	5	2016	March
100	125	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	5	2016	March
100	125	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	5	2016	March
50	65	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	6	2016	March
50	65	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	6	2016	March
50	60	Rock	<i>Cicid</i>	<i>Cidaris cidaris</i>	6	2016	March
50	60	Rock	<i>Cicid</i>	<i>Cidaris cidaris</i>	6	2016	March
50	60	Rock	<i>Cicid</i>	<i>Cidaris cidaris</i>	6	2016	August
50	60	Rock	<i>Cicid</i>	<i>Cidaris cidaris</i>	6	2016	August
50	60	Rock	<i>Cicid</i>	<i>Cidaris cidaris</i>	6	2016	August
50	103	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	6	2016	August
50	103	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	6	2016	August
77	96	Mud	<i>Cicid</i>	<i>Cidaris cidaris</i>	6	2016	August
77	96	Mud	<i>Cicid</i>	<i>Cidaris cidaris</i>	6	2016	August
101	115	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	6	2016	August
101	115	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	6	2016	August
104	105	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	6	2016	August
104	105	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	6	2016	August
92	96	Mud	<i>Cicid</i>	<i>Cidaris cidaris</i>	6	2016	August
92	96	Mud	<i>Cicid</i>	<i>Cidaris cidaris</i>	6	2016	August
85	100	Rock	<i>Cicid</i>	<i>Cidaris cidaris</i>	6	2016	April
85	100	Rock	<i>Cicid</i>	<i>Cidaris cidaris</i>	6	2016	April
85	100	Rock	<i>Cicid</i>	<i>Cidaris cidaris</i>	6	2016	April
85	100	Rock	<i>Cicid</i>	<i>Cidaris cidaris</i>	6	2016	April
152	177	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	6	2016	April
152	177	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	6	2016	April
152	177	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	6	2016	April
152	177	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	6	2016	April
152	177	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	6	2016	April
152	177	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	6	2016	April
78	100	Mud-Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	6	2016	June
78	100	Mud-Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	6	2016	June
51	58	Mud	<i>Cicid</i>	<i>Cidaris cidaris</i>	6	2016	June
51	58	Mud	<i>Cicid</i>	<i>Cidaris cidaris</i>	6	2016	June
130	140	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	6	2016	June
130	140	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	6	2016	June
70	95	Rock	<i>Cicid</i>	<i>Cidaris cidaris</i>	6	2016	June
70	95	Rock	<i>Cicid</i>	<i>Cidaris cidaris</i>	6	2016	June

Depth - Min (m)	Depth-Max (m)	Habitats	Abr	Species	Diameter (cm)	Year	Month
79	110	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	6	2016	June
79	110	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	7	2016	June
81	100	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	7	2016	June
81	100	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	7	2016	June
85	100	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	7	2016	September
85	100	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	7	2016	September
90	160	Mud-Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	7	2016	September
90	160	Mud-Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	7	2016	September
72	90	Rock	<i>Cicid</i>	<i>Cidaris cidaris</i>	7	2016	September
72	90	Rock	<i>Cicid</i>	<i>Cidaris cidaris</i>	7	2016	September
72	90	Rock	<i>Cicid</i>	<i>Cidaris cidaris</i>	7	2016	September
72	90	Rock	<i>Cicid</i>	<i>Cidaris cidaris</i>	7	2016	September
78	84	Rock	<i>Cicid</i>	<i>Cidaris cidaris</i>	7	2016	September
78	84	Rock	<i>Cicid</i>	<i>Cidaris cidaris</i>	7	2016	September
78	84	Rock	<i>Cicid</i>	<i>Cidaris cidaris</i>	7	2016	September
78	84	Rock	<i>Cicid</i>	<i>Cidaris cidaris</i>	7	2016	September
135	170	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	7	2016	September
135	170	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	7	2016	September
135	170	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	7	2016	September
158	164	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	7	2016	July
158	164	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	7	2016	July
158	164	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	7	2016	July
158	164	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	7	2016	July
70	85	Rock	<i>Cicid</i>	<i>Cidaris cidaris</i>	7	2016	July
70	85	Rock	<i>Cicid</i>	<i>Cidaris cidaris</i>	7	2016	July
70	85	Rock	<i>Cicid</i>	<i>Cidaris cidaris</i>	7	2016	July
70	85	Rock	<i>Cicid</i>	<i>Cidaris cidaris</i>	7	2016	July
70	85	Rock	<i>Cicid</i>	<i>Cidaris cidaris</i>	7	2016	July
70	85	Rock	<i>Cicid</i>	<i>Cidaris cidaris</i>	7	2016	July
70	85	Rock	<i>Cicid</i>	<i>Cidaris cidaris</i>	7	2016	July
70	85	Rock	<i>Cicid</i>	<i>Cidaris cidaris</i>	7	2016	July
70	85	Rock	<i>Cicid</i>	<i>Cidaris cidaris</i>	7	2016	July
70	85	Rock	<i>Cicid</i>	<i>Cidaris cidaris</i>	7	2016	July
70	85	Rock	<i>Cicid</i>	<i>Cidaris cidaris</i>	7.5	2016	July
70	85	Rock	<i>Cicid</i>	<i>Cidaris cidaris</i>	7.5	2016	July
70	85	Rock	<i>Cicid</i>	<i>Cidaris cidaris</i>	7.5	2016	July
70	85	Sand	<i>Cicid</i>	<i>Cidaris cidaris</i>	7.5	2016	July
68	94	Mud-Sand	<i>Gracu</i>	<i>Gracilechinus acutus</i>	12	2015	October
70	100	Sand	<i>Gracu</i>	<i>Gracilechinus acutus</i>	7	2016	March
70	100	Sand	<i>Gracu</i>	<i>Gracilechinus acutus</i>	7	2016	March
70	100	Sand	<i>Gracu</i>	<i>Gracilechinus acutus</i>	7	2016	March
100	125	Sand	<i>Gracu</i>	<i>Gracilechinus acutus</i>	7	2016	March
100	125	Sand	<i>Gracu</i>	<i>Gracilechinus acutus</i>	8	2016	March
100	125	Sand	<i>Gracu</i>	<i>Gracilechinus acutus</i>	8	2016	March
50	60	Rock	<i>Gracu</i>	<i>Gracilechinus acutus</i>	8	2016	August
50	60	Rock	<i>Gracu</i>	<i>Gracilechinus acutus</i>	9.5	2016	August
50	60	Rock	<i>Gracu</i>	<i>Gracilechinus acutus</i>	9.5	2016	August
50	60	Rock	<i>Gracu</i>	<i>Gracilechinus acutus</i>	11	2016	August
50	103	Sand	<i>Gracu</i>	<i>Gracilechinus acutus</i>	11	2016	August
50	103	Sand	<i>Gracu</i>	<i>Gracilechinus acutus</i>	11.5	2016	August
50	103	Sand	<i>Gracu</i>	<i>Gracilechinus acutus</i>	12	2016	August
50	103	Sand	<i>Gracu</i>	<i>Gracilechinus acutus</i>	12	2016	August
75	101	Rock	<i>Gracu</i>	<i>Gracilechinus acutus</i>	13	2016	August
75	101	Rock	<i>Gracu</i>	<i>Gracilechinus acutus</i>	13.5	2016	August
75	101	Rock	<i>Gracu</i>	<i>Gracilechinus acutus</i>	14	2016	August
75	101	Rock	<i>Gracu</i>	<i>Gracilechinus acutus</i>	14	2016	August
0.2	0.6	Algea	<i>Paliv</i>	<i>Paracentrotus lividus</i>	1	2013	
0.2	0.6	Algea	<i>Paliv</i>	<i>Paracentrotus lividus</i>	3	2013	
0.2	0.6	Algea	<i>Paliv</i>	<i>Paracentrotus lividus</i>	3	2013	
0.2	0.6	Algea	<i>Paliv</i>	<i>Paracentrotus lividus</i>	3	2013	
0.2	0.6	Algea	<i>Paliv</i>	<i>Paracentrotus lividus</i>	3	2013	
0.2	0.6	Algea	<i>Paliv</i>	<i>Paracentrotus lividus</i>	3	2014	
0.2	0.6	Algea	<i>Paliv</i>	<i>Paracentrotus lividus</i>	3.5	2014	
0.2	0.6	Algea	<i>Paliv</i>	<i>Paracentrotus lividus</i>	3.5	2014	
0.2	0.6	Algea	<i>Paliv</i>	<i>Paracentrotus lividus</i>	3.5	2014	
0.2	0.6	Algea	<i>Paliv</i>	<i>Paracentrotus lividus</i>	4	2014	
0.2	0.6	Algea	<i>Paliv</i>	<i>Paracentrotus lividus</i>	4	2014	
0.2	0.6	Algea	<i>Paliv</i>	<i>Paracentrotus lividus</i>	4	2014	
0.2	0.6	Rock	<i>Paliv</i>	<i>Paracentrotus lividus</i>	4	2013	
0.2	0.6	Rock	<i>Paliv</i>	<i>Paracentrotus lividus</i>	4	2013	
0.2	0.6	Rock	<i>Paliv</i>	<i>Paracentrotus lividus</i>	4	2013	
0.2	0.6	Rock	<i>Paliv</i>	<i>Paracentrotus lividus</i>	5	2013	
0.2	0.6	Rock	<i>Paliv</i>	<i>Paracentrotus lividus</i>	5	2013	
0.2	0.6	Rock	<i>Paliv</i>	<i>Paracentrotus lividus</i>	5	2013	
3	6	Sand	<i>Paliv</i>	<i>Paracentrotus lividus</i>	5	2016	May
3	6	Sand	<i>Paliv</i>	<i>Paracentrotus lividus</i>	5	2016	May
3	6	Sand	<i>Paliv</i>	<i>Paracentrotus lividus</i>	5	2016	May
3	6	Sand	<i>Paliv</i>	<i>Paracentrotus lividus</i>	5	2016	May

Depth - Min (m)	Depth-Max (m)	Habitats	Abr	Species	Diameter (cm)	Year	Month
3	6	Sand	Paliv	<i>Paracentrotus lividus</i>	5	2016	May
3	6	Sand	Paliv	<i>Paracentrotus lividus</i>	6	2016	May
3	6	Sand	Paliv	<i>Paracentrotus lividus</i>	6	2016	May
3	6	Sand	Paliv	<i>Paracentrotus lividus</i>	6	2016	May
3	6	Sand	Paliv	<i>Paracentrotus lividus</i>	7	2016	May
3	6	Sand	Paliv	<i>Paracentrotus lividus</i>	7	2016	May
3	6	Sand	Paliv	<i>Paracentrotus lividus</i>	7	2016	May
3	6	Sand	Paliv	<i>Paracentrotus lividus</i>	7	2016	May
3	6	Sand	Paliv	<i>Paracentrotus lividus</i>	7	2016	May
3	6	Sand	Paliv	<i>Paracentrotus lividus</i>	7	2016	May
3	6	Sand	Paliv	<i>Paracentrotus lividus</i>	7	2016	May
3	6	Sand	Paliv	<i>Paracentrotus lividus</i>	8	2016	May
3	6	Sand	Paliv	<i>Paracentrotus lividus</i>	8	2016	May
0.2	0.6	Rock	Paliv	<i>Paracentrotus lividus</i>	8	2016	July
0.2	0.6	Rock	Paliv	<i>Paracentrotus lividus</i>	8	2016	July
0.2	0.6	Rock	Paliv	<i>Paracentrotus lividus</i>	8	2016	July
0.2	0.6	Rock	Paliv	<i>Paracentrotus lividus</i>	8	2016	July
0.2	0.6	Rock	Paliv	<i>Paracentrotus lividus</i>	8.5	2016	July
0.2	0.6	Rock	Paliv	<i>Paracentrotus lividus</i>	8.5	2016	July
0.2	0.6	Rock	Paliv	<i>Paracentrotus lividus</i>	8.5	2016	July
0.2	0.6	Rock	Paliv	<i>Paracentrotus lividus</i>	9	2016	July
0.2	0.6	Rock	Paliv	<i>Paracentrotus lividus</i>	9	2016	July
0.2	0.6	Sand	Paliv	<i>Paracentrotus lividus</i>	9	2016	July
0.2	0.6	Sand	Paliv	<i>Paracentrotus lividus</i>	9	2016	July
0.2	0.6	Sand	Paliv	<i>Paracentrotus lividus</i>	9	2016	July
0.2	0.6	Sand	Paliv	<i>Paracentrotus lividus</i>	9	2016	July
0.2	0.6	Algea	Spgra	<i>Sphaerechinus granularis</i>	8	2016	July
3	5	Algea	Spgra	<i>Sphaerechinus granularis</i>	12	2016	July
98	105	Sand	Staff	<i>Stylocidaris affinis</i>	3.5	2015	October
98	105	Sand	Staff	<i>Stylocidaris affinis</i>	3.5	2015	October
98	105	Sand	Staff	<i>Stylocidaris affinis</i>	3.5	2015	October
91	95	Sand	Staff	<i>Stylocidaris affinis</i>	3.5	2015	October
91	95	Sand	Staff	<i>Stylocidaris affinis</i>	3.5	2015	October
91	95	Sand	Staff	<i>Stylocidaris affinis</i>	3.5	2015	October
91	95	Sand	Staff	<i>Stylocidaris affinis</i>	3.5	2015	October
91	95	Sand	Staff	<i>Stylocidaris affinis</i>	3.5	2015	October
91	95	Sand	Staff	<i>Stylocidaris affinis</i>	3.5	2015	October
166	199	Sand	Staff	<i>Stylocidaris affinis</i>	4	2015	December
166	199	Sand	Staff	<i>Stylocidaris affinis</i>	4	2015	December
166	199	Sand	Staff	<i>Stylocidaris affinis</i>	4	2015	December
166	199	Sand	Staff	<i>Stylocidaris affinis</i>	4	2015	December
180	210	Sand	Staff	<i>Stylocidaris affinis</i>	4	2015	December
180	210	Sand	Staff	<i>Stylocidaris affinis</i>	4	2015	December
180	210	Sand	Staff	<i>Stylocidaris affinis</i>	4	2015	December
120	145	Mud	Staff	<i>Stylocidaris affinis</i>	4.5	2015	December
120	145	Mud	Staff	<i>Stylocidaris affinis</i>	4.5	2015	December
120	145	Mud	Staff	<i>Stylocidaris affinis</i>	4.5	2015	December
67	70	Sand	Staff	<i>Stylocidaris affinis</i>	4.5	2015	December
67	70	Sand	Staff	<i>Stylocidaris affinis</i>	4.5	2015	December
80	111	Mud	Staff	<i>Stylocidaris affinis</i>	4.5	2015	December
80	111	Mud	Staff	<i>Stylocidaris affinis</i>	4.5	2015	December
90	105	Mud-Sand	Staff	<i>Stylocidaris affinis</i>	5	2015	December
90	105	Mud-Sand	Staff	<i>Stylocidaris affinis</i>	5	2015	December
90	105	Mud-Sand	Staff	<i>Stylocidaris affinis</i>	5	2015	December
90	110	Mud-Sand	Staff	<i>Stylocidaris affinis</i>	5	2015	December
90	110	Mud-Sand	Staff	<i>Stylocidaris affinis</i>	5	2015	December
80	120	Sand	Staff	<i>Stylocidaris affinis</i>	5	2015	December
80	120	Sand	Staff	<i>Stylocidaris affinis</i>	5	2015	December
79	80	Sand	Staff	<i>Stylocidaris affinis</i>	5	2016	March
79	80	Sand	Staff	<i>Stylocidaris affinis</i>	5	2016	March
80	113	Mud	Staff	<i>Stylocidaris affinis</i>	5	2016	March
80	113	Mud	Staff	<i>Stylocidaris affinis</i>	5	2016	March
80	113	Mud	Staff	<i>Stylocidaris affinis</i>	5	2016	March
80	113	Mud	Staff	<i>Stylocidaris affinis</i>	5	2016	March
90	120	Sand	Staff	<i>Stylocidaris affinis</i>	5	2016	March
90	120	Sand	Staff	<i>Stylocidaris affinis</i>	5	2016	March
100	115	Sand	Staff	<i>Stylocidaris affinis</i>	5	2016	March
100	115	Sand	Staff	<i>Stylocidaris affinis</i>	5	2016	March
70	100	Sand	Staff	<i>Stylocidaris affinis</i>	5	2016	March
70	100	Sand	Staff	<i>Stylocidaris affinis</i>	5	2016	March
100	125	Sand	Staff	<i>Stylocidaris affinis</i>	5	2016	March
100	125	Sand	Staff	<i>Stylocidaris affinis</i>	5	2016	March
50	65	Sand	Staff	<i>Stylocidaris affinis</i>	6	2016	March
50	65	Sand	Staff	<i>Stylocidaris affinis</i>	6	2016	March
50	60	Rock	Staff	<i>Stylocidaris affinis</i>	6	2016	March
50	60	Rock	Staff	<i>Stylocidaris affinis</i>	6	2016	March
50	60	Rock	Staff	<i>Stylocidaris affinis</i>	6	2016	August
50	60	Rock	Staff	<i>Stylocidaris affinis</i>	6	2016	August



Depth - Min (m)	Depth-Max (m)	Habitats	Abr	Species	Diameter (cm)	Year	Month
50	60	Rock	Staff	<i>Stylocidaris affinis</i>	6	2016	August
50	103	Sand	Staff	<i>Stylocidaris affinis</i>	6	2016	August
50	103	Sand	Staff	<i>Stylocidaris affinis</i>	6	2016	August
77	96	Mud	Staff	<i>Stylocidaris affinis</i>	6	2016	August
77	96	Mud	Staff	<i>Stylocidaris affinis</i>	6	2016	August
101	115	Sand	Staff	<i>Stylocidaris affinis</i>	6	2016	August
101	115	Sand	Staff	<i>Stylocidaris affinis</i>	6	2016	August
104	105	Sand	Staff	<i>Stylocidaris affinis</i>	6	2016	August
104	105	Sand	Staff	<i>Stylocidaris affinis</i>	6	2016	August
92	96	Mud	Staff	<i>Stylocidaris affinis</i>	6	2016	August
92	96	Mud	Staff	<i>Stylocidaris affinis</i>	6	2016	August
85	100	Rock	Staff	<i>Stylocidaris affinis</i>	6	2016	April
85	100	Rock	Staff	<i>Stylocidaris affinis</i>	6	2016	April
85	100	Rock	Staff	<i>Stylocidaris affinis</i>	6	2016	April
85	100	Rock	Staff	<i>Stylocidaris affinis</i>	6	2016	April
152	177	Sand	Staff	<i>Stylocidaris affinis</i>	6	2016	April
152	177	Sand	Staff	<i>Stylocidaris affinis</i>	6	2016	April
152	177	Sand	Staff	<i>Stylocidaris affinis</i>	6	2016	April
152	177	Sand	Staff	<i>Stylocidaris affinis</i>	6	2016	April
152	177	Sand	Staff	<i>Stylocidaris affinis</i>	6	2016	April
152	177	Sand	Staff	<i>Stylocidaris affinis</i>	6	2016	April
78	100	Mud-Sand	Staff	<i>Stylocidaris affinis</i>	6	2016	June
78	100	Mud-Sand	Staff	<i>Stylocidaris affinis</i>	6	2016	June
51	58	Mud	Staff	<i>Stylocidaris affinis</i>	6	2016	June
51	58	Mud	Staff	<i>Stylocidaris affinis</i>	6	2016	June
130	140	Sand	Staff	<i>Stylocidaris affinis</i>	6	2016	June
130	140	Sand	Staff	<i>Stylocidaris affinis</i>	6	2016	June
70	95	Rock	Staff	<i>Stylocidaris affinis</i>	6	2016	June
70	95	Rock	Staff	<i>Stylocidaris affinis</i>	6	2016	June
79	110	Sand	Staff	<i>Stylocidaris affinis</i>	6	2016	June
79	110	Sand	Staff	<i>Stylocidaris affinis</i>	7	2016	June
81	100	Sand	Staff	<i>Stylocidaris affinis</i>	7	2016	June
81	100	Sand	Staff	<i>Stylocidaris affinis</i>	7	2016	June
85	100	Sand	Staff	<i>Stylocidaris affinis</i>	7	2016	September
85	100	Sand	Staff	<i>Stylocidaris affinis</i>	7	2016	September
90	160	Mud-Sand	Staff	<i>Stylocidaris affinis</i>	7	2016	September
90	160	Mud-Sand	Staff	<i>Stylocidaris affinis</i>	7	2016	September
72	90	Rock	Staff	<i>Stylocidaris affinis</i>	7	2016	September
72	90	Rock	Staff	<i>Stylocidaris affinis</i>	7	2016	September
72	90	Rock	Staff	<i>Stylocidaris affinis</i>	7	2016	September
72	90	Rock	Staff	<i>Stylocidaris affinis</i>	7	2016	September
78	84	Rock	Staff	<i>Stylocidaris affinis</i>	7	2016	September
78	84	Rock	Staff	<i>Stylocidaris affinis</i>	7	2016	September
78	84	Rock	Staff	<i>Stylocidaris affinis</i>	7	2016	September
78	84	Rock	Staff	<i>Stylocidaris affinis</i>	7	2016	September
135	170	Sand	Staff	<i>Stylocidaris affinis</i>	7	2016	September
135	170	Sand	Staff	<i>Stylocidaris affinis</i>	7	2016	September
135	170	Sand	Staff	<i>Stylocidaris affinis</i>	7	2016	September
158	164	Sand	Staff	<i>Stylocidaris affinis</i>	7	2016	July
158	164	Sand	Staff	<i>Stylocidaris affinis</i>	7	2016	July
158	164	Sand	Staff	<i>Stylocidaris affinis</i>	7	2016	July
158	164	Sand	Staff	<i>Stylocidaris affinis</i>	7	2016	July
70	85	Rock	Staff	<i>Stylocidaris affinis</i>	7	2016	July
70	85	Rock	Staff	<i>Stylocidaris affinis</i>	7	2016	July
70	85	Rock	Staff	<i>Stylocidaris affinis</i>	7	2016	July
70	85	Rock	Staff	<i>Stylocidaris affinis</i>	7	2016	July
70	85	Rock	Staff	<i>Stylocidaris affinis</i>	7	2016	July
70	85	Rock	Staff	<i>Stylocidaris affinis</i>	7	2016	July
70	85	Rock	Staff	<i>Stylocidaris affinis</i>	7	2016	July
70	85	Rock	Staff	<i>Stylocidaris affinis</i>	7	2016	July
70	85	Rock	Staff	<i>Stylocidaris affinis</i>	7.5	2016	July
70	85	Rock	Staff	<i>Stylocidaris affinis</i>	7.5	2016	July
70	85	Rock	Staff	<i>Stylocidaris affinis</i>	7.5	2016	July
70	85	Sand	Staff	<i>Stylocidaris affinis</i>	7.5	2016	July
70	85	Sand	Staff	<i>Stylocidaris affinis</i>	8	2016	August
70	85	Sand	Stpur	<i>Spatangus purpureus</i>	8	2015	
3	5	Sand	Hesyr	<i>Hemioconus syracusanus</i>	5	2016	
0.2	0.3	Rock	Hoimp	<i>Holothuria (Thymiosycia) impatiens</i>	13	2016	
3	8	Sand	Hopol	<i>Holothuria (Roweothuria) poli</i>	10	2016	
3	8	Sand	Hopol	<i>Holothuria (Roweothuria) poli</i>	10	2016	
3	8	Sand	Hopol	<i>Holothuria (Roweothuria) poli</i>	10	2016	
3	8	Sand	Hopol	<i>Holothuria (Roweothuria) poli</i>	10	2016	
3	8	Sand	Hopol	<i>Holothuria (Roweothuria) poli</i>	10	2016	
3	8	Sand	Hopol	<i>Holothuria (Roweothuria) poli</i>	10	2016	
3	8	Sand	Hotub	<i>Holothuria (Holothuria) tubulosa</i>	8	2016	
3	8	Sand	Hotub	<i>Holothuria (Holothuria) tubulosa</i>	8	2016	

Depth - Min (m)	Depth-Max (m)	Habitats	Abr	Species	Diameter (cm)	Year	Month
3	8	Sand	Hotub	<i>Holothuria (Holothuria) tubulosa</i>	8	2016	
3	8	Sand	Homam	<i>Holothuria (Holothuria) mammata</i>	7	2016	
3	8	Sand	Homam	<i>Holothuria (Holothuria) mammata</i>	9	2016	
0.2	0.6	Algea	Hopol	<i>Holothuria (Roweothuria) poli</i>	10	2016	
0.2	0.6	Algea	Hopol	<i>Holothuria (Roweothuria) poli</i>	10	2016	
0.2	0.6	Algea	Hopol	<i>Holothuria (Roweothuria) poli</i>	10	2016	
0.2	0.6	Algea	Hopol	<i>Holothuria (Roweothuria) poli</i>	10.5	2016	
0.2	0.6	Algea	Hopol	<i>Holothuria (Roweothuria) poli</i>	10.5	2016	
0.2	0.6	Algea	Hopol	<i>Holothuria (Roweothuria) poli</i>	11	2016	
0.2	0.6	Algea	Hopol	<i>Holothuria (Roweothuria) poli</i>	11	2016	
0.2	0.6	Algea	Hopol	<i>Holothuria (Roweothuria) poli</i>	11	2016	
0.2	0.6	Algea	Hopol	<i>Holothuria (Roweothuria) poli</i>	11	2016	
0.2	0.6	Algea	Hopol	<i>Holothuria (Roweothuria) poli</i>	11	2016	
0.2	0.6	Algea	Hopol	<i>Holothuria (Roweothuria) poli</i>	11	2016	
0.2	0.6	Algea	Hopol	<i>Holothuria (Roweothuria) poli</i>	11	2016	
0.2	0.6	Algea	Hopol	<i>Holothuria (Roweothuria) poli</i>	11	2016	
0.2	0.6	Algea	Hopol	<i>Holothuria (Roweothuria) poli</i>	11	2016	
0.2	0.6	Algea	Hopol	<i>Holothuria (Roweothuria) poli</i>	11	2016	
0.2	0.6	Algea	Hopol	<i>Holothuria (Roweothuria) poli</i>	12	2016	
0.2	0.6	Algea	Hopol	<i>Holothuria (Roweothuria) poli</i>	12	2016	
0.2	0.6	Algea	Hosan	<i>Holothuria (Platyperona) sanctori</i>	10	2016	
0.2	0.6	Algea	Hosan	<i>Holothuria (Platyperona) sanctori</i>	10	2016	
0.2	0.6	Algea	Hosan	<i>Holothuria (Platyperona) sanctori</i>	10	2016	
0.2	0.6	Algea	Hosan	<i>Holothuria (Platyperona) sanctori</i>	10	2016	
0.2	0.6	Algea	Hosan	<i>Holothuria (Platyperona) sanctori</i>	10	2016	
0.2	0.6	Algea	Hosan	<i>Holothuria (Platyperona) sanctori</i>	10	2016	
0.2	0.6	Algea	Hosan	<i>Holothuria (Platyperona) sanctori</i>	11	2016	
0.2	0.6	Algea	Hosan	<i>Holothuria (Platyperona) sanctori</i>	11	2016	
3	6	Sand	Hotub	<i>Holothuria (Holothuria) tubulosa</i>	11	2016	May
3	6	Sand	Hotub	<i>Holothuria (Holothuria) tubulosa</i>	11	2016	May
3	6	Sand	Hotub	<i>Holothuria (Holothuria) tubulosa</i>	11	2016	May
3	6	Sand	Hotub	<i>Holothuria (Holothuria) tubulosa</i>	12	2016	May
3	6	Sand	Hotub	<i>Holothuria (Holothuria) tubulosa</i>	12	2016	May
3	6	Sand	Hotub	<i>Holothuria (Holothuria) tubulosa</i>	12	2016	May
0.2	0.6	Sand	Hotub	<i>Holothuria (Holothuria) tubulosa</i>	12	2016	July
0.2	0.6	Sand	Hotub	<i>Holothuria (Holothuria) tubulosa</i>	12	2016	July
0.2	0.6	Sand	Hotub	<i>Holothuria (Holothuria) tubulosa</i>	12	2016	July
0.2	0.6	Algea	Hotub	<i>Holothuria (Holothuria) tubulosa</i>	8	2013	
0.2	0.6	Algea	Hotub	<i>Holothuria (Holothuria) tubulosa</i>	8	2013	
0.2	0.6	Algea	Hotub	<i>Holothuria (Holothuria) tubulosa</i>	8	2013	
0.2	0.6	Algea	Hotub	<i>Holothuria (Holothuria) tubulosa</i>	8	2013	
0.2	0.6	Algea	Hotub	<i>Holothuria (Holothuria) tubulosa</i>	8.5	2013	
0.2	0.6	Algea	Hotub	<i>Holothuria (Holothuria) tubulosa</i>	8.5	2013	
0.2	0.6	Algea	Hotub	<i>Holothuria (Holothuria) tubulosa</i>	8.5	2013	
0.2	0.6	Algea	Hotub	<i>Holothuria (Holothuria) tubulosa</i>	8.5	2013	
0.2	0.6	Algea	Hotub	<i>Holothuria (Holothuria) tubulosa</i>	8.5	2013	
0.2	0.6	Algea	Hotub	<i>Holothuria (Holothuria) tubulosa</i>	8.5	2013	
0.2	0.6	Algea	Hotub	<i>Holothuria (Holothuria) tubulosa</i>	8.5	2013	
0.2	0.6	Algea	Hotub	<i>Holothuria (Holothuria) tubulosa</i>	8.5	2013	
0.2	0.6	Algea	Hotub	<i>Holothuria (Holothuria) tubulosa</i>	8.5	2013	
0.2	0.6	Algea	Hotub	<i>Holothuria (Holothuria) tubulosa</i>	8.5	2014	
3	8	Sand	Hotub	<i>Holothuria (Holothuria) tubulosa</i>	10	2014	
3	8	Sand	Hotub	<i>Holothuria (Holothuria) tubulosa</i>	10	2014	
3	8	Sand	Hotub	<i>Holothuria (Holothuria) tubulosa</i>	10	2014	
3	8	Sand	Hotub	<i>Holothuria (Holothuria) tubulosa</i>	10	2014	
3	8	Sand	Hotub	<i>Holothuria (Holothuria) tubulosa</i>	10	2014	
3	8	Sand	Hotub	<i>Holothuria (Holothuria) tubulosa</i>	12	2014	
3	8	Sand	Hotub	<i>Holothuria (Holothuria) tubulosa</i>	12	2014	
185	220	Sand	Hotub	<i>Holothuria (Holothuria) tubulosa</i>	12	2014	
185	220	Sand	Hotub	<i>Holothuria (Holothuria) tubulosa</i>	12	2014	
79	110	Sand	Hotub	<i>Holothuria (Holothuria) tubulosa</i>	12	2014	
79	110	Sand	Hotub	<i>Holothuria (Holothuria) tubulosa</i>	12	2014	
85	100	Sand	Hotub	<i>Holothuria (Holothuria) tubulosa</i>	13	2014	
90	160	Mud-Sand	Hotub	<i>Holothuria (Holothuria) tubulosa</i>	13	2013	
90	160	Mud-Sand	Hotub	<i>Holothuria (Holothuria) tubulosa</i>	13	2013	
3	8	Sand	Hotub	<i>Holothuria (Holothuria) tubulosa</i>	13	2013	
3	8	Sand	Hotub	<i>Holothuria (Holothuria) tubulosa</i>	13	2013	
3	8	Sand	Hotub	<i>Holothuria (Holothuria) tubulosa</i>	14	2013	
3	8	Sand	Hotub	<i>Holothuria (Holothuria) tubulosa</i>	15	2013	
3	8	Sand	Hotub	<i>Holothuria (Holothuria) tubulosa</i>	5	2013	
98	105	Sand	Leter	<i>Leptopentacta tergistina</i>	5	2015	October
120	145	Mud	Leter	<i>Leptopentacta tergistina</i>	5	2015	October
79	80	Sand	Leter	<i>Leptopentacta tergistina</i>	5	2016	March
77	96	Mud	Leter	<i>Leptopentacta tergistina</i>	5	2015	December
101	115	Sand	Leter	<i>Leptopentacta tergistina</i>	5	2016	August
60	96	Sand	Leelo	<i>Leptopentacta elongata</i>		2015	
85	98	Mud	Pareg	<i>Parastichopus regalis</i>	11	2015	October
85	98	Mud	Pareg	<i>Parastichopus regalis</i>	11	2015	October
85	98	Mud	Pareg	<i>Parastichopus regalis</i>	11	2015	October
98	105	Sand	Pareg	<i>Parastichopus regalis</i>	11	2015	October

Depth - Min (m)	Depth-Max (m)	Habitats	Abr	Species	Diameter (cm)	Year	Month
98	105	Sand	<i>Pareg</i>	<i>Parastichopus regalis</i>	11	2015	October
98	105	Sand	<i>Pareg</i>	<i>Parastichopus regalis</i>	11	2015	October
98	105	Sand	<i>Pareg</i>	<i>Parastichopus regalis</i>	11	2015	October
91	95	Sand	<i>Pareg</i>	<i>Parastichopus regalis</i>	11	2015	October
91	95	Sand	<i>Pareg</i>	<i>Parastichopus regalis</i>	11	2015	December
120	145	Mud	<i>Pareg</i>	<i>Parastichopus regalis</i>	11	2015	December
120	145	Mud	<i>Pareg</i>	<i>Parastichopus regalis</i>	11.5	2015	December
120	145	Mud	<i>Pareg</i>	<i>Parastichopus regalis</i>	11.5	2015	December
67	70	Sand	<i>Pareg</i>	<i>Parastichopus regalis</i>	11.5	2015	December
67	70	Sand	<i>Pareg</i>	<i>Parastichopus regalis</i>	12	2015	December
115	130	Sand	<i>Pareg</i>	<i>Parastichopus regalis</i>	12	2015	December
115	130	Sand	<i>Pareg</i>	<i>Parastichopus regalis</i>	12	2015	December
90	110	Mud-Sand	<i>Pareg</i>	<i>Parastichopus regalis</i>	12	2016	March
90	110	Mud-Sand	<i>Pareg</i>	<i>Parastichopus regalis</i>	12	2016	March
90	110	Mud-Sand	<i>Pareg</i>	<i>Parastichopus regalis</i>	12	2016	March
50	60	Rock	<i>Pareg</i>	<i>Parastichopus regalis</i>	13	2016	March
50	60	Rock	<i>Pareg</i>	<i>Parastichopus regalis</i>	13	2016	March
50	60	Rock	<i>Pareg</i>	<i>Parastichopus regalis</i>	13	2016	March
50	60	Rock	<i>Pareg</i>	<i>Parastichopus regalis</i>	13.5	2016	March
50	60	Rock	<i>Pareg</i>	<i>Parastichopus regalis</i>	13.5	2016	August
50	60	Rock	<i>Pareg</i>	<i>Parastichopus regalis</i>	13.5	2016	August
50	60	Rock	<i>Pareg</i>	<i>Parastichopus regalis</i>	14	2016	August
50	60	Rock	<i>Pareg</i>	<i>Parastichopus regalis</i>	14	2016	August
77	96	Mud	<i>Pareg</i>	<i>Parastichopus regalis</i>	14	2016	August
77	96	Mud	<i>Pareg</i>	<i>Parastichopus regalis</i>	14	2016	August
77	96	Mud	<i>Pareg</i>	<i>Parastichopus regalis</i>	14	2016	August
77	96	Mud	<i>Pareg</i>	<i>Parastichopus regalis</i>	14	2016	August
160	194	Mud	<i>Pareg</i>	<i>Parastichopus regalis</i>	14	2016	July
160	194	Mud	<i>Pareg</i>	<i>Parastichopus regalis</i>	14	2016	July
160	194	Mud	<i>Pareg</i>	<i>Parastichopus regalis</i>	14	2016	July
180	192	Mud	<i>Pareg</i>	<i>Parastichopus regalis</i>	15	2016	July
180	192	Mud	<i>Pareg</i>	<i>Parastichopus regalis</i>	15	2016	July
175	193	Sand	<i>Pareg</i>	<i>Parastichopus regalis</i>	15	2016	July
175	193	Sand	<i>Pareg</i>	<i>Parastichopus regalis</i>	15	2016	July
175	193	Sand	<i>Pareg</i>	<i>Parastichopus regalis</i>	15	2016	July
176	179	Mud-Sand	<i>Pareg</i>	<i>Parastichopus regalis</i>	15	2016	July
176	179	Mud-Sand	<i>Pareg</i>	<i>Parastichopus regalis</i>	15	2016	July
176	179	Mud-Sand	<i>Pareg</i>	<i>Parastichopus regalis</i>	15	2016	July
142	163	Mud	<i>Pareg</i>	<i>Parastichopus regalis</i>	16	2016	July
142	163	Mud	<i>Pareg</i>	<i>Parastichopus regalis</i>	16	2016	July
142	163	Mud	<i>Pareg</i>	<i>Parastichopus regalis</i>	16	2016	July
142	163	Mud	<i>Pareg</i>	<i>Parastichopus regalis</i>	16	2016	July
142	163	Mud	<i>Pareg</i>	<i>Parastichopus regalis</i>	16	2016	July
181	186	Mud-Sand	<i>Pareg</i>	<i>Parastichopus regalis</i>	16	2016	July
181	186	Mud-Sand	<i>Pareg</i>	<i>Parastichopus regalis</i>	16	2016	July
179	185	Sand	<i>Pareg</i>	<i>Parastichopus regalis</i>	16	2016	July
179	185	Sand	<i>Pareg</i>	<i>Parastichopus regalis</i>	16	2016	July
179	185	Sand	<i>Pareg</i>	<i>Parastichopus regalis</i>	16	2016	July
181	190	Sand	<i>Pareg</i>	<i>Parastichopus regalis</i>	16	2016	July
181	190	Sand	<i>Pareg</i>	<i>Parastichopus regalis</i>	16	2016	July
181	190	Sand	<i>Pareg</i>	<i>Parastichopus regalis</i>	16	2016	July
181	190	Sand	<i>Pareg</i>	<i>Parastichopus regalis</i>	16	2016	July
181	190	Sand	<i>Pareg</i>	<i>Parastichopus regalis</i>	17	2016	July
0.2	0.6	Rock	<i>Pareg</i>	<i>Parastichopus regalis</i>	17	2014	
0.45	0.55	Rock	<i>Amsqu</i>	<i>Amphipholis squamata</i>	0.5	2013	
0.45	0.55	Rock	<i>Amsqu</i>	<i>Amphipholis squamata</i>	0.5	2013	
0.45	0.55	Rock	<i>Amsqu</i>	<i>Amphipholis squamata</i>	0.5	2013	
0.45	0.55	Rock	<i>Amsqu</i>	<i>Amphipholis squamata</i>	0.5	2013	
0.45	0.55	Rock	<i>Amsqu</i>	<i>Amphipholis squamata</i>	0.5	2013	
0.45	0.55	Rock	<i>Amsqu</i>	<i>Amphipholis squamata</i>	0.5	2013	
0.45	0.55	Rock	<i>Amsqu</i>	<i>Amphipholis squamata</i>	0.5	2013	
0.45	0.55	Rock	<i>Amsqu</i>	<i>Amphipholis squamata</i>	0.5	2013	
0.45	0.55	Rock	<i>Amsqu</i>	<i>Amphipholis squamata</i>	0.5	2013	
0.45	0.55	Rock	<i>Amsqu</i>	<i>Amphipholis squamata</i>	0.5	2013	
0.45	0.55	Rock	<i>Amsqu</i>	<i>Amphipholis squamata</i>	0.5	2013	
0.45	0.55	Rock	<i>Amsqu</i>	<i>Amphipholis squamata</i>	0.5	2013	
0.45	0.55	Rock	<i>Amsqu</i>	<i>Amphipholis squamata</i>	0.5	2013	
0.45	0.55	Rock	<i>Amsqu</i>	<i>Amphipholis squamata</i>	0.5	2013	
0.45	0.55	Rock	<i>Amsqu</i>	<i>Amphipholis squamata</i>	0.5	2013	
0.45	0.55	Rock	<i>Amsqu</i>	<i>Amphipholis squamata</i>	0.5	2013	
0.45	0.55	Rock	<i>Amsqu</i>	<i>Amphipholis squamata</i>	0.5	2013	
0.45	0.55	Rock	<i>Amsqu</i>	<i>Amphipholis squamata</i>	0.6	2014	
0.45	0.55	Rock	<i>Amsqu</i>	<i>Amphipholis squamata</i>	0.6	2014	
0.45	0.55	Rock	<i>Amsqu</i>	<i>Amphipholis squamata</i>	0.6	2014	
0.45	0.55	Rock	<i>Amsqu</i>	<i>Amphipholis squamata</i>	0.6	2014	
0.45	0.55	Rock	<i>Amsqu</i>	<i>Amphipholis squamata</i>	0.6	2014	
0.45	0.55	Rock	<i>Amsqu</i>	<i>Amphipholis squamata</i>	0.6	2014	
0.45	0.55	Rock	<i>Amsqu</i>	<i>Amphipholis squamata</i>	0.6	2014	
0.45	0.55	Rock	<i>Amsqu</i>	<i>Amphipholis squamata</i>	0.6	2014	
98	105	Sand	<i>Asmed</i>	<i>Astrospartus mediterraneus</i>	6	2015	October
158	164	Gorgonian	<i>Opset</i>	<i>Ophiacantha setosa</i>	0.3	2015	November
158	164	Gorgonian	<i>Opset</i>	<i>Ophiacantha setosa</i>	0.3	2015	November
158	164	Gorgonian	<i>Opset</i>	<i>Ophiacantha setosa</i>	0.3	2015	November
158	164	Gorgonian	<i>Opset</i>	<i>Ophiacantha setosa</i>	0.3	2015	November
158	164	Gorgonian	<i>Opset</i>	<i>Ophiacantha setosa</i>	0.3	2015	November
158	164	Gorgonian	<i>Opset</i>	<i>Ophiacantha setosa</i>	0.5	2015	November







Depth - Min (m)	Depth-Max (m)	Habitats	Abr	Species	Diameter (cm)	Year	Month
0.45	0.65	Algea	Opvir	<i>Ophiactis virens</i>	0.3	2016	
51	58	Mud	Opnig	<i>Ophiocoma nigra</i>	5	2016	June
0.2	0.6	Algea	Oplon	<i>Ophioderma longicauda</i>	3	2012	December
98	105	Sand	Oppen	<i>Ophiomyxa pentagona</i>	2	2015	October
98	105	Sand	Oppen	<i>Ophiomyxa pentagona</i>	2	2015	October
98	105	Sand	Oppen	<i>Ophiomyxa pentagona</i>	2	2015	October
91	95	Sand	Oppen	<i>Ophiomyxa pentagona</i>	2	2015	October
91	95	Sand	Oppen	<i>Ophiomyxa pentagona</i>	2	2015	October
91	95	Sand	Oppen	<i>Ophiomyxa pentagona</i>	2	2015	October
91	95	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4	2015	October
91	95	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4	2015	October
91	95	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4	2015	October
166	199	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4	2015	October
166	199	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4	2015	October
166	199	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4	2015	October
166	199	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4	2015	October
180	210	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4	2015	October
180	210	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4	2015	October
180	210	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4	2015	October
120	145	Mud	Oppen	<i>Ophiomyxa pentagona</i>	4	2015	October
120	145	Mud	Oppen	<i>Ophiomyxa pentagona</i>	4	2015	October
120	145	Mud	Oppen	<i>Ophiomyxa pentagona</i>	4	2015	December
67	70	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4	2015	December
67	70	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4	2015	December
67	70	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4	2015	December
67	70	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4	2015	December
90	105	Mud-Sand	Oppen	<i>Ophiomyxa pentagona</i>	4	2015	December
90	105	Mud-Sand	Oppen	<i>Ophiomyxa pentagona</i>	4	2015	December
90	105	Mud-Sand	Oppen	<i>Ophiomyxa pentagona</i>	4	2016	March
90	110	Mud-Sand	Oppen	<i>Ophiomyxa pentagona</i>	4	2016	March
90	110	Mud-Sand	Oppen	<i>Ophiomyxa pentagona</i>	4	2016	March
80	120	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4	2016	March
80	120	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4	2016	March
79	80	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4	2016	March
79	80	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4	2016	March
79	80	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4	2016	March
79	80	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4	2016	March
79	80	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4	2016	March
79	80	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4	2016	March
90	120	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4	2016	March
90	120	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4	2016	March
90	120	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4	2016	March
100	115	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4	2016	August
100	115	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4	2016	August
100	115	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4	2016	August
100	115	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4	2016	August
100	125	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4	2016	August
100	125	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4	2016	August
100	125	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4	2016	August
100	125	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4.5	2016	August
50	60	Rock	Oppen	<i>Ophiomyxa pentagona</i>	4.5	2016	August
50	60	Rock	Oppen	<i>Ophiomyxa pentagona</i>	4.5	2016	August
50	60	Rock	Oppen	<i>Ophiomyxa pentagona</i>	4.5	2016	August
50	60	Rock	Oppen	<i>Ophiomyxa pentagona</i>	4.5	2016	August
85	100	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4.5	2016	April
85	100	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4.5	2016	April
85	100	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4.5	2016	April
85	100	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4.5	2016	April
152	177	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4.5	2016	April
152	177	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4.5	2016	April
152	177	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4.5	2016	April
152	177	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4.5	2016	April
152	177	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4.5	2016	April
152	177	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4.5	2016	April
152	177	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4.5	2016	April
78	100	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4.5	2016	June
78	100	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4.5	2016	June
78	100	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4.5	2016	June
78	100	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4.5	2016	June
78	100	Sand	Oppen	<i>Ophiomyxa pentagona</i>	4.5	2016	June
78	100	Sand	Oppen	<i>Ophiomyxa pentagona</i>	5	2016	June
78	100	Sand	Oppen	<i>Ophiomyxa pentagona</i>	5	2016	June
78	100	Sand	Oppen	<i>Ophiomyxa pentagona</i>	5	2016	June
78	100	Sand	Oppen	<i>Ophiomyxa pentagona</i>	5	2016	June
51	58	Sand	Oppen	<i>Ophiomyxa pentagona</i>	5	2016	June
51	58	Sand	Oppen	<i>Ophiomyxa pentagona</i>	5	2016	June
51	58	Sand	Oppen	<i>Ophiomyxa pentagona</i>	5	2016	June
51	58	Sand	Oppen	<i>Ophiomyxa pentagona</i>	5	2016	September
130	140	Sand	Oppen	<i>Ophiomyxa pentagona</i>	5	2016	September

Depth - Min (m)	Depth-Max (m)	Habitats	Abr	Species	Diameter (cm)	Year	Month
130	140	Sand	Oppen	<i>Ophiomyxa pentagona</i>	5	2016	September
130	140	Sand	Oppen	<i>Ophiomyxa pentagona</i>	5	2016	September
130	140	Sand	Oppen	<i>Ophiomyxa pentagona</i>	5	2016	September
70	95	Sand	Oppen	<i>Ophiomyxa pentagona</i>	5	2016	September
70	95	Sand	Oppen	<i>Ophiomyxa pentagona</i>	5	2016	September
70	95	Sand	Oppen	<i>Ophiomyxa pentagona</i>	5	2016	September
70	95	Sand	Oppen	<i>Ophiomyxa pentagona</i>	5	2016	September
81	100	Sand	Opqui	<i>Ophiothrix quinquemaculata</i>	1	2016	June
81	100	Sand	Opqui	<i>Ophiothrix quinquemaculata</i>	1	2016	June
81	100	Sand	Opqui	<i>Ophiothrix quinquemaculata</i>	1	2016	June
81	100	Sand	Opqui	<i>Ophiothrix quinquemaculata</i>	1	2016	June
81	100	Sand	Opqui	<i>Ophiothrix quinquemaculata</i>	1	2016	June
81	100	Sand	Opqui	<i>Ophiothrix quinquemaculata</i>	1	2016	June
90	160	Mud-Sand	Opqui	<i>Ophiothrix quinquemaculata</i>	1	2016	June
90	160	Mud-Sand	Opqui	<i>Ophiothrix quinquemaculata</i>	1.5	2016	June
90	160	Mud-Sand	Opqui	<i>Ophiothrix quinquemaculata</i>	1.5	2016	June
90	160	Mud-Sand	Opqui	<i>Ophiothrix quinquemaculata</i>	1.5	2016	June
72	90	Rock	Opqui	<i>Ophiothrix quinquemaculata</i>	1.5	2016	June
72	90	Rock	Opqui	<i>Ophiothrix quinquemaculata</i>	1.5	2016	June
72	90	Rock	Opqui	<i>Ophiothrix quinquemaculata</i>	2	2016	June
72	90	Rock	Opqui	<i>Ophiothrix quinquemaculata</i>	2	2016	June
78	84	Rock	Opqui	<i>Ophiothrix quinquemaculata</i>	2	2016	June
78	84	Rock	Opqui	<i>Ophiothrix quinquemaculata</i>	2	2016	June
78	84	Rock	Opqui	<i>Ophiothrix quinquemaculata</i>	4	2016	June
78	84	Rock	Opqui	<i>Ophiothrix quinquemaculata</i>	4	2016	June
135	170	Sand	Opqui	<i>Ophiothrix quinquemaculata</i>	4	2016	June
135	170	Sand	Opqui	<i>Ophiothrix quinquemaculata</i>	4	2016	June
135	170	Sand	Opqui	<i>Ophiothrix quinquemaculata</i>	4	2016	June
3	5	Sand	Opoph	<i>Ophiura ophiura</i>	3	2012	
3	5	Sand	Opoph	<i>Ophiura ophiura</i>	3	2012	
3	5	Sand	Opoph	<i>Ophiura ophiura</i>	3	2012	
3	5	Sand	Opoph	<i>Ophiura ophiura</i>	3	2012	
3	5	Sand	Opoph	<i>Ophiura ophiura</i>	3	2012	
3	5	Sand	Opoph	<i>Ophiura ophiura</i>	3	2012	
3	5	Sand	Opoph	<i>Ophiura ophiura</i>	3	2012	
3	5	Sand	Opoph	<i>Ophiura ophiura</i>	3	2012	
3	5	Sand	Opoph	<i>Ophiura ophiura</i>	3	2012	
3	5	Sand	Opoph	<i>Ophiura ophiura</i>	3	2012	
3	5	Sand	Opoph	<i>Ophiura ophiura</i>	3	2012	
3	5	Sand	Opoph	<i>Ophiura ophiura</i>	3	2012	
3	5	Sand	Opoph	<i>Ophiura ophiura</i>	3	2012	
3	5	Sand	Opoph	<i>Ophiura ophiura</i>	3	2012	
3	5	Sand	Opoph	<i>Ophiura ophiura</i>	3	2012	
3	5	Sand	Opoph	<i>Ophiura ophiura</i>	3	2012	
3	5	Sand	Opoph	<i>Ophiura ophiura</i>	3	2012	
3	5	Sand	Opoph	<i>Ophiura ophiura</i>	3	2012	
91	95	Sand	Opoph	<i>Ophiura ophiura</i>	4	2015	October
91	95	Sand	Opoph	<i>Ophiura ophiura</i>	4	2015	October
91	95	Sand	Opoph	<i>Ophiura ophiura</i>	4	2015	October
91	95	Sand	Opoph	<i>Ophiura ophiura</i>	4	2015	October
68	94	Mud-Sand	Opoph	<i>Ophiura ophiura</i>	4	2015	October
68	94	Mud-Sand	Opoph	<i>Ophiura ophiura</i>	4	2015	October
68	94	Mud-Sand	Opoph	<i>Ophiura ophiura</i>	4	2015	October
91	95	Sand	Opoph	<i>Ophiura ophiura</i>	4	2015	December
91	95	Sand	Opoph	<i>Ophiura ophiura</i>	4	2015	December
91	95	Sand	Opoph	<i>Ophiura ophiura</i>	4	2015	December
91	95	Sand	Opoph	<i>Ophiura ophiura</i>	4	2015	December
67	70	Sand	Opoph	<i>Ophiura ophiura</i>	4	2015	December
67	70	Sand	Opoph	<i>Ophiura ophiura</i>	4	2015	December
67	70	Sand	Opoph	<i>Ophiura ophiura</i>	4	2015	December
80	111	Mud	Opoph	<i>Ophiura ophiura</i>	4	2015	December
80	111	Mud	Opoph	<i>Ophiura ophiura</i>	4	2015	December
80	111	Mud	Opoph	<i>Ophiura ophiura</i>	4	2016	March
80	111	Mud	Opoph	<i>Ophiura ophiura</i>	4	2016	March
68	77	Sand	Opoph	<i>Ophiura ophiura</i>	4	2016	March
68	77	Sand	Opoph	<i>Ophiura ophiura</i>	4	2016	March
68	77	Sand	Opoph	<i>Ophiura ophiura</i>	4	2016	March
68	77	Sand	Opoph	<i>Ophiura ophiura</i>	4	2016	March
90	110	Mud-Sand	Opoph	<i>Ophiura ophiura</i>	4	2016	March
90	110	Mud-Sand	Opoph	<i>Ophiura ophiura</i>	4	2016	March
90	110	Mud-Sand	Opoph	<i>Ophiura ophiura</i>	4	2016	March
90	110	Mud-Sand	Opoph	<i>Ophiura ophiura</i>	4	2016	March
90	110	Mud-Sand	Opoph	<i>Ophiura ophiura</i>	4	2016	March
79	80	Sand	Opoph	<i>Ophiura ophiura</i>	4	2016	March
79	80	Sand	Opoph	<i>Ophiura ophiura</i>	4	2016	March
79	80	Sand	Opoph	<i>Ophiura ophiura</i>	4	2016	March
79	80	Sand	Opoph	<i>Ophiura ophiura</i>	4	2016	March



Depth - Min (m)	Depth-Max (m)	Habitats	Abr	Species	Diameter (cm)	Year	Month
79	80	Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	4	2016	March
80	113	Mud	<i>Opoph</i>	<i>Ophiura ophiura</i>	4	2016	August
80	113	Mud	<i>Opoph</i>	<i>Ophiura ophiura</i>	4	2016	August
80	113	Mud	<i>Opoph</i>	<i>Ophiura ophiura</i>	4	2016	August
80	113	Mud	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	August
70	100	Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	August
70	100	Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	August
70	100	Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	August
70	100	Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	August
75	101	Rock	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	August
75	101	Rock	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	August
75	101	Rock	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	August
75	101	Rock	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	August
75	101	Rock	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	August
50	103	Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	August
50	103	Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	August
50	103	Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	August
152	177	Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	April
152	177	Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	April
152	177	Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	April
152	177	Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	April
152	177	Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	April
152	177	Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	April
152	177	Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	April
152	177	Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	June
152	100	Mud-Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	June
78	100	Mud-Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	June
78	100	Mud-Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	June
78	100	Mud-Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	June
51	58	Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	June
51	58	Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	June
51	58	Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	June
51	58	Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	June
130	140	Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	June
130	140	Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	June
130	140	Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	September
130	140	Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	September
72	90	Rock	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	September
72	90	Rock	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	September
72	90	Rock	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	September
72	90	Rock	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	September
72	90	Rock	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	September
72	90	Rock	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	September
135	170	Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	September
135	170	Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	September
135	170	Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	September
160	194	Mud	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	July
160	194	Mud	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	July
160	194	Mud	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	July
180	192	Mud	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	July
180	192	Mud	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	July
180	192	Mud	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	July
175	193	Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	July
175	193	Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	July
175	193	Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	July
176	179	Mud-Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	July
176	179	Mud-Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	July
176	179	Mud-Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	July
183	193	Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	July
183	193	Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	July
142	163	Mud	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	July
142	163	Mud	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	July
142	163	Mud	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	July
181	186	Mud-Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	July
181	186	Mud-Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	July
181	186	Mud-Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	July
181	186	Mud-Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	July
179	185	Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	July
179	185	Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	July
179	185	Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	July
181	190	Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	July
181	190	Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	July
181	190	Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	July
181	190	Sand	<i>Opoph</i>	<i>Ophiura ophiura</i>	5	2016	July
3	5	Sand	<i>Opsav</i>	<i>Ophiactis savignyi</i>	0.5	2016	July