

SUBJECT INDEX

- ¹⁴C 103, 109, 110, 120, 121
 3D hydrodynamic model 43, 44, 48, 49
 abundance index 194, 196, 197
 abyssal 27, 28, 32, 33, 38-40, 65-67, 70,
 73-75, 77, 78, 83, 87, 93, 146
Acrocirridae 141, 142, 145, 146
Acrocirrus 141, 145
 ADCP (Acoustic Doppler Current Profiler) 67, 71,
 79, 80, 81, 82
 Adour river 8, 13, 16, 17
 alongshore currents 99
Alpheus glaber 154, 156
Ammonia tepida 102, 104, 106, 108, 110, 111
Anapagurus laevis 149, 151-153, 155, 158
 anchovy 24, 28, 49, 137, 139,
 161-163, 165, 166, 169, 170, 171
 eggs 24, 49, 163, 170, 171
 spawning 25
 anglerfish 174
 annual cycle 53, 119, 120, 127, 128
 anthropogenic impact 183
 anticyclonic eddies 4, 24, 27, 29, 32-34,
 37, 39, 40, 41
 antidunes 91
 appendicularians 120, 124, 129
 Aquitaine 16, 89, 90-92, 98-100,
 114, 116, 117, 147
 archaeological studies 102
 Argos drifters 30
 Armorican shelf 16, 35
 slope 32, 34, 41
Arnoglossus laterna 149, 151-153, 156
 Asabaratzza embayment 60, 62
Asterigerinata mamilla 105, 111
 astronomical tide 53, 54, 61, 66, 112
 Atlantic 7, 9, 13, 17, 18, 23, 27-29,
 32, 38, 40, 111, 113, 115, 127,
 128, 141, 142, 146, 149, 150,
 151, 154-156, 173, 174, 179, 194, 198
 fauna 154
 AVHRR (Advanced Very High Resolution Radiometer) 17-20, 31-33, 37
 azimuthal velocity 35-39
 bacteria 163, 164, 168
 baroclinic current 65, 70, 73, 74, 75, 77-79, 87
 baroclinic mode 68, 69, 75, 77, 78
 barotropic forcing 67, 87
 barotropic mode 68
 barotropic current 65, 71, 73, 79, 87
 barotropic tide 66, 70, 81, 84
 barotropic vertical velocity 68
 Basque region 52, 53, 62
 bathyal 141, 146
 bathymetric gradient 71
 Bay of Biscay 5, 7-10, 12, 13, 15-17,
 23-25, 27, 28, 43-50, 52, 53,
 65-68, 72, 87, 89, 92, 101, 102,
 111, 112, 114-116, 119, 128, 141,
 142, 146, 150, 161, 162, 179,
 183-185, 189, 190, 193-199
 Bay of Bourgneuf 184, 185, 188
 Bay of Vilaine 8, 185, 187, 188, 193-198
 Belle-Ile 9, 11, 16, 18, 20
 biochemical index 190
 biodiversity index 149
 biogeographical pattern 162
 biological oceanography 45
 biological processes 43, 66
 biological production 24, 127, 128
 black goby 185
 Blavet/Scorff 8
 block slides 90
 blue whiting 138, 176-179
Bolivina pseudoplicata 105, 111
 boreal fauna 199
 Box Corer 54, 150
 Bristol Channel 199
 British Isles 199
Brizalina spathulata 105, 111
Brizalina subaenariensis 105, 111
Brizalina variabilis 110, 111
Buglossidium luteum 152, 154, 156, 159, 185, 199
Bulimina gibba 105, 111
 buoyancy frequency 65, 75-78
 by-catch 174
Callyonimus lyra 185
Callyonimus maculatus 149, 152, 153, 154, 156
 Cantabrian coast 24, 52, 53, 154
 Cantabrian Sea 13, 51, 119, 120, 127-129,
 131, 132, 138, 149, 150, 154-156, 198
 Cantabrian shelf 53, 132, 149, 150, 155, 156
 Cantabrian slope 31
 canyons 33, 35, 37, 40, 71, 89-94,
 97-99, 141, 142
 Capbreton 90, 163, 195
 canyon 89, 91-94, 97-99, 141, 142
 Cape Ferret canyon 33, 35, 37, 40, 91
 Cape Finisterre 29, 31, 32

Cape Higuer	62	deep layers	65, 70, 84, 86, 87
Cape Mompás	60, 62	deep ocean	62, 66-68, 70, 75, 77-79
Cape Ortegal	33	deep sea	89, 90
Cape Tambó	60, 62	demersal fish	194, 199
carbohydrate	164	density	8, 16, 17, 19, 23, 24, 40,
carbon flux	120, 129		50, 54, 55, 65, 67-70, 76-79,
<i>Cariophyllia smithii</i>	151		81, 83, 84, 86-88, 132, 154, 156,
<i>Cassidulina obtusa</i>	110, 111		161, 163-166, 169-171, 187-189, 195
Celtic Sea	40, 87, 176, 179	currents	16, 17
Celtic slope	33	profiles	65, 69, 70, 76, 79, 87, 164
cephalopods	174	deposition	102, 113, 186
Chirp profiles	92, 98	depression	35, 89, 93-98
chlorophyll	119-122, 124, 125, 127-129, 161, 163, 164, 166, 170, 171	destabilisation	91, 93, 98
<i>Chlorotocus crassicornis</i>	156, 158	diapirism activity	90
<i>Cibicides lobatulus</i>	102	diaps	99
circadian feeding patterns	132, 134	<i>Dicologoglossa cuneata</i>	185, 193, 194
circadian variability	137	diel feeding	127, 132, 138
Cirratulidae	145	diet	131, 132, 134, 136-138
climate change	193	<i>Diogenes pugilator</i>	149, 151-153, 155, 158
climate conditions	198	discard	173, 174, 176-180
coastal community	155	discard per unit effort (DPUE)	176, 179
coastal currents	43	diversity	104-111, 113, 151, 152, 155
coastal region	49	doliolids	124, 129
coastal upwellings	43	dominant assemblage	106, 109, 110
coastal waters	167, 171, 179	Dordogne river	184
cold-temperate species	194	downwelling	11, 53
compressional ripples	91	dragonet	156, 185
condition factor (R)	186, 188, 189	drainage network	98
continental margin	89, 91, 95	drifter	16, 27-33, 35, 36, 39
continental runoff	13	velocity	35, 38
continental shelf	7, 8, 13, 15-17, 23-25, 33, 43, 44, 48-50, 52, 66, 68, 70, 73-75, 77, 78, 87, 91-93, 98, 99, 150, 193-198	eastern boundary	28, 29
continental slope	16, 33, 34, 66-68, 72, 73, 75, 78, 79, 81, 82, 86, 87, 89, 90, 95, 98, 99, 141, 194	<i>Echinocyanus pusillus</i>	154
copepod	119-121, 123-128, 131-134, 136, 138	echogram	165
grazing	119-121, 127	echo-integration factor	167
nauplii	124, 133-135	echosounder profiles	92
Corine biotope	101	echo-traces	165
Coriolis parameter	40, 55, 65	ecological indices	149, 151, 154, 155
Cornish coast	194	ecosystem structure	170
Cretaceous	91, 92	ecosystem function	25
<i>Criboelphidium williamsonii</i>	102	eddy	24, 27-30, 32, 33, 35-41, 155
cross-shelf current	71	diffusivity	55
Cudillero/Cuideiru	119-120	lifetime	40
CUFES	161-163, 165, 166, 169	motion	40
cyclonic eddies	27, 29, 36, 37, 40	Ekman layer	18, 22, 29
dab	193-199	Ekman transport	122
		Ekman theory	17, 24
		<i>Eledone cirrhosa</i>	159, 174
		<i>Elphidium crispum</i>	102, 111
		<i>Elymus pycnanthus</i>	104
		endobenthic communities	155, 156
		<i>Entosolenia squamosa</i>	108, 111

environmental conditions	5, 25, 119, 184	<i>Flabelligella macrochaeta</i>	145
environmental forcing	50	<i>Flabelligella mexicana</i>	145
environmental gradients	150, 154	<i>Flabelligella minuta</i>	145
environmental variables	149-151, 153-155, 166	<i>Flabelligella papillata</i>	145
enzyme activity	165	<i>Flabelligena</i>	141-146
epibenthic organisms	155, 156	<i>Flabelligena amoureauxi</i>	145
epibenthic community stability	155, 156	<i>Flabelligena biscayensis</i>	145, 146
epifauna	155	<i>Flabelligena cirrata</i>	144-146
<i>Epizoanthus papillosum</i>	151, 158	<i>Flabelligena erratica</i>	144-146
equatorward flow	33, 38	<i>Flabelligena gascognensis</i>	141-145
equatorward slope currents	33, 38	<i>Flabelligena mediterranea</i>	144
Erika oil spill	183-185, 190, 191	Flabelligeridae	141, 145
erosion	89, 90, 93-99, 102, 113	flounder	194
estuaries	7, 12, 17, 53, 56, 68, 101, 102, 111, 114, 184	fluorescence	54, 121, 127, 163, 164, 170, 186
estuarine species	102, 107	fluvial discharge	194
Etel Bay	198	fluvial valleys	102, 113
euphotic layer	164	food availability	131, 132, 190
eustatic variations	99	food quality and quantity	137, 184
facies	95, 107, 113, 115	foraminifer	
faecal pellets	128, 129, 133, 136	assemblages	102, 109, 112, 113, 116
faults	89-93, 95-98	benthic	101-112, 114, 116
Fauveliopsidae	141, 145	planktonic	103, 105, 107-110, 113
fertilisation	53	Foraminifera	101
finfish	195	four-spot megrim	178, 180, 176
fish/fishes	9, 24, 43, 44, 49, 124, 131, 132, 137, 138, 149, 151-156, 161-163, 165, 166, 168, 170, 171, 174, 183-190, 193-195, 197-199	French shelf	7, 8, 13, 15-17, 24, 66, 70, 72, 73, 75, 78, 86, 161, 162
age composition	196	freshwater	
benthic	193, 198	inputs	7, 8
communities	194, 199	lenses	43
eggs	124, 165	fishes	199
juveniles	184, 185, 188	fronts	24, 43, 120
juvenile growth	190, 198	fuel	190
larvae	24, 124, 131, 132, 138	<i>Gadiculus argenteus</i>	151
life cycles	198	<i>Gaidropsarus macropthalmus</i>	152
stability	194	Garonne river	184
fishery	5, 8, 9, 29, 120, 132, 156, 161, 162, 166, 170-174, 180, 184, 189, 199	general circulation	127, 15, 27, 28, 29
catch	173, 179, 180	geographical distribution	44, 46, 47, 162, 180, 194, 196
habitats	184	geographical pattern	154, 162, 171
management	174, 184	geostrophic current	24, 90
production	184	geostrophic dynamics	8
stocks	119, 121, 125-128, 132, 162, 173, 180, 184	Gernika estuary	101, 102, 104, 112-116
yield	173	Gironde river	7-13, 16-19, 22, 23, 25, 68, 115, 169, 170, 183-185, 188-190
fishing mortality	173, 184	Gironde estuary	9, 12, 68, 115, 169, 183-185, 188-190
<i>Fissurina orbignyana</i>	105, 111	Glénan archipelago	9, 10, 12
<i>Flabelligella</i>	141, 142, 145, 146	global change	119
<i>Flabelligena biscayensis</i>	141, 142	global warming	193, 199
		<i>Globocassidulina subglobosa</i>	105, 111
		glucid catabolism	165, 168, 163

<i>Gobius niger</i>	185	generation	65, 68, 73
granulometric curves	54	propagation	66, 73, 79, 84
granulometry	60, 109	modelling	65
gravity circulation	13	internal wave	66, 73, 75, 90
gravity cores	92	energy	65, 66
gravity deformation	89, 92, 99	interspecific relationships	156
gravity erosion	95-97	isopycnal	23, 73, 79
gravity flows	90, 95	interfaces	82, 84
growth condition	187	level	70, 79, 86
growth indicators	183, 188-191	isopycnic coordinates	66, 67
growth rate	131, 138	isopycnic layer	68
Guipúzcoa/Gipuzkoa	51	<i>Jadammina macrescens</i>	105
gullies	90	Jaizkibel	60
gut content	119, 121-128, 131-134, 136-138	<i>Juncus maritimus</i>	104
gut evacuation	121, 124, 125, 127	Lagrangian circulation	28, 29, 31
gut fluorescence technique	121	Lagrangian data	29, 38
habitat quality	183, 184, 190	Landes plateau	91, 93
hake	155, 174, 176, 178-180	larval diet	132, 137
<i>Halimione portulacoides</i>	102	larval fish	24, 137
<i>Haynesina germanica</i>	102, 104, 106, 108, 110-111	larval growth	138
holocene	101, 102, 104, 112-116	larval stages	131, 132, 138, 186
holotype	142	<i>Lepidorhombus boscii</i>	153, 156, 174
Hondarribia	51-53, 60	<i>Lepidorhombus whiffagonis</i>	198
horizontal pressure gradients	77	<i>Limanda limanda</i>	194
horizontal shears	65, 73, 75, 87	<i>Liocarcinus depurator</i>	156
horizontal velocity	55, 76, 77	<i>Lobatula lobatula</i>	102
horse mackerel	173, 176, 178, 179	Loire river	8-13, 17, 20, 22, 23, 25, 68, 184, 185, 188, 190
Houat	9, 10, 11, 13	long-term predictions	173
hydroclimatic conditions	197	<i>Lophius piscatorius</i>	174
hydrodynamic model	8, 13, 44-49, 54	low-salinity lenses	17, 18, 20, 23-25
hydrodynamics	8, 17, 23, 43, 51, 52, 60, 62	low-salinity front	23, 24
hydrological model	44	Lusitanean fauna	199
hydrological parameters	44-49	mackerel	173, 174, 176, 179
hydrological regions	43-46, 48, 49	<i>Macrochaeta</i>	143, 145, 146
hydrological structure	46, 48	macrozooplankton	165
hydrological variability	15, 25	marginal plateau	91
hyperpycnal currents	90	marsh	101, 102, 104, 109, 111-116, 184
Iberian slope	67, 73, 78, 86	mass erosion	97
Iberian plate	92	mass movements	90
ICES areas	162	mass sediment transfer processes	91
ICES assessment working groups	180	mass wasting	93
<i>Illex coindetii</i>	174	meandering channel	93, 94, 97
Indian Ocean	146	meddy	29, 40
infaunal communities	155	Mediterranean Sea	146
infrared images	17-19, 22	Mediterranean water	29, 76
inner shelf	23, 24, 90, 111, 113, 149, 156, 169	megabenthic communities	154
interannual scales	15	megrim	174, 179, 198
interannual variability	7, 8, 15, 25, 43, 48, 152, 155	<i>Merlangius merlangus</i>	185
internal tide	65, 66, 68, 70-73, 87, 88	<i>Merluccius merluccius</i>	154, 174
amplitude	65-67, 73-79, 81-84, 86, 87	mesoscale currents	28
energy	75, 87		

mesoscale eddies	29, 33, 39	oligotrophic	128
mesoscale features	17, 29-31, 40	<i>Ophiura affinis</i>	153, 156
mesoscale hydrodynamic variability	24	optical properties	164
mesoscale Lagrangian circulation	29	organic matter	105, 151, 154, 164, 168
mesoscale structures	17, 18, 24, 30	Ortegal Promontory	29, 31-33, 38, 39, 40
mesoscale variability	16, 17	ostracods	102
mesozooplankton	120, 121, 124, 125, 127, 128, 162, 165	otolith	184-189, 195
meteorological forcing	8, 25	outer shelf	29, 40, 90, 115, 156, 168-70
Mexican fauna	199	oxygen	54, 102
microfaunal structure	102	<i>Pagurus bernhardus</i>	153, 155
microfossils	102	<i>Pagurus prideaux</i>	153, 155
<i>Micromesistius poutassou</i>	174	polyaromatic hydrocarbons (PAH)	190
micropaleontology	102	palaeoenvironment	102, 111-113, 115, 116
microplankton	133, 134	Palaeogene	92
microzooplankton	128, 165	paleontological remains	102
middle shelf	24, 43, 167, 168	paratype	142
<i>Miliammina fusca</i>	111	particulate organic carbon	164
mixed layer	45-47, 49, 50, 164, 168	Pasaia Bay	60
mixing processes	66, 68, 88	passive margins	90
modelling	23, 24, 44, 54-56, 60-62, 87, 88, 99, 133, 162,	pelagic ecosystem	162
monitoring	60, 156, 162	pelagic fish	131, 138
morphometric indices	190	pelagic fisheries	162, 166, 170
<i>Mullus surmuletus</i>	154	Pertuis Antioche	187-190
multibeam bathymetry	92	Pertuis Breton	184, 188, 189
<i>Munida sarsi</i>	153, 156	phaeopigments	121, 164
North Atlantic Central Water (NACW)	28, 29, 38, 40	<i>Philoceras echinulatus</i>	153, 156
cyclones	40	phosphate	164, 168, 185
nauplii	133, 134, 136	photic layer	53, 121, 164
‘Navidad’ event	31, 32	<i>Phragmites australis</i>	102
net		physical characteristics	29
bongo	132-134, 137	physical model	24, 49
RF	132, 134	physical parameters	66
WP2	165, 170	physical processes	162
neap tide	53	physiological processes	162
cycle	79	phytoplankton	127, 128, 162, 165, 168, 171
Neogene	114	bloom	120, 127, 165, 168
<i>Nephrops norvegicus</i>	174	size-structure	128
nitrate	164	plaice	189, 194-199
nitrite	164	plankton	44, 120, 132, 134, 138, 161-167, 169-171
non-target species	174	planktonic communities	194
North Atlantic Oscillation (NAO)	32	planktonic predators	49
North Sea	44, 189, 199	<i>Planorbulina acervalis</i>	108
Norway lobster	174	<i>Planorbulina mediterranensis</i>	108
nursery	184, 185, 188-191, 194, 195-198	Pleistocene	114
nutrients	162, 164, 166, 168	<i>Plesionika heterocarpus</i>	151
nutritional condition	188	<i>Pleuronectes platessa</i>	194
oil spill	184, 185, 190, 191	Pleuronectidae	199
Oléron	9-12	Plio-Quaternary	92, 94, 98, 99
		plume	8, 11, 13, 17, 22-24, 49, 134, 170, 171
		poleward current	13, 24, 28, 32, 33, 38, 198
		pollutants	52, 53

<i>Polybius henslowii</i>	150	sardine	138, 162, 165, 166, 169-171
Polychaeta	151	eggs	169-171
<i>Pomatoschistus minutus</i>	185	stocks	162
<i>Pomatoschistus</i> sp	151, 153, 154	scaldfish	194, 199
<i>Pontophilus spinosus</i>	153, 156	<i>Scomber scombrus</i>	174
potential energy	45, 46, 48-50	sea surface Temperature (SST)	24, 25, 32, 37, 44, 45, 194, 196
potential vorticity	40	sea-floor morphology	98
prey availability	138	seagrasses	194
prey avoidance	138	sea-level	99, 112-116
prey size	132, 133, 136-138	changes	112-114, 116
primary producers	162, 164, 166, 168	seasonal circulation	28
primary production	49, 120, 121, 125, 126-128	seasonal pycnocline	88
productivity	165, 166, 168, 170	seasonal thermocline	29, 66, 70, 78, 81, 84, 86, 87
protein	164-166, 186	seasonal trend	16, 25, 28
proteolytic activity	165	seasonal variability	12, 13, 17, 28, 44, 48, 59
<i>Puccinellia maritima</i>	102	sediment reworking	90
pycnocline	23, 50, 70, 88	sediment transport	54, 59, 60, 62, 93
Pyrenees	92	sediment waves	91, 92
<i>Quinqueloculina seminula</i>	102	sedimentary construction	92
radiocarbon dating	105, 106, 109, 110	sedimentary cover	92
radiolarians	133, 136, 138	sedimentary sequence	102
Rafos floats	29, 30	sedimentary structure	92, 103
Ramsar List	101	sedimentation rate	90, 92, 98, 99
Recent growth index (RG)	185-189	SEFOS programme	29
recruitment	44, 131, 132, 155, 173,	seismic profiles	92, 97
	184, 196, 198, 199	semi-diurnal internal tides	72
variability	131	semi-diurnal tidal cycle	78, 81
red mullet	185	semi-diurnal tidal harmonics	68
regional circulation	29	semi-diurnal waves	66, 77, 79
residence time	24	shelf-break	23, 66-69, 71-73, 75, 77, 79, 83, 86, 87, 89-93, 119, 120, 122, 155, 156, 165, 167-169, 171
residual current	16	fronts	24, 120
reworking proceses	95, 99	shellfish	184, 190, 195
river		short-term variability	48
discharge	17, 23, 24, 62, 167, 171	shrimp	174
plumes	8, 11, 13, 17, 22-24, 49, 170, 171	silicate	164
runoff	8, 17, 23, 25, 44	slope currents	27-33, 38-41, 75, 77, 79
RNA/DNA ratios	187	slope-ocean exchanges	29, 31, 39, 41
Rossby radius	40	sole	183-190, 193-199
Sado estuary	194	<i>Solea lascaris</i>	154
<i>Salicornia ramosissima</i>	102	<i>Solea senegalensis</i>	199
saline stratification	122	<i>Solea solea</i>	183-185, 189, 193, 194
salinity	7-13, 15, 17-20, 22-25, 44-49, 54, 102, 111, 120-122, 149-151, 154, 155, 162-164, 166, 168, 170	Soleidae	199
gradient	9, 11, 20, 22	solenette	185, 194, 199
patterns	44	<i>Solenocera membranacea</i>	156
salps	129	<i>Spartina maritima</i>	102
salt marsh	101, 102	spatial distribution	44, 46, 49, 73, 75, 78, 156, 162, 169-171, 193, 199
San Sebastián / Donostia	52, 53, 56, 60-62, 142	spawning	24, 25, 43, 49, 132, 171,
sand goby	185		
<i>Sardina pilchardus</i>	132		

activity	189, 195, 198, 199 24, 43	<i>Timoclea ovata</i>	154
ground	132	tintinnids	133, 136
species assemblages	165	<i>Todaropsis eblanae</i>	174
species richness	105, 154, 155	TOPEX/POSEIDON	37
enzyme activity	165	toplal reflectors	92
spring tide	67, 73, 75, 77-79, 84, 86, 87, 112	topographic features	39, 75
spring blooms	120, 127	<i>Trachurus trachurus</i>	173
<i>Sternaspis scutata</i>	154, 156	trawl	
stratification	18, 23, 24, 45, 66-68, 70, 72, 75, 77-79, 81, 83, 87, 89, 120-122, 127, 180	baka	174-176, 178, 179
stratified sampling	149, 173, 195	beam	149, 150, 185, 194
<i>Suaeda maritima</i>	102	bottom	194
sub-Arctic Gyre	198	GOV	195
subtidal current	16	pair	174-176, 179
surf zone	51	VHVO	174, 176, 177, 179
surface currents	16, 28, 56, 57, 59, 62, 73, 75, 78	trawler	174, 176, 177, 179, 194
surface drifters	27-30, 32	<i>Trifarina bradyi</i>	108
surface light	164	<i>Trisopterus luscus</i>	185
surface salinity	7, 8, 13, 15, 18, 20, 45-49, 168, 170	<i>Trochammina inflata</i>	105
surface temperature	17, 18, 24, 32, 37, 44, 45, 49, 121, 163, 164, 168, 193, 194, 198	trophic environment	162
surface winds	32	trophic levels	120, 165
Sverdrup flow component	38	trophic link	162, 165
swoddy	33, 35, 37-40	tropical fishes	194
target species	150, 173, 176, 179, 180, 184 90, 91, 99	trypsin	165
tectonic activity		turbidity	90, 93, 94, 97, 98, 163, 164, 168
temperate region	120, 128, 190, 199	turbot	194
temperature	8, 9, 17, 24, 31, 32, 37, 40, 44-49, 54, 102, 120-122, 149-151, 154, 155, 162-164, 166, 168, 170, 183, 184, 187-190, 193, 194, 196, 198, 199	turbulent viscosity	87
temporal changes	45, 47, 49	<i>Turritella communis</i>	151, 156
temporal stability	155	upper layers	56, 75, 78, 86, 87
temporal variability	29, 45	upwelling	11-13, 16, 18-20, 22-24, 43, 53, 120-122, 127, 128, 198
thermal expansion	40	Urdabai region	101
thermal stratification	45, 120, 121	Urumea river	60
thermocline	24, 29, 66, 70, 78, 81, 84, 86, 87, 121 permanent	velocity field	69
thermo-haline stratification	23	vertical carbon flux	120
tidal currents	16, 18, 51, 53, 56, 111, 184	vertical current shear	81, 82
tidal cycle	45, 67, 73, 78, 79, 81, 84	vertical diffusion	24
tidal forcing	66, 68, 71-73	vertical distribution	73, 75, 76, 81-84
tidal frequency	73, 77, 79	vertical hauls	165
tidal fronts	43	vertical migration	127
tidal mixing	24	vertical profiles	54, 66, 75, 120-122, 163
tidal period	79	vertical velocity	66, 68, 76, 77
tidal residual currents	16	Vilaine river	8, 17, 184, 185, 187, 188, 194, 196-198
tidal velocity	56, 62, 68, 71, 72, 87	wedge sole	185, 194-199
tide amplitude	66, 67, 73, 75, 77-84, 86, 87	wetland	101, 117

Yeu Island	9, 11	community	73
zooplankton	66, 119, 131, 161, 162, 166, 168, 170	consumers	168
grazing	120, 127, 128	productivity	168
biomass	119, 124, 125, 128, 168	Zurriola beach	60