

Checklist and annotated bibliography of decapod crustacean larvae from the Southwestern European coast (Gibraltar Strait area)*

J.I. GONZÁLEZ-GORDILLO^{1,3}, A. DOS SANTOS² and A. RODRÍGUEZ¹

¹ Instituto de Ciencias Marinas de Andalucía (CSIC), Campus Universitario Río San Pedro, Apdo Oficial, E-11510 Puerto Real, Cádiz, Spain.

² Instituto de Investigação das Pescas e do Mar (IPIMAR), Avd de Brasília, s/n. P-1449-006 Lisboa, Portugal.

³ Present address: Departamento de Biología, Universidade de Aveiro, 3810-193 Aveiro, Portugal.
E-mail: gonzalez@bio.ua.pt

SUMMARY: Studies on decapod larvae entailing identification of specimens collected from plankton should be based on sound bibliographic sources that contain morphological descriptions of the species cited in the area. In order to facilitate this bibliographic search, we present a survey of the literature in which decapod larvae from the Gibraltar Strait area (encompassing most of the Mediterranean and northeastern Atlantic decapod crustacean species) are partially or completely described. Among these, the most accurately identified larval specimens are pointed out. For each original case the taxon assigned by the author, types and numbers of stages described and the origin of the studied larvae are noted. Moreover, a checklist of 377 species is given for Gibraltar Strait decapod crustaceans. Of all the species recorded in the area, larval descriptions are known, at least partially, for 220 species (58,35 %), but for 36 (9,54 %) morphological descriptions are sufficiently accurate for a correct identification from plankton specimens.

Key words: Decapoda, larvae, bibliography, checklist, Gibraltar Strait.

INTRODUCTION

The identification of decapod larvae from plankton samples proves to be a complex task, mainly because of the wide dispersion of bibliographic sources. Easy access to detailed descriptions, clear illustrations, and suitable keys are much help in the identification of specimens. The quality of descriptions and illustrations of many publications, however, is not always acceptable, making the compilation of complementary information from different reports essential.

Many of the early workers gave only brief descriptions of larvae, often without illustrations,

and only few identified the parental individuals to species level. In addition, many of the species described then are now ascribed to other species, genera, or even families. This results in a serious difficulty in the collection of all the existing bibliography on a given species, which may have been referred to under various names. To avoid this, the present work has taken into account such modifications, indicating for each reference the current name of the taxon and that ascribed (used) by the author of the description.

Since the first description of a decapod larva (*Cancer germanus*, now *Cancer pagurus*) by Linnaeus in 1767, many larval developments have been published, especially in the second half of the 20th century. In an excellent review, Gurney (1939) gath-

*Received April 28, 2000. Accepted September 29, 2000.

ered all the existing literature at the time. Since then, more specific reviews have been carried out for brachyuran larvae (Soltanpour-Gargari *et al.*, 1989), the family Xanthidae (Martin, 1984), the New Zealand fauna (Wear, 1985), and the Mediterranean larvae (Pessani and Robotti, 1992).

The present contribution provides an updated database of all the available descriptions of larval stages of decapod crustaceans from the Gibraltar Strait area, so as to give bibliographic support for the identification and morphological comparison of specimens collected from the plankton and reared in the laboratory.

MATERIAL AND METHODS

To make up the list of the species present in the Gibraltar Strait all the species recorded for the area comprised between 30°-40°N and 0°-10°W have been included (Fig. 1). With this purpose, the papers of Noël (1992), Ingle (1993), García Raso (1996) and d'Udekem d'Acoz (1999), as well as personal observations, have been used.

The search of bibliographic references has been mainly done through the following data bases: Current Contents, Zoological Records, Biological Abstracts and ASFA Aquaculture Abstracts, as well as bibliographic sources of several libraries up to year 2000. The references which have been chosen provide descriptive data facilitating the identification of the specimens, whereas references that include only data on larval presence or deal with ecological and physiological aspects have not been considered. Likewise, references pertaining to taxonomic categories above the species level have not been included if the material studied was from localities outside of the considered area (i.e., "*Upogebia* sp. A: Ngoc-Ho, N. 1981" from planktonic samples from the Gulf of México).

Each of the references should be interpreted as follows:

Cestopagurus timidus (Roux, 1830)⁽¹⁾
Catapaguroides timidus⁽²⁾: Pike, R.B.; Williamson, D.I. 1960⁽³⁾.
 Z1-Z4.M.⁽⁴⁾ (P+R)⁽⁵⁾.

(1) currently accepted name of the taxon; (2) taxon to which the author(s) assign to the studied material; (3) author(s) and publication date of larval description; and (4) larval stages described. The original name of every larval stage described is retained to provide the largest amount of information, being A




Fig. - 1. Map showing the location of the study zone (dotted area).

= acanthosoma, C = retrocaris, D = eretmocarid, E = elaphocarid, F = trachelifer, G = glaucothoe, H = anebocarid, L = nauplius, LS = last stage, M = megalopa, N = nisto, P = phyllosoma, PL = postlarva, PS = penultimate stage, PT = protozoa, Q = eryoneicus; S = Schizopod, T = mastigopus, U = puerulus, Y = mysis, and Z = zoea. NE, indicates that larval stages are not specified hastily (5) refers to the origin of the description where (L) = larvae reared in the laboratory from eggs of known parentage, (P) = descriptions based on stages found in the plankton, (R) = larvae reared in the laboratory from larvae caught in field, from unknown parentage often to recognizable postlarvae or juveniles, and (B) = after others publications.

Other symbols and abbreviations should be interpreted as follows: K, means that mentioned taxon is included in an identification key; ?, indicates that the identity of taxon or stage is in question (by author or currently); *, indicates that the work, in our opinion, is sufficiently strong to establish species identify beyond reasonable doubt; NL, means that work has

not been able to be consulted; and CG, means general features of larval stages are mentioned.

Although the postlarval stage of Dendrobranchiata and Caridea is not strictly a larval stage some researchers have considered it the last larval stage. In this study we have included this data (signed as PL) as additional information.

The systematic classification followed is that proposed by Bowman and Abele (1982) and Burkenroad (1983).

RESULTS

In the Gibraltar Strait (*sensu lato*) 377 species of decapod crustaceans have been recorded. For these species, an account of 387 scientific papers, in which larval descriptions are shown, have been selected up to the year 2000. At least one of the larval stages has been described for 220 species (58,35 %), and from only 36 species (9,54 %) accurate larval descriptions are available to allow a correct identification from plankton larvae.

Complete larval development is still not known for species belonging to the families Aristeidae, Benthiscymidae, Solenoceridae, Nemato-carcinidae, Nephropidae, Axiidae, Calocarididae, Polychelidae, Parapaguridae, Albuneidae, Dorippidae, Calappidae, and Pirimelidae. Moreover, no larval descriptions are available in this area for species

belonging to the families Bathypalaemonidae, Gnathophyllidae, Ogyrididae, Glyphocrangonidae, Ctenochelidae, Chirostylidae, Cymonomidae, and Palicidae.

ACKNOWLEDGEMENTS

The authors wish to express their sincere gratitude to P. Noël and C. d'Udekem d'Acoz for assistance in the preparation of the checklist. The draft was improved by the comments of D.I. Williamson, N. Ngoc-Ho, J.A. Cuesta, G. Guerao, P. Abelló, C. Schubart. Many thanks are due to the libraries of Natural History Museum of London, Paris and Madrid, Plymouth Marine Laboratory, University of Bielefeld, IPIMAR of Lisbon, and CSIC of Cádiz. We also thank A. Fransozo and M.L. Negreiros-Fransozo for sending us copies of parts of their private libraries. Finally, special thanks to C. Díaz for her help in checking the literated cited and T. Randsome for his assistance with the final English version.

Part of this work was supported by grants from *Consejo Superior de Investigaciones Científicas (CSIC)* and *Consejería de Medio Ambiente (Junta de Andalucía)*, Spain.

It is inevitable that there are errors and omissions in this paper; the authors would be grateful for any corrections and additions.

CHECKLIST OF DECAPOD SPECIES FROM GIBRALTAR STRAIT AREA (30°-40°N TO 0°-10°W) AND CURRENT KNOWLEDGE ON LARVAL DEVELOPMENT

LU: larvae undescribed; PLD: partial larval description; FLD: full larval description.

Order DECAPODA Latreille, 1802

Subord. DENDROBRANCHIATA Bate, 1888

Superfam. PENAEOIDEA Rafinesque, 1815

Fam. Aristeidae Wood-Mason, 1891

- | | |
|--|-----|
| 1. <i>Aristaeopsis edwardsiana</i> (Jonhson, 1867) | LU |
| 2. <i>Aristeomorpha foliacea</i> (Risso, 1827) | PLD |
| 3. <i>Aristeus antennatus</i> (Risso, 1816) | PLD |

Fam. Benthiscymidae Wood-Mason, 1891

- | | |
|---|-----|
| 4. <i>Bentheogennema intermedia</i> (Bate, 1888) | LU |
| 5. <i>Benthescymus bartletti</i> S.I. Smith, 1882 | LU |
| 6. <i>Benthescymus brasiliensis</i> Bate, 1881 | LU |
| 7. <i>Benthonectes filipes</i> S.I. Smith, 1885 | LU |
| 8. <i>Gennadas brevirostris</i> Bouvier, 1905 | LU |
| 9. <i>Gennadas elegans</i> (S.I. Smith, 1882) | PLD |
| 10. <i>Gennadas tinayrei</i> Bouvier, 1906 | LU |
| 11. <i>Gennadas valens</i> (S.I. Smith, 1884) | LU |

Fam. Penaeidae Rafinesque, 1815

- | | |
|---|-----|
| 12. <i>Funchalia villosa</i> (Bouvier, 1905) | LU |
| 13. <i>Funchalia woodardii</i> Johnson, 1867 | PLD |
| 14. <i>Marsupenaeus japonicus</i> (Bate, 1888) ¹ | FLD |
| 15. <i>Melicerthus kerathurus</i> (Forskål, 1775) | FLD |
| 16. <i>Parapenaeus longirostris</i> (Lucas, 1846) | FLD |
| 17. <i>Penaeopsis serrata</i> (Bate, 1881) | LU |

Fam. Solenoceridae Wood-Mason, 1891

- | | |
|---|-----|
| 18. <i>Hymenopenaeus aphoticus</i> Burkenroad, 1936 | LU |
| 19. <i>Hymenopenaeus debilis</i> S.I. Smith, 1882 | LU |
| 20. <i>Solenocera africana</i> Stebbing, 1917 | LU |
| 21. <i>Solenocera membranacea</i> (Risso, 1816) | PLD |

Fam. Sicyoniidae Ortmann, 1898

- | | |
|---|-----|
| 22. <i>Sicyonia carinata</i> (Brünnich, 1768) | FLD |
|---|-----|

Superfam. SERGESTOIDEA Dana, 1852

Fam. Sergestidae Dana, 1852

- | | |
|---|-----|
| 23. <i>Petalidium obesum</i> (Kröyer, 1855) | LU |
| 24. <i>Sergestes arcticus</i> Kröyer, 1855 | PLD |
| 25. <i>Sergestes armatus</i> Kröyer, 1855 | PLD |
| 26. <i>Sergestes atlanticus</i> H.M. Edwards, 1830 | PLD |
| 27. <i>Sergestes cornutus</i> Kröyer, 1855 ² | PLD |
| 28. <i>Sergestes curvatus</i> Crosnier and Forest, 1973 | PLD |
| 29. <i>Sergestes henseni</i> (Ortmann, 1893) | PLD |

¹ Although not its natural habitat, this species may be found here due to the escape of individuals from aquacultural farms.

² Adults remain undiscovered. The descriptions of these species are only based on juvenile and larval forms (see Lo Bianco, 1903; Bouvier, 1905; Bernard, 1953).

30. *Sergestes sargassi* Ortmann, 1893 PLD
31. *Sergestes vigilax* Stimpson, 1860 FLD
32. *Sergia japonica* Bate, 1881 PLD
33. *Sergia robusta* (S.I. Smith, 1882) PLD
34. *Sergia splendens* Sund, 1920 LU
35. *Sergia tenuiremis* Kröyer, 1855 PLD
- Fam. Luciferidae** De Haan, 1849
36. *Lucifer typus* H.M. Edwards, 1837 FLD
- Subord. PLEOCYEMATA** Burkenroad, 1963
Infraord. STENOPODIDEA Claus, 1872
- Fam. Stenopodidae** Claus, 1872
37. *Odontozona edwardsii* (Bouvier, 1908) LU
38. *Spongicoloides evolutus* (Bouvier, 1905) LU
39. *Spongicoloides koehleri* (Caullery, 1896) LU
40. *Spongicoloides profundus* Hansen, 1908 LU
41. *Stenopus spinosus* Risso, 1827 FLD
- Infraord. CARIDEA** Dana, 1852
- Fam. Nematocarinidae** S.I. Smith, 1884
42. *Nematocarcinus ensifer* (S.I. Smith, 1882) LU
43. *Nematocarcinus exilis* Bate, 1888 PLD
44. *Nematocarcinus gracilipes* Filhol, 1884 LU
- Fam. Oplophoridae** Dana, 1852
45. *Acanthephyra brevirostris* S.I. Smith, 1885 LU
46. *Acanthephyra eximia* S.I. Smith, 1884 LU
47. *Acanthephyra pelagica* (Risso, 1816) PLD
48. *Acanthephyra purpurea* M. Edwards, 1881 FLD
49. *Acanthephyra stylostrata* (Bate, 1888) PLD
50. *Acanthephyra tenuipes* (Bate, 1888) LU
51. *Ephyrina benedicti* S.I. Smith, 1885 LU
52. *Ephyrina bifida* Stephensen, 1923 LU
53. *Ephyrina figuerai* Crosnier and Forest, 1973 LU
54. *Heterogenys microphthalmalma* Smith, 1885 LU
55. *Hymenodora gracilis* S.I. Smith, 1886 LU
56. *Janicella spinicauda* (M. Edwards, 1883) LU
57. *Kemphyra corallina* (M. Edwards, 1883) LU
58. *Meningodora mollis* S.I. Smith, 1882 LU
59. *Meningodora vesca* S.I. Smith, 1986 LU
60. *Notostomus elegans* M. Edwards, 1881 LU
61. *Oplophorus spinosus* (Brullé, 1839) PLD
62. *Systellaspis braueri* (Balss, 1914) LU
63. *Systellaspis cristata* Faxon, 1893 LU
64. *Systellaspis debilis* (M. Edwards, 1881) FLD
65. *Systellaspis pellucida* (Filhol, 1885) LU
- Fam. Pasiphaeidae** Dana, 1852
66. *Eupasiphae gilesii* (Wood Mason, 1892) LU
67. *Eupasiphae serrata* (Rathbun, 1902) LU
68. *Parapasiphae cristata* S.I. Smith, 1884 LU
69. *Parapasiphae sulcatifrons* S.I. Smith, 1884 PLD
70. *Pasiphaea hoplocerca* Chace, 1940 LU
71. *Pasiphaea multidentata* Esmark, 1866 PLD
72. *Pasiphaea sivado* (Risso, 1816) FLD
73. *Pasiphaea tarda* Kröyer, 1865 PLD
74. *Psathyrocaris fragilis* Wood Mason, 1893 LU
75. *Psathyrocaris infirma* Alcock and Anderson, 1894 LU
- Fam. Bathypalaemonidae** Chace, 1992
76. *Bathypalaemonella serratipalma* Pequegnat, 1970 LU
- Fam. Gnathophyllidae** Dana, 1852
77. *Gnathophyllum elegans* (Risso, 1816) LU
- Fam. Palaemonidae** Rafinesque, 1815
78. *Balssia gastii* (Balss, 1921) LU
79. *Brachycarpus biunguiculatus* (Lucas, 1846) FLD
80. *Palaemon adpersus* Rathke, 1837 FLD
81. *Palaemon elegans* Rathke, 1837 FLD
82. *Palaemon longirostris* M. Edwards, 1837 FLD
83. *Palaemon serratus* (Pennant, 1777) FLD
84. *Palaemon xiphias* Risso, 1816 FLD
85. *Palaemonetes varians* (Leach, 1814) FLD
86. *Palaemonetes zariquieyi* Sollaud, 1939 FLD
87. *Periclimenes amethysteus* (Risso, 1827) LU
88. *Periclimenes kornii* (Lo Bianco, 1903) LU
89. *Periclimenes sagittifer* (Norman, 1861) LU
90. *Periclimenes scriptus* (Risso, 1822) LU
91. *Pontonia flavomaculata* Heller, 1864 FLD
92. *Pontonia pinnophylax* (Otto, 1821) FLD
93. *Typton spongicola* Costa, 1844 PLD
- Fam. Alpheidae** Rafinesque, 1815
94. *Alpheus dentipes* Meneville, 1832 LU
95. *Alpheus glaber* (Olivier, 1792) FLD
96. *Alpheus macrocheles* (Hailstone, 1835) FLD
97. *Alpheus platydactylus* Coutière, 1897 LU
98. *Alpheus talismani* Coutière, 1898 LU
99. *Athanas amazone* Holthuis, 1951 LU
100. *Athanas grimaldii* Coutière, 1911 LU
101. *Athanas nitescens* (Leach, 1814) PLD
102. *Synalpheus gambarelloides* (Nardo, 1847) PLD
103. *Synalpheus tumidomanus africanus* Crosnier and Forest, 1965 LU
- Fam. Hippolytidae** Dana, 1852
104. *Eualus drachi* Noël, 1978 LU
105. *Eualus lebourae* Holthuis, 1951 LU
106. *Eualus occultus* (Lebour, 1936) FLD
107. *Hippolyte garciarasoii* d'Udekem d'Acoz, 1996 LU
108. *Hippolyte holthuisi* Zariquiey, 1953 LU
109. *Hippolyte inermis* Leach, 1815 PLD
110. *Hippolyte lagarderei* d'Udekem d'Acoz, 1995 LU
111. *Hippolyte leptocerus* (Heller, 1863) LU
112. *Hippolyte longirostris longirostris* (Czerniavsky, 1868) LU
113. *Hippolyte niezabitowskii* d'Udekem d'Acoz, 1996 LU
114. *Hippolyte varians* Leach, 1814 PLD
115. *Ligur ensiferus* (Risso, 1816) LU
116. *Lysmata seticaudata* (Risso, 1816) FLD
117. *Lysmata unicoloris* Holthuis and Maurin, 1952 LU
118. *Merhippolyte ancistrota* Crosnier and Forest, 1973 LU
119. *Thoralus cranchii* (Leach, 1817) FLD
120. *Thoralus sollaudi* Zariquiey, 1935 LU
- Fam. Ogyrididae** Stebbing, 1914
121. *Ogyrides rarispina* Holthuis, 1951 LU
- Fam. Processidae** Ortmann, 1896
122. *Processa acutirostris* Nouvel and Holthuis, 1957 LU
123. *Processa canaliculata* Leach, 1815 PLD
124. *Processa edulis* (Risso, 1816) PLD
125. *Processa elegantula* Nouvel and Holthuis, 1957 PLD
126. *Processa intermedia* Holthuis, 1951 LU
127. *Processa macrodactyla* Holthuis, 1952 PLD
128. *Processa macrophthalmalma* Nouvel and Holthuis, 1957 LU
129. *Processa modica* Williamson, 1979 FLD
130. *Processa noveli* Al-Adhub and Williamson, 1975 FLD
131. *Processa robusta* Nouvel and Holthuis, 1957 LU
- Fam. Pandalidae** Haworth, 1825
132. *Chlorotocus crassicornis* (Costa, 1871) PLD
133. *Dichelopandalus bonnieri* (Caullery, 1896) PLD
134. *Heterocarpus ensifer* M. Edwards, 1881 LU
135. *Heterocarpus grimaldii* M. Edwards and Bouvier, 1900 LU
136. *Pandalina brevirostris* (Rathke, 1843) FLD
137. *Pandalina profunda* Holthuis, 1946 LU
138. *Parapandalus narval* (Fabricius, 1787) LU
139. *Plesionika acanthonotus* (S.I. Smith, 1882) PLD
140. *Plesionika antigai* Zariquiey, 1955 LU
141. *Plesionika edwardsii* (Brandt, 1851) PLD
142. *Plesionika ensis* (A.M. Edwards, 1881) LU
143. *Plesionika giglioli* (Senna, 1908) LU
144. *Plesionika heterocarpus* (Costa, 1871) LU
145. *Plesionika martia* M. Edwards, 1883 PLD
146. *Plesionika williamsi* Forest, 1964 LU
147. *Stylopandalus richardi* (Coutière, 1905) FLD
- Fam. Crangonidae** Haworth, 1825
148. *Aegaeon cataphractus* (Olivier, 1792) PLD
149. *Aegaeon lacazei* (Gourret, 1887) PLD
150. *Crangon crangon* (Linnaeus, 1758) FLD
151. *Parapontophilus abyssii* (S.I. Smith, 1884) LU

152. *Parapontophilus talismani* (Crosnier and Forest, 1973) LU
 153. *Philocheras bispinosus bispinosus* (Hailstone, 1835) PLD
 154. *Philocheras bispinosus neglectus* (Sars, 1883) FLD
 155. *Philocheras echinulatus* (Sars, 1861) PLD
 156. *Philocheras fasciatus* (Risso, 1816) FLD
 157. *Philocheras monacanthus* (Holthuis, 1961) FLD
 158. *Philocheras sculptus* (Bell, 1847) PLD
 159. *Philocheras trispinosus* (Hailstone, 1835) FLD
 160. *Pontophilus norvegicus* (Sars, 1861) PLD
 161. *Pontophilus spinosus* (Leach, 1815) PLD
- Fam. Glyphocrangonidae** S.I. Smith, 1884
 162. *Glyphocrangon longirostris* (S.I. Smith, 1882) LU
 163. *Glyptocrangon sculpta* (S.I. Smith, 1882) LU
- Infraord. ASTACIDEA** Latreille, 1803
- Fam. Nephropidae** Dana, 1852
 164. *Homarus gammarus* (Linnaeus, 1758) PLD
 165. *Nephrops norvegicus* (Linnaeus, 1758) PLD
 166. *Nephropsis atlantica* Norman, 1882 LU
- Infraord. THALASSINIDEA** Latreille, 1831
- Fam. Axiidae** Huxley, 1879
 167. *Axius stirhynchus* Leach, 1815 PLD
 168. *Calocarides coronatus* (Trybom, 1904) PLD
- Fam. Calocarididae** Ortmann, 1891
 169. *Calocaris macandreae* Bell, 1846 PLD
- Fam. Callianassidae** Dana, 1852
 170. *Callianassa candida* (Olivieri, 1792) LU
 171. *Callianassa subterranea* (Montagu, 1808) FLD
 172. *Callianassa tyrrenica* (Petagna, 1792) PLD
 173. *Necallianassa truncata* Giard and Bonnier, 1890 LU
- Fam. Ctenochelidae** Manning and Felder, 1991
 174. *Gourretia denticulata* (Luzte, 1937) LU
- Fam. Laomeidiidae** Borradaile, 1903
 175. *Jaxea nocturna* Nardo, 1847 FLD
- Fam. Upogebiidae** Borradaile, 1903
 176. *Gebiacantha talismani* (Bouvier, 1915) LU
 177. *Upogebia deltaura* (Leach, 1815) FLD
 178. *Upogebia pusilla* (Petagna, 1792) FLD
 179. *Upogebia tipica* (Nardo, 1869) LU
- Infraord. PALINURA** Latreille, 1902
- Fam. Polychelidae** Wood Mason, 1875
 180. *Eryoneicus puritanii* Lo Bianco, 1903¹ PLD
 181. *Eryoneicus spinoculatus* Bouvier, 1905¹ PLD
 182. *Polycheles crucifer* (Willemoes-Suhm, 1874) LU
 183. *Polycheles granulatus* Faxon, 1893 LU
 184. *Polycheles typhlops* Heller, 1862 PLD
 185. *Polycheles validus* (M. Edwards, 1880) LU
 186. *Stereomastis nana* (S.I. Smith, 1884) LU
 187. *Stereomastis sculpta* (S.I. Smith, 1880) LU
- Fam. Palinuridae** Latreille, 1802
 188. *Palinurus elephas* (Fabricius, 1787) FLD
 189. *Palinurus mauritanicus* Gruvel, 1911 LU
- Fam. Scyllaridae** Latreille, 1825
 190. *Scyllarides latus* (Latreille, 1803) PLD
 191. *Scyllarus arctus* (Linnaeus, 1758) FLD
 192. *Scyllarus posteli* Forest, 1963 PLD
 193. *Scyllarus pygmaeus* (Bate, 1888) PLD
- Infraord. ANOMURA** MacLeay, 1838
- Fam. Diogenidae** Ortmann, 1892
 194. *Calcinus tubularis* (Linnaeus, 1767) FLD
 195. *Clibanarius erythropus* (Latreille, 1818) FLD
 196. *Dardanus arrosor* (Herbst, 1796) FLD
 197. *Dardanus calidus* (Risso, 1826) PLD
 198. *Diogenes pugilator* (Roux, 1829) FLD
 199. *Paguristes eremita* (Linnaeus, 1767) FLD
- Fam. Paguridae** Latreille, 1803
 200. *Anapagurus alboranensis* García-Gómez, 1994 LU
 201. *Anapagurus bicorniger* M. Edwards and Bouvier, 1892 FLD
 202. *Anapagurus breviaculeatus* Fenizia, 1937 LU
 203. *Anapagurus chiroacanthus* (Lilljeborg, 1856) FLD
 204. *Anapagurus hyndmanni* (Bell, 1845) FLD
 205. *Anapagurus laevis* (Bell, 1846) FLD
 206. *Anapagurus longispina* M. Edwards and Bouvier, 1900 LU
 207. *Anapagurus petiti* Dechancé and Forest, 1962 PLD
 208. *Anapagurus pusillus* Henderson, 1888 LU
 209. *Catapaguroides iris* Bouvier, 1922 LU
 210. *Catapaguroides megalops* M. Edwards and Bouvier, 1892 LU
 211. *Catapaguroides microps* M. Edwards and Bouvier, 1892 LU
 212. *Cestopagurus timidus* (Roux, 1830) FLD
 213. *Michelopagurus richardi* (Bouvier, 1922) LU
 214. *Nematopagurus longicornis* M. Edwards and Bouvier, 1892 PLD
 215. *Pagurus alatus* (Fabricius, 1775) PLD
 216. *Pagurus anachoretus* Risso, 1826 FLD
 217. *Pagurus bernhardus* (Linnaeus, 1758) FLD
 218. *Pagurus carneus* Pocock, 1889 PLD
 219. *Pagurus chevreuxi* (Bouvier, 1896) LU
 220. *Pagurus cuanensis* Bell, 1845 FLD
 221. *Pagurus excavatus* (Herbst, 1791) FLD
 222. *Pagurus forbesii* Bell, 1845 PLD
 223. *Pagurus prideaux* Leach, 1815 FLD
 224. *Pagurus pubescentulus* (M. Edwards and Bouvier, 1892) LU
 225. *Spiropagurus elegans* Miers, 1881 FLD
- Fam. Parapaguridae** S.I. Smith, 1882
 226. *Oncopagurus bicristatus* (M. Edwards, 1880) LU
 227. *Parapagurus ruticheles* (M. Edwards, 1891) LU
 228. *Parapagurus pilosimanus* S.I. Smith, 1879 PLD
 229. *Strobopagurus gracilipes* (M. Edwards, 1891) LU
 230. *Sympagurus acinops* (Lemaitre, 1989) LU
- Fam. Chirostylidae** Ortmann, 1892
 231. *Gastroptychus formosus* (Filhol, 1884) LU
 232. *Uroptychus bouvieri* Caullery, 1896 LU
 233. *Uroptychus marrocanus* Türkay, 1976 LU
- Fam. Galatheididae** Samouelle, 1819
 234. *Galathea bolivari* Zariquiey, 1950 LU
 235. *Galathea cenarroi* Zariquiey, 1968 LU
 236. *Galathea dispersa* Bate, 1859 FLD
 237. *Galathea faiali* Nunes Ruivo, 1961 LU
 238. *Galathea intermedia* Lilljeborg, 1851 FLD
 239. *Galathea nexa* Embleton, 1834 PLD
 240. *Galathea squamifera* Leach, 1814 FLD
 241. *Galathea strigosa* (Linnaeus, 1767) FLD
 242. *Munida curvimana* M. Edwards and Bouvier, 1894 LU
 243. *Munida intermedia* M. Edwards and Bouvier, 1899 PLD
 244. *Munida microphthalma* M. Edwards, 1880 LU
 245. *Munida rugosa* (Fabricius, 1775) PLD
 246. *Munida rullanti* Zariquiey, 1952 LU
 247. *Munida sarsi* Huus, 1935 PLD
 248. *Munida tenuimana* Sars, 1872 FLD
 249. *Munidopsis curvirostra* Whiteaves, 1874 LU
 250. *Munidopsis serricornis* (Lovén, 1853) FLD
- Fam. Porcellanidae** Haworth, 1825
 251. *Pisidia bluteli* (Risso, 1816) PLD
 252. *Pisidia longicornis* (Linnaeus, 1767) FLD
 253. *Porcellana platycheles* (Pennant, 1777) FLD
- Fam. Albuneidae** Stimpson, 1858
 254. *Albunea carabus* (Linnaeus, 1758) PLD

¹ Adults remain undiscovered. The descriptions of these species are only based on juvenile and larval forms (see Lo Bianco, 1903; Bouvier, 1905; Bernard, 1953).

Infraord. BRACHYURA Latreille, 1802

Fam. Dromiidae De Haan, 1833

255. *Dromia personata* (Linnaeus, 1758) FLD

Fam. Cyonomidae Bouvier, 1898

256. *Cyonomus granulatus* (Thomson, 1873) LU

Fam. Homolidae de Haan, 1839

257. *Homola barbata* (Fabricius, 1793) FLD

258. *Homologenus boucheti* Guinot and Richer de Forges, 1995 LU

259. *Paromola cuvieri* (Risso, 1816) PLD

Fam. Latreillidae Stimpson, 1858

260. *Latreillia elegans* Roux, 1830 PLD

Fam. Dorippidae MacLeay, 1838

261. *Ethusa mascarone* (Herbst, 1785) PLD

262. *Ethusina talismani* M. Edwards and Bouvier, 1897 LU

263. *Medorippe lanata* (Linnaeus, 1767) PLD

Fam. Calappidae De Haan, 1833

264. *Calappa granulata* (Linnaeus, 1758) PLD

265. *Cryptosoma cristata* (Brullé, 1837) LU

Fam. Leucosiidae Samouelle, 1819

266. *Ebalia cranchii* Leach, 1817 FLD

267. *Ebalia deshayesi* Lucas, 1846 LU

268. *Ebalia edwardsi* Costa, 1838 LU

269. *Ebalia granulosa* H.M. Edwards, 1837 LU

270. *Ebalia nux* M. Edwards, 1883 PLD

271. *Ebalia tuberculata* Miers, 1881 LU

272. *Ebalia tuberosa* (Pennant, 1777) FLD

273. *Ebalia tumefacta* (Montagu, 1808) FLD

274. *Ilia nucleus* (Linnaeus, 1758) PLD

275. *Merocryptus boletifer* M. Edwards and Bouvier, 1894 LU

Fam. Majidae Samouelle, 1819

276. *Acanthonyx lunulatus* (Risso, 1816) FLD

277. *Achaeus cranchii* Leach, 1817 FLD

278. *Achaeus gracilis* Costa, 1839 LU

279. *Dorhynchus thomsoni* Thomson, 1873 FLD

280. *Ergasticus clouei* M. Edwards, 1882 LU

281. *Eurynome aspera* (Pennant, 1777) FLD

282. *Eurynome spinosa* Hailstone, 1835 PLD

283. *Herbstia condyliata* (Fabricius, 1787) PLD

284. *Inachus aguiarii* Brito Capello, 1876 LU

285. *Inachus communissimus* Rizza, 1839 LU

286. *Inachus dorsettensis* (Pennant, 1777) FLD

287. *Inachus leptochirus* Leach, 1817 FLD

288. *Inachus phalangium* (Fabricius, 1775) FLD

289. *Inachus thoracicus* (Roux, 1830) PLD

290. *Lissa chiragra* (Fabricius, 1775) PLD

291. *Macropodia czerniawskii* (Brandt, 1880) LU

292. *Macropodia deflexa* Forest, 1978 PLD

293. *Macropodia intermedia* Bouvier, 1940 LU

294. *Macropodia linaresi* Forest and Zariquiey, 1964 PLD

295. *Macropodia longipes* (A.M. Edwards and Bouvier, 1899) FLD

296. *Macropodia longirostris* (Fabricius, 1775) LU

297. *Macropodia parva* Van Noort and Adema, 1985 LU

298. *Macropodia rostrata* (Linnaeus, 1761) FLD

299. *Macropodia tenuirostris* (Leach, 1814) FLD

300. *Maja brachydactyla* Balss, 1922 LU

301. *Maja crispata* (Risso, 1827) PLD

302. *Maja goitziana* d'Oliveira, 1888 FLD

303. *Maja squinata* (Herbst, 1788) FLD

304. *Pisa armata* (Latreille, 1803) FLD

305. *Pisa carinimana* Miers, 1879 LU

306. *Pisa muscosa* (Linnaeus, 1758) LU

307. *Pisa nodipes* (Leach, 1815) PLD

308. *Pisa tetradon* (Pennant, 1777) FLD

309. *Rochinia carpenteri* (Thomson, 1873) FLD

310. *Rochinia rissoana* (Roux, 1828) LU

Fam. Parthenopidae MacLeay, 1838

311. *Heterocrypta maltzami* Miers, 1881 PLD

312. *Parthenope angulifrons* Latreille, 1825 PLD

313. *Parthenope expansa* (Miers, 1879) LU

314. *Parthenope macrochelos* (Herbst, 1790) PLD

315. *Parthenope massena* (Roux, 1830) FLD

316. *Parthenope miersi* (Milne Edwards and Bouvier, 1898) LU

Fam. Atelecyclidae Ortmann, 1893

317. *Atelecyclus rotundatus* (Olivieri, 1792) FLD

318. *Atelecyclus undecimdentatus* (Herbst, 1783) LU

Fam. Cancridae Latreille, 1803

319. *Cancer bellianus* Johnson, 1861 PLD

320. *Cancer pagurus* Linnaeus, 1758 FLD

Fam. Corystidae Samouelle, 1819

321. *Corystes cassivelaunus* (Pennant, 1777) FLD

Fam. Pirimelidae Alcock, 1819

322. *Pirimela denticulata* (Montagu, 1808) PLD

323. *Sirpus zariquieyi* Gordon, 1953 PLD

Fam. Thiidae Dana, 1852

324. *Thia scutellata* (Fabricius, 1793) FLD

Fam. Geryonidae Colosi, 1923

325. *Chaceon inglei* Manning and Holthuis, 1989 LU

326. *Geryon longipes* M. Edwards, 1882 FLD

327. *Geryon trispinosus* (Herbst, 1803) FLD

Fam. Portunidae Rafinesque, 1815

328. *Bathynectes longipes* (Risso, 1816) FLD

329. *Bathynectes maravigna* (Pestandrea, 1839) LU

330. *Carcinus aestuarii* Czerniavsky, 1884 FLD

331. *Carcinus maenas* (Linnaeus, 1758) FLD

332. *Liocarcinus arcuatus* (Leach, 1814) FLD

333. *Liocarcinus bolivari* (Zariquiey, 1948) LU

334. *Liocarcinus corrugatus* (Pennant, 1777) FLD

335. *Liocarcinus depurator* (Linnaeus, 1758) FLD

336. *Liocarcinus holsatus* (Fabricius, 1798) FLD

337. *Liocarcinus maculatus* (Risso, 1827) LU

338. *Liocarcinus marmoreus* (Leach, 1814) FLD

339. *Liocarcinus mcleayi* (Barnard, 1947) LU

340. *Liocarcinus pusillus* (Leach, 1815) FLD

341. *Liocarcinus vernalis* (Leach, 1815) PLD

342. *Liocarcinus zariquieyi* (Gordon, 1968) LU

343. *Macropipus tuberculatus* (Roux, 1830) PLD

344. *Necora puber* (Linnaeus, 1767) FLD

345. *Polybius henslowii* Leach, 1820 PLD

346. *Portunus latipes* (Pennant, 1777) FLD

347. *Portunus hastatus* (Linnaeus, 1767) LU

348. *Xaiva biguttata* (Risso, 1816) PLD

Fam. Goneplacidae MacLeay, 1838

349. *Goneplax rhomboides* (Linnaeus, 1758) FLD

Fam. Xanthidae Dana, 1851

350. *Eriphia verrucosa* (Forskål, 1775) FLD

351. *Monodaenus couchi* (Couch, 1851) FLD

352. *Monodaenus guinotae* Forest, 1976 LU

353. *Panopeus africanus* M. Edwards, 1867 FLD

354. *Paractea monodi* Guinot, 1969 LU

355. *Pilumnus hirtellus* (Linnaeus, 1761) FLD

356. *Pilumnus inermis* M. Edwards and Bouvier, 1894 LU

357. *Pilumnus spinifer* H.M. Edwards, 1834 PLD

358. *Pilumnus villosissimus* (Rafinesque, 1814) LU

359. *Rhithropanopeus harrisi* (Gould, 1841) FLD

360. *Xantho incisus* (Leach, 1814) FLD

361. *Xantho pilipes* M. Edwards, 1867 PLD

362. *Xantho poressa* (Olivieri, 1792) FLD

Fam. Grapsidae MacLeay, 1838

363. *Brachynotus atlanticus* Forest, 1957 FLD

364. *Brachynotus sexdentatus* (Risso, 1827) FLD

365. *Euchirograpsus liguricus* M. Edwards, 1853 LU

366. *Grapsus adscensionis* (Osbeck, 1765) PLD

367. *Pachygrapsus marmoratus* (Fabricius, 1787) FLD

368. *Pachygrapsus maurus* (Lucas, 1846) PLD

369. *Pachygrapsus transversus* (Gibbes, 1850) PLD

370. <i>Percnon gibbesi</i> (H.M. Edwards, 1853)	FLD	375. <i>Pinnotheres pisum</i> (Linnaeus, 1767)	FLD
371. <i>Plagusia depressa</i> (Fabricius, 1775)	PLD	Fam. Ocypodidae Rafinesque, 1815	
372. <i>Planes minutus</i> (Linnaeus, 1758)	PLD	376. <i>Uca tangeri</i> (Eydoux, 1835)	FLD
Fam. Pinnotheridae De Haan, 1833		Fam. Palicidae Rathbun, 1898	
373. <i>Asthenognathus atlanticus</i> Monod, 1933	FLD	377. <i>Palicus caronii</i> (Roux, 1830)	LU
374. <i>Neopinnotheres pinnotheres</i> (Linnaeus, 1758)	FLD		

ANNOTATED BIBLIOGRAPHY OF DECAPOD LARVAE

- Order DECAPODA** Latreille, 1802
 Oxyrhynchi: Cano, G. 1893a. CG.
 Decapoda: Gurney, R. 1942. CG.
 Decapoda: Williamson, D.I. 1957. CG. K.
 Decapoda: Barnich, R. 1996. CG. K.
- Suborder DENDROBRANCHIATA** Bate, 1888
 Dendrobranchiata: Santos, A. dos; Lindley, J.A. 2000. CG. K.
- Superfamily PENAEOIDEA** Rafinesque, 1815
 Penaeidea: Gurney, R. 1942. CG.
 Penaeoidea: Boschi, E.E. 1981. CG.
 Peneides: Seridji, R. 1989. PT.Y1. K.
- Family Aristeidae** Wood-Mason, 1891
 Aristeidae: Dall, W.; Hill, B.J.; Rothlisberg, P.C.; Staples, D.J. 1990. PT.Y.PL. (B). K.
 Aristeidae: Barnich, R. 1996. K.
- Aristaeomorpha foliacea* (Risso, 1827)
Aristaeomorpha foliacea: Heldt, J.H. 1954. Z1-Z4. (P).
Aristaeomorpha foliacea: Heldt, J.H. 1955a. PZ2-3.Y1.LS. (P+L+R).
- Aristeus antennatus* (Risso, 1816)
Aristeus antennatus: Heldt, J.H. 1954. Z1-Z4. (P).
Aristeus antennatus: Heldt, J.H. 1955a. PZ1-PZ3.Y1. (P+L+R).
Aristeus antennatus: Seridji, R. 1971. (P+B). K.
- Family Benthiscymidae** Wood-Mason, 1891
 ? *Aristeus*: Bate, C.S. 1888. M. (P).
- Benthiscymus* sp.
 ? *Benthiscymus*: Gurney, R. 1924a. Y1. (P).
- Gennadas* sp.
Penaeus larve: Claus, C. 1876. PZ. Z. Y. (P).
Gennadas: Gurney, R. 1924a. PZ1-PZ3.Y1-Y4. (P).
Gennadas: Gurney, R. 1942. CG.
 ? *Gennadas valens*: Criales, M.M.; McGowan, M.F. 1993. Y1-Y4. (P).
- Gennadas elegans* (S.I. Smith, 1882)
Euphema armata: Ortmann, A. 1893. NE. (P).
Amalopenaeus elegans: Monticelli, F.S.; Lo Bianco, S. 1900. CG.
Amalopenaeus elegans: Lo Bianco, S. 1901. NE. (P).
Amalopenaeus elegans: Williamson, H.C. 1915. CG. (P).
 ? *Euphema armata*: Stephensen, K. 1923. NE. (P).
 * *Gennadas elegans*: Heldt, J.H. 1938. PT2.PT3.Y1.Y2.Y4. (P+R).
Gennadas elegans: Gurney, R. 1942. PZ2.Y1. (P).
Gennadas elegans: Gurney, R. 1943. PT. (B).
Gennadas elegans: Kurian, C.V. 1956. Y1-Y5. (P).
Gennadas elegans: Seridji, R. 1971. (B). K.
Gennadas elegans: Seridji, R. 1989. K.
Gennadas elegans: Barnich, R. 1996. PZ1-PZ3.Z1-Z4. (P+B). K.
- Family Penaeidae** Rafinesque, 1815
Penaeus larva No. 3: Stephensen, K. 1923. NE. (P).
 Pénéides: Heldt, J.H. 1938. CG.
 Penaeidae: Dall, W.; Hill, B.J.; Rothlisberg, P.C.; Staples, D.J. 1990. PT.Y.PL. (B). K.
- Funchalia* sp.
Funchalia: Dall, W.; Hill, B.J.; Rothlisberg, P.C.; Staples, D.J. 1990. Y. (B). K.
- Funchalia woodwardii* Johnson, 1867
Aristeus antennatus: Monticelli, F.S.; Lo Bianco, S. 1902. Y?. (P).
Aristaeomorpha foliacea: Stephensen, K. 1923. LS. (P).
Aristaeomorpha foliacea: Kurian, C.V. 1956. Y4?. (P).
Aristaeomorpha foliacea: Paulinose, V.T. 1984. LS. (P).
Funchalia woodwardii: Barnich, R. 1996. K.
- Melicertus kerathurus* (Forskål, 1775)
 * *Penaeus trisulcatus*: Heldt, J.H. 1938. L1-L8.PT1-PT3.Y1-Y4. (L).
Penaeus kerathurus: Kurian, C.V. 1956. PT2. (P).
Penaeus trisulcatus: Al-Kholy, A.A.; El-Hawary, M.M. 1970. L1-L3.PT1-PT3.PL. (L+P).
Penaeus trisulcatus: Seridji, R. 1971. (B). K.
Penaeus kerathurus: Lumare, F.; Gozzo, S. 1973. L1-L6. (L).
Penaeus kerathurus: Barnich, R. 1996. K.
- Marsupenaeus japonicus* (Bate, 1888)
 * *Penaeus japonicus*: Hudinaga, M. 1942. L1-L6.PT1-PT3.Y1-Y3.PL. (L).
Penaeus japonicus: Al-Kholy, A.A.; El-Hawary, M.M. 1970. PT1-PT3.Y2. (P).
- Parapenaeus* sp.
Parapenaeus sp.: Gurney, R. 1942. CG.
Parapenaeus ASM1: Rice, A.L.; Williamson, D.I. 1977. Z5?. (P).
Parapenaeus: Dall, W.; Hill, B.J.; Rothlisberg, P.C.; Staples, D.J. 1990. PT1-PT3.Y.PL. (B). K.
- Parapenaeus longirostris* (Lucas, 1846)
 * *Parapenaeus longirostris*: Heldt, J.H. 1938. L1-L8.PT1-PT3.Y1-Y4. (L).
Parapenaeus longirostris: Gurney, R. 1942. CG.
Parapenaeus longirostris: Gurney, R. 1943. PT. (B).
Parapenaeus longirostris: Seridji, R. 1971. K.
Parapenaeus longirostris: Barnich, R. 1996. K.
- Penaeopsis* sp.
Penaeopsis: Gurney, R. 1924a. Y. (P).
 ? *Penaeopsis stebbingi*: Gurney, R. 1927. L1-L3.PT1-PT3.Y1-Y3. (P).
Penaeopsis sp.: Gurney, R. 1943. PT1-PT3.Z1-Z3.PL. (P).
- Penaeus* sp.
Penaeus: Brooks, W.K. 1882. L.PT.S. (B).
Penaeus: Gurney, R. 1942. CG.
Penaeus: Dall, W.; Hill, B.J.; Rothlisberg, P.C.; Staples, D.J. 1990. PT.Y.PL. (B). K.
- Family Solenoceridae** Wood-Mason, 1891
 Solenoceridae: Dall, W.; Hill, B.J.; Rothlisberg, P.C.; Staples, D.J. 1990. PT.Y.PL. (B). K.
- Solenocera* sp.
Solenocera: Gurney, R. 1942. CG.
- Solenocera membranacea* (Risso, 1816)
Solenocera siphonocera: Monticelli, F.S.; Lo Bianco, S. 1900. CG.
Penaeus membranaceus: Monticelli, F.S.; Lo Bianco, S. 1901. CG.
Penaeus siphonocerus: Williamson, H.C. 1915. L.PT.Y. (P).
Solenocera membranacea: Heldt, J.H. 1938. PT3.Y1.Y2. (P+R).

- Solenocera membranacea*: Heldt, J.H. 1955. PT1-PT3.Y1.Y2.PL. (P).
Solenocera membranacea: Kurian, C.V. 1956. PT2.PT3. Y1.Y2. (P).
Solenocera membranacea: Heegaard, P. 1966. Z1-Z7. (P).
Solenocera membranacea: Seridji, R. 1971. K.
Solenocera membranacea: Seridji, R. 1989. K.
Solenocera membranacea: Barnich, R. 1996. PZ1-PZ3.Z1.Z2. (P). K.
- Family Sicyoniidae** Ortmann, 1898
 Sicyoniidae: Dall, W.; Hill, B.J.; Rothlisberg, P.C.; Staples, D.J. 1990. PT.Y.PL. (B). K.
- Sicyonia* sp.
Sicyonia: Gurney, R. 1942. CG.
- Sicyonia carinata* (Brünnich, 1768)
Sicyonia sculpta: Monticelli, F.S.; Lo Bianco, S. 1900. Z1-Z3. (P).
 * *Sicyonia carinata*: Heldt, J.H. 1938. L1-L8.PT1-PT3.Y1-Y4. (L).
Sicyonia carinata: Gurney, R. 1943. PT. (B).
Sicyonia carinata: Kurian, C.V. 1956. Y1. (P).
Sicyonia carinata: Seridji, R. 1971. K.
Sicyonia carinata: Seridji, R. 1989. K.
Sicyonia carinata: Barnich, R. 1996. PZ1-PZ3.Z1-Z4. (P+B). K.
- Superfamily SERGESTOIDEA** Dana, 1852
 Sergestoidea: Boschi, E.E. 1981. CG.
- Family Sergestidae** Dana, 1852
 Sergestidae: Dall, W.; Hill, B.J.; Rothlisberg, P.C.; Staples, D.J. 1990. PT.Y.PL. (B). K.
 Sergestidae: Barnich, R. 1996. PL. K.
- Sergestes* sp.
Sergestes: Brooks, W.K. 1882. PT1.E.A.T. (B).
Sergestes: Hansen, H.J. 1922. CG.
Sergestes: Gurney, R.; Lebour, M.V. 1940. K.
Sergestes corniculum form C: Gurney, R.; Lebour, M.V. 1940. A2.T1. (P).
Sergestes: Gurney, R. 1942. CG.
Sergestes: Barnich, R. 1996. PZ1-PZ3.Z1.Z2. CG. (P). K.
- Sergestes arcticus* Kröyer, 1855
Sergestes arcticus: Dohrn, A. 1908. PT3. (P).
Sergestes arcticus: Wasserloos, E. 1908. PT1-PT3.A.T. (P).
Sergestes arcticus: Williamson, H.C. 1915. PT1.PT2.Z.A.T. (P).
Sergestes arcticus: Hansen, H.J. 1922. PT1.PT2.E.A.T. (P).
Sergestes arcticus: Gurney, R.; Lebour, M.V. 1940. E2.E3.A2.T1. (P).
Sergestes arcticus: Kurian, C.V. 1956. E2.E3.A1.A2.T1.T2. (P). K.
Sergestes arcticus: Boschi, E.E. 1981. E. (B). CG.
Sergestes arcticus: Barnich, R. 1996. K.
- Sergestes armatus* Kröyer, 1855
Sergestes armatus: Hansen, H.J. 1922. T. (P).
Sergestes diaponticus: Illig, G. 1927. PZ. (P).
Sergestes armatus: Cecchini, C. 1928. M. (P).
 * *Sergestes armatus*: Gurney, R.; Lebour, M.V. 1940. E1-E3.A1.A2.T1. (P+R).
Sergestes armatus: Heldt, J.H. 1955. A2. (B).
- Sergestes atlanticus* H. Milne Edwards, 1830
Sergestes atlanticus: Illig, G. 1914. Z5. (P).
Sergestes atlanticus: Hansen, H.J. 1922. T.
Sergestes atlanticus: Gurney, R.; Lebour, M.V. 1940. Z1-Z5.M. (P+R).
Sergestes atlanticus: Gurney, R. 1942. A2. (B).
Sergestes atlanticus: Heldt, J.H. 1955. E1. (B).
Sergestes atlanticus: Barnich, R. 1996. Z1.Z2.PL. (P). K.
- Sergestes cornutus* Köyer, 1855
Sergestes cornutus: Sund, O. 1920 NE. (P).
- Sergestes curvatus* Crosnier and Forest, 1973
Sergestes corniculum form A: Gurney, R.; Lebour, M.V. 1940. E1-E3.A1.A2.T1. (P+R).
- Sergestes henseni* (Ortmann, 1893)
Sergestes corniculum: Hansen, H.J. 1922. T.A. (P).
Sergestes corniculum: Gurney, R. 1924a. PT1-PT3. (P).
Sergestes corniculum form B: Gurney, R.; Lebour, M.V. 1940. A2. (P).
Sergestes corniculum: Kurian, C.V. 1956. A1. (P). K.
Sergestes henseni: Barnich, R. 1996. K.
- Sergestes sargassi* Ortmann, 1893
Sergestes sargassi: Ortmann, A. 1893. A. (P).
Sergestes sargassi: Hansen, H.J. 1922. T. (P).
Sergestes nudus: Illig, G. 1927. T. (P).
Sergestes sargassi: Cecchini, C. 1928. M. (P).
Sergestes sargassi: Gurney, R.; Lebour, M.V. 1940. A2.T2?. (P).
Sergestes sargassi: Kurian, C.V. 1956. A1.A2. (P). K.
Sergestes sargassi: Barnich, R. 1996. K.
- Sergestes tenuiremis* (Kröyer, 1855)
Sergestes tenuiremis: Hansen, H.J. 1922. T.A. (P).
Sergestes tenuiremis: Gurney, R.; Lebour, M.V. 1940. Z2-Z5.M2?. (P+R).
- Sergestes vigilax* Stimpson, 1860
Sergestes: Claus, C. 1876. E.A. (P).
Sergestes vigilax: Hansen, H.J. 1922. T.A. (P).
Sergestes vigilax: Gurney, R. 1924a. PZ2.PZ3. (P).
Sergestes diaponticus: Illig, G. 1927. E. (P).
Sergestes vigilax: Cecchini 1928. Z4.Z5. (P).
 * *Sergestes vigilax*: Gurney, R.; Lebour, M.V. 1940. E1-E3.A1.A2.T1.T2. (P+R).
Sergestes vigilax: Heldt, J.H. 1955. A2. (B).
Sergestes vigilax: Kurian, C.V. 1956. E3.A1.A2.T2?.T?. (P). K.
Sergestes vigilax: Barnich, R. 1996. K.
- Sergia japonica* Bate, 1881
Sergestes robustus form C: Gurney, R.; Lebour, M.V. 1940. E1-E3.A2. (P).
- Sergia robusta* (S.I. Smith, 1882)
Sergestes robustus: Williamson, H.C. 1915. CG. (P).
Sergestes robustus: Hansen, H.J. 1922. T.A. (P).
Sergestes arcticus: Illig, G. 1927. A. (P).
 * *Sergestes robustus*: Gurney, R.; Lebour, M.V. 1940. E2.E3.A1.A2.T1.T2. (P).
Sergestes robustus: Gurney, R. 1942. T. (B).
Sergestes robustus: Heldt, J.H. 1955. E2.E3.A2. (B).
Sergestes robustus: Kurian, C.V. 1956. E2.E3.A1.A2.T1.T2. (P).
Sergestes robustus: Barnich, R. 1996. PT2.PT3.Z1.Z2. K.
- Family Luciferidae** Dana, 1852
Lucifer: Hashizume, K. 1999. CG.
- Lucifer* sp.
Leucifer larve: Claus, C. 1876. PZ2. (P).
Leucifer: Brooks, W.K. 1880. L1. (L).
Leucifer typus: Williamson, H.C. 1915. Z1-Z8. (P).
Lucifer typus: Barnich, R. 1996. PZ1-PZ3.Z1-Z3.PL. (B). K.
- Lucifer typus* H. Milne Edwards, 1837
 * *Lucifer typus*: Hashizume, K. 1999. PZ1-PZ3.Z1.Z2.M1. (P). K.
- Suborder PLEOCYEMATA** Burkenroad, 1963
- Infraorder STENOPODIDEA** Claus, 1872
- Family Stenopodidae** Claus, 1872
- Stenopus* sp.
Stenopus: Gurney, R. 1942. CG.
- Stenopus spinosus* Risso, 1827
Stenopus spinosus: Cano, G. 1891b. Z1.Z3.PS. (P).

- Stenopus spinosus*: Kurian, C.V. 1956. Z1.Z2. (P).
Stenopus spinosus: Bourdillon Casanova, L. 1960. Z1. (P).
Stenopus spinosus: Seridji, R. 1989. Z1-Z5. (P).
 * *Stenopus spinosus*: Seridji, R. 1990. Z1-Z5. (P).
Stenopus spinosus: Barnich, R. 1996. Z1-Z5. (P+B). K.
- Infraorder CARIDEA** Dana, 1852
 Caridea: Gurney, R. 1942. CG.
 Caridea: Boschi, E.E. 1981. CG.
- Family Nematocarcinidae** S.I. Smith, 1884
- Nematocarcinus exilis* Bate, 1888
 Larva allied to *Caricyphus*: Kemp, S.W. 1907. NE. (P).
Nematocarcinus ensifer exilis: Kemp, S.W. 1910. Z1. (P).
Nematocarcinus ensifer: Williamson, H.C. 1915. NE. (B).
Nematocarcinus ensifer exilis: Williamson, D.I. 1962. LS. (B).
- Family Oplophoridae** Dana, 1852
- Acanthephyra* sp.
Acanthephyra var. *multispina*: Kemp, S.W. 1907. NE. (P).
Acanthephyra: Gurney, R. 1942. CG.
Acanthephyra sp.: Barnich, R. 1996. Z3. (P). K.
- Acanthephyra pelagica* (Risso, 1816)
Acanthephyra purpurea: Kemp, S.W. 1907. NE. (P).
Acanthephyra purpurea: Williamson, H.C. 1915. NE. (P).
Acanthephyra pelagica: Williamson, D.I. 1962. Z8?. (B).
- Acanthephyra purpurea* Milne Edwards, 1881
Acanthephyra purpurea: Coutière, H. 1906. NE. (P).
Acanthephyra purpurea: Williamson, H.C. 1915. NE. (B).
Acanthephyra (?): Gurney, R. 1924a. NE. (P).
 * *Acanthephyra purpurea*: Gurney, R.; Lebour, M.V. 1941. Z1-Z9.M. (P).
Acanthephyra purpurea: Gurney, R. 1942. Z2.Z4.Z5.Z8?.Z9?. (B).
Acanthephyra purpurea: Kurian, C.V. 1956. Z4-Z9. (P).
Acanthephyra purpurea: Williamson, D.I. 1962. Z8?. (B).
- Acanthephyra stylostrata* (Bate, 1888)
Acanthephyra stylostrata: Herring, P.J. 1967. Z1. (L).
- Oplophorus spinosus* (Brullé, 1939)
 ? *Hoplophorus grimaldii*: Gurney, R.; Lebour, M.V. 1941. Z1-Z5.PL. (P).
- Systellaspis* sp.
Systellaspis: Williamson, D.I. 1962. CG.
- Systellaspis debilis* (A. Milne Edwards, 1881)
 Larve récemment éclos: Coutière, H. 1906. LS. (P).
Acanthephyra debilis: Kemp, S.W. 1910. Z1.Z3.M. (P).
Acanthephyra debilis: Williamson, H.C. 1915. NE. (P+B).
 * *Systellaspis debilis*: Gurney, R.; Lebour, M.V. 1941. Z1-Z3.PL. (L).
Systellaspis debilis: Williamson, D.I. 1962. Z3. (B).
- Family Pasiphaeidae** Dana, 1852
Pasiphaeidae: Boschi, E.E. 1981. CG.
- Pasiphaea multidentata* Esmark, 1866
Pasiphaea tarda: Björck, W. 1911. Z2 (as Z1). (P).
Pasiphaea tarda: Williamson, H.C. 1915. Z2. (as Z1). (B).
 ? *Pasiphaea principalis*: Williamson, D.I. 1960b. PS.LS. (P).
Pasiphaea multidentata: Elofsson, R. 1961. Z2-Z4. (P).
- Parapasiphae sulcatifrons* S.I. Smith, 1884
Pasiphae sulcatifrons: Kemp, S.W. 1910. NE. (P).
Pasiphae sulcatifrons: Williamson, H.C. 1915. NE. (P).
Parapasiphae sulcatifrons: Gurney, R. 1942. Z1-Z3.PL?. (B).
Parapasiphae sulcatifrons: Williamson, D.I. 1960b. Z1-Z4.M. (P+B).
Parapasiphae sulcatifrons: Williamson, D.I. 1962. Z1.Z4.M. (B).
- Pasiphaea tarda* Kröyer, 1865
- Pasiphaea tarda*: Björck, W. 1911. Z4.M. (P).
Pasiphaea tarda: Elofsson, R. 1961. Z1-Z4. (P).
- Pasiphaea sivado* (Risso, 1816)
Pasiphaea tarda: Stephensen, K. 1916. Z3. (P).
Pasiphaea sivado: Bourdillon Casanova, L. 1960. Z1. (L).
 * *Pasiphaea sivado*: Williamson, D.I. 1960b. Z1.Z2.M. (L+P).
Pasiphaea sivado: Williamson, D.I. 1962. Z1.Z4. (B).
- Family Palaemonidae** Rafinesque, 1815
 Palaemonidae: Webb, G.E. 1921. CG.
 Palaemoninae: Gurney, R. 1942. CG.
 Unidentified larvae: Lebour, M.V. 1959. NE. (P).
 Palaemonidae: Fincham, A.A.; Figueras, A.J. 1986. K.
 Palaemoninae: Fincham, A.A.; Figueras, A.J. 1986. CG. K.
- Brachycarpus biunguiculatus* (Lucas, 1846)
Brachycarpus biunguiculatus: Gurney, R. 1924b. Z3. (P).
Brachycarpus biunguiculatus: Gurney, R. 1938. Z1. (P).
 * *Brachycarpus biunguiculatus*: Gurney, R.; Lebour, M.V. 1941. Z1-Z11.PL. (L+P).
- Mesocaris* sp.
Mesocaris sp. II: Barnich, R. 1996. PS. (P). K.
- Palaemon* sp.
Palaemon: Barnich, R. 1996. (P+B). K.
- Palaemon adspersus* Rathke, 1837
Leandri rectirostris: Czerniavsky, V. 1884. Z1. (P).
Leander fabricii: Mortensen, T. 1897. Z1-Z5.PL. (P).
Palaemon fabricii: Williamson, H.C. 1915. Z1-Z5.PL. (P).
Leander adspersus: Sollaud, E. 1923. CG.
Palaemon adspersus: Bourdillon Casanova, L. 1960. Z1. (L).
Palaemon (Palaemon) adspersus: Fincham, A.A.; Williamson, D.I. 1978. K.
Palaemon adspersus: Makarov, R.R.; Golodetsky, L.A. 1980. Z1-Z5.PL. (L).
 * *Palaemon (Palaemon) adspersus*: Fincham, A.A. 1985. Z1-Z6.PL. (L).
Palaemon adspersus: Fincham; A.A.; Figueras, A.J. 1986. Z1-Z6.PL. (B). K.
Palaemon adspersus: Barnich, R. 1996. Z1-Z6. K.
- Palaemon elegans* Rathke, 1837
Palaemon squilla: Williamson, H.C. 1915. NE. (B).
Leander squilla: Webb, G.E. 1921. Z1. (P).
Leander squilla: Gurney, R. 1924c. Z1.Z2.Z5. (P).
Leander squilla elegans: Gurney, R. 1927. Z1. (L).
Leander squilla elegans: Gurney, R. 1942. Z4. (B).
Leander squilla typica: Høglund, H. 1943. Z1-Z6.PL. (L+P).
Palaemon elegans: Tsumamal, M. 1963. Z1-Z8.PL. (L).
Leander squilla elegans: Wimpenny, R.S.; Titterton, E. 1963. Z1-Z6.PL. (P).
Palaemon elegans: Rochanaburanon, T.; Williamson, D.I. 1976. Z1-Z9.PL. (L).
 * *Palaemon (Paleander) elegans*: Fincham, A.A. 1977. Z1-Z9.PL. (L).
Palaemon elegans: Carli, A.; Vignola, S. 1977. Z1-Z8.PL. (L).
 * *Palaemon (Paleander) elegans*: Fincham, A.A. 1977. Z1-Z9.PL. (L).
Palaemon elegans: Carli, A. 1978. Z1-Z8.PL. (B). K.
Palaemon (Paleander) elegans: Fincham, A.A.; Williamson, D.I. 1978. Z3-Z9.PL. (B). K.
Palaemon elegans: Fincham, A.A.; Figueras, A.J. 1986. Z1.Z2. (B). K.
Palaemon elegans: Barnich, R. 1996. Z1-Z8. K.
- Palaemon longirostris* H. Milne Edwards, 1837
Leander longirostris: Gurney, R. 1924c. Z1-Z3.Z5.PL. (L+P).
Palaemon (Palaemon) longirostris: Fincham, A.A.; Williamson, D.I. 1978. (B). K.
 * *Palaemon (Palaemon) longirostris*: Fincham, A.A. 1979. Z1-Z7.PL. (L).
Palaemon longirostris: Fincham, A.A.; Figueras, A.J. 1986. Z1-Z7.PL. (B). K.
Palaemon longirostris: Barnich, R. 1996. Z1-Z7. (B). K.
- Palaemon serratus* (Pennant, 1777)
Palaemon serratus: Thompson, J.V. 1836. Z1.Z3.Z5. (L+P).

- Leander serratus*: Sollaud, E. 1912. Z1-Z9. (L).
Palaemon serratus: Williamson, H.C. 1915. Z1.Z2.LS. (P).
Leander serratus: Sollaud, E. 1923. Z1-Z9.PL. (L+P).
Leander serratus: Kurian, C.V. 1956. Z2.Z4.Z5. (P).
Palaemon serratus: Sutton, A.H.; Main, G.; Ronald, A. 1969. Z1. (L).
Palaemon serratus: Carli, A. 1978. Z1-Z8.PL. (B). K.
Palaemon (Palaemon) serratus: Fincham, A.A.; Williamson, D.I. 1978. (B). K.
* *Palaemon (Palaemon) serratus*: Fincham, A.A. 1983. Z1-Z9.PL. (L).
Palaemon serratus: Fincham, A.A.; Figueras, A.J. 1986. Z1-Z9.PL. (B). K.
Palaemon serratus: Yagi, H. 1986. Z1-Z6.PL. (L).
Palaemon serratus: Ramonell, R. 1987. Z1-Z7. (L).
Palaemon serratus: Barnich, R. 1996. Z1-Z8. (P+B). K.
- Palaemon xiphias* Risso, 1816
Leander xiphias: Heegaard, P. 1963. Z1. (L).
Palaemon xiphias: Carli, A. 1978. Z1-Z7. PL. (B). K.
* *Palaemon xiphias*: Carli, A.; Marchi, M. 1979. Z1-Z8.PL. (L).
Palaemon xiphias: Barnich, R. 1996. Z1-Z7. (P+B). K.
- Palaemonetes varians* (Leach, 1814)
Palaemon variabilis: Du Cane, C. 1839. Z1-Z4. (P).
Palaemon varians: Williamson, H.C. 1915. Z1-Z7. (P+B).
Palaemonetes varians: Webb, G.E. 1921. Z4. (P).
Palaemonetes varians: Gurney, R. 1924b. Z1-Z5.PL. (L).
Palaemonetes (Palaemonetes) varians: Fincham, A.A.; Williamson, D.I. 1978. (B). K.
* *Palaemonetes (Palaemonetes) varians*: Fincham, A.A. 1979. Z1-Z5.PL1.PL2. (L).
Palaemonetes varians: Fincham, A.A.; Figueras, A.J. 1986. Z1-Z5.PL. (B). K.
- Palaemonetes zariquieyi* Sollaud, 1939
* *Palaemonetes zariquieyi*: Guerao, G. 1993. Z1-Z3.PL. (L).
- Periclimenes* sp.
Periclimenes sp.: Bourdillon Casanova, L. 1960. Z2-Z8.PL. (P).
Periclimenes sp. EM8: Williamson, D.I. 1967. LS. (P).
Periclimenes sp.: Barnich, R. 1996. Z1-Z8. (P+B). K.
- Pontonia flavomaculata* Heller, 1864
Pontonia phallusia: Gourret, P. 1884. Z1. (L).
Pontonia phallusia: Gourret, P. 1888. Z1. (P+L).
Pontonia flavomaculata: Bourdillon Casanova, L. 1960. Z1. (L).
* *Pontonia flavomaculata*: Costanzo, G.; Calafiore, N.; Crescenti, N. 1996. Z1-Z8.PL. (L).
- Pontonia pinnophylax* (Otto, 1821)
Pontonia tyrreheha: Caroli, E. 1926. Z1. (L).
Pontonia pinnophylax: Bourdillon Casanova, L. 1960. Z1-Z3. (P).
- Pontonia custos*: Heegaard, P. 1963. Z1. (L).
* *Pontonia pinnophylax*: Calafiore, N.; Costanzo, G.; Giacobbe, S. 1991. Z1-Z8.PL. (L).
- Typton spongicola* Costa, 1844
Typton spongicola: Lebour, M.V. 1925. Z1. (L).
Typton spongicola: Caroli, E. 1926. Z1. (L).
Typton spongicola: Lebour, M.V. 1949. LS.PL. (P+R).
Typton spongicola: Fincham, A.A.; Williamson, D.I. 1978. Z1.LS.(B). K.
- Family Alpheidae** Rafinesque, 1815
Alpheidae: Webb, G.E. 1921. CG.
Alpheidae: Gurney, R. 1942. CG.
Alpheide G.M.1: Bourdillon Casanova, L. 1960. Z1-Z4.Z5?. (P).
Alpheidae: Boschi, E.E. 1981. CG.
Alpheidae Spec. 1: Barnich, R. 1996. Z1-Z5. (P+B).
- Alpheus* sp.
Alpheus ? dentipes: Pessani, D. 1993. Z1. (P).
Alpheus ? dentipes: Barnich, R. 1996. PL. (P). K.
- Alpheus glaber* (Olivi, 1792)
Alpheus ruber: Coutière, H. 1907. H. (P).
- Alpheus ruber*: Williamson, H.C. 1915. NE. (P).
Alpheus ruber: Webb, G.E. 1921. Z1-Z9. (P).
Alpheus ruber: Stephensen, K. 1923. NE. (P).
* *Alpheus ruber*: Lebour, M.V. 1932a. Z1-Z9. (L).
Alpheus ruber: Kurian, C.V. 1956. Z1-Z9. (P).
Alpheus glaber: Williamson, D.I. 1967. PS. (P).
Alpheus glaber: Williamson, D.I. 1967a. (B). K.
Alpheus glaber: Pessani, D. 1993. NE. (P).
Alpheus glaber: Barnich, R. 1996. Z1-Z9.PL. (P+B). K.
- Alpheus macrocheles* (Hailstone, 1835)
* *Alpheus macrocheles*: Lebour, M.V. 1932a. Z1-Z9. (L).
Alpheus macrocheles: Williamson, D.I. 1967a. CG. (B). K.
Alpheus macrocheles: Barnich, R. 1996. Z1-Z9.PL. (P). K.
- Athanas nitescens* (Leach, 1814)
Athanas nitescens: Sars, G.O. 1906. Z1.Z2.LS.PL. (P).
Athanas nitescens: Williamson, H.C. 1915. NE. (P).
Athanas nitescens: Webb, G.E. 1921. Z1-Z3.LS. (P).
Athanas nitescens: Lebour, M.V. 1932a. Z1.Z2. (L).
Athanas nitescens: Gurney, R. 1942. Z3. (B).
Athanas nitescens: Kurian, C.V. 1956. Z2-Z9. (P).
Athanas nitescens: Williamson, D.I. 1967a. CG. K.
Athanas nitescens: Barnich, R. 1996. CG. K.
- Synalpheus gambarelloides* (Nardo, 1847)
Synalpheus laevimanus: Coutière, H. 1898. Z. (P).
Synalpheus laevimanus: Bourdillon Casanova, L. 1960. Z1-Z4. (L).
- Synalpheus tumidomanus* Paulson, 1875
* *Synalpheus tumidomanus*: Bhuti, G.S.; Shenoy, S.; Sankolli, K.N. 1977. Z1-Z3. (L).¹
- Family Hippolytidae** Dana, 1852
Hippolytidae: Webb, G.E. 1921. CG.
Hippolytidae: Boschi, E.E. 1981. CG.
Hippolytidae: Seridji, R. 1989. CG.
- Eualus* sp.
Eualus: Williamson, D.I. 1957a. K.
Eualus sp.: Barnich, R. 1996. PL. K.
Eualus ? drachi: Barnich, R. 1996. Z1-Z7. (P). K.
- Eualus occultus* (Lebour, 1936)
Spirontocaris occulta: Lebour, M.V. 1936. Z1.LS. (L+R).
Spirontocaris occulta: Bull, H.O. 1939. (B). K.
Eualus occultus: Williamson, D.I. 1957a. Z1. (B).
Eualus occultus: Bourdillon Casanova, L. 1960. Z1. (L).
* *Eualus occultus*: Pike, R.B.; Williamson, D.I. 1961a. Z1-Z9. (P).
Eualus occultus: Barnich, R. 1996. Z1-Z9. (P+B). K.
- Hippolyte* sp.
Hippolyte: Lebour, M.V. 1931. CG.
Hippolyte: Lebour, M.V. 1932. CG.
Hippolyte: Gurney, R. 1942. CG.
Hippolyte: Williamson, D.I. 1957a. K.
Hippolyte sp.: Barnich, R. 1996. Z1-Z5.PL. (P+B). K.
- Hippolyte inermis* Leach, 1815
Hippolyte prideauxiana: Lebour, M.V. 1931. Z1-Z3. (L).
Hippolyte inermis: Williamson, D.I. 1957a. Z1. (B).
Hippolyte inermis: Bourdillon Casanova, L. 1960. Z1. (L+P).
Hippolyte inermis: Heegaard, P. 1963. Z1. (L).
Hippolyte inermis: Le Roux, A. 1963. Z1-Z4.M. (L).
- Hippolyte varians* Leach, 1814
* *Hippolyte varians*: Sars, G.O. 1911. Z1-Z5. PL. (L+P)
Hippolyte varians: Williamson, H.C. 1915. Z1-Z5. (P+B).
Hippolyte varians: Webb, G.E. 1921. Z1. (P).

¹ The taxon recorded in this area is formally the subspecies *S. tumidomanus africanus*, although its larval description is not available. The larval description of *S. tumidomanus* (from Indian waters) is included to help identify planktonic larvae of *S. tumidomanus africanus*

- Hippolyte* sp.: Webb, G.E. 1921. Z4. (P).
Hippolyte varians: Lebour, M.V. 1931. Z1. (L).
Hippolyte varians: Gurney, R. 1936a. Z1. (P).
Hippolyte varians: Williamson, D.I. 1957a. Z1. (B).
- Lysmata* sp.
Hippolyssmata ? species R.S.I: Gurney, R. 1937. Z1-Z3. (P).
Lysmata: Gurney, R. 1942. CG.
Lysmata: Williamson, D.I. 1957a. (B). K.
Lysmata spp.: Knowlton, R.E.; Alavi, M.R. 1995. CG.
Lysmata sp.: Barnich, R. 1996. Z1-Z9. (P+B). K.
- Lysmata seticaudata* (Risso, 1816)
* *Miersia clavigera*: Caroli, E. 1918. Z1-Z8. (L).
Lysmata?: Gurney, R. 1924a. D. (P).
Lysmata seticaudata: Kurian, C.V. 1956. Z1.Z2.Z4-Z9. (P).
Lysmata seticaudata: Williamson, D.I. 1957a. LS. (B).
- Thorulus* sp.
Spirontocaris: Lebour, M.V. 1932. CG.
Thorulus sp.: Williamson, D.I. 1957a. (B). K.
Thorulus sp.: Barnich, R. 1996. Z1-Z9.PL. (P). K.
- Thorulus cranchii* (Leach, 1817)
Hippolyte cranchii: Williamson, H.C. 1915. Z1. (P).
* *Spirontocaris cranchii*: Lebour, M.V. 1936. Z1-Z9.PL. (L).
Spirontocaris cranchii: Kurian, C.V. 1956. Z1-Z9. (P).
Thorulus cranchii: Williamson, D.I. 1957a. Z1. (B).
Thorulus cranchii "specimen de marseille": Bourdillon Casanova, L. 1960. Z1. (L).
Thorulus cranchii "specimen de la manche": Bourdillon Casanova, L. 1960. Z1. (L).
Thorulus cranchii: Pike, R.B.; Williamson, D.I. 1961a. Z1. (L).
Spirontocaris cranchii: Bull, H.O. 1939. K.
- Family Processidae** Ortmann, 1896
Processidae: Gurney, R. 1942. CG.
Processidae: Seridji, R. 1989. CG. K.
Processidae: Barnich, R. 1996a. PS. CG.
- Processa* sp.
Processa: Lebour, M.V. 1932. CG.
Processa: Barnich, R. 1996. Z1-Z9.PL. (P+B).
Processa sp. 1: Barnich, R. 1996a. PS. (P).
Processa sp. 2: Barnich, R. 1996a. PS. (P).
- Processa canaliculata* Leach, 1815
Processa canaliculata: Lebour, M.V. 1936a. Z1-Z5.Z8.Z9.PL. (L+R).
Processa canaliculata: Gurney, R. 1937a. K.
Processa larva allied to *P. canaliculata*: Lebour, M.V. 1941. Z1.Z4?.Z5?.Z6-Z8? (B).
Processa canaliculata: Fincham, A.A.; Williamson, D.I. 1978. Z6.CG. (B).
- Processa edulis* (Risso, 1816)
Processa canaliculata: Gurney, R. 1923. Z1-Z4. (P+R).
Processa edulis: Lebour, M.V. 1936a. Z8. (P).
Processa edulis: Kurian, C.V. 1956. Z1-Z7.LS. (P).
Processa edulis: Fincham, A.A.; Williamson, D.I. 1978. CG.
Processa edulis crassipes: Fincham, A.A.; Williamson, D.I. 1978. Z6. (B).
Processa edulis: Williamson, D.I.; Rochanaburanon, T. 1979. CG.
Processa edulis crassipes: Williamson, D.I.; Rochanaburanon, T. 1979. CG.
Processa edulis edulis: Barnich, R. 1996a. PS. (P).
- Processa elegantula* Nouvel and Holthuis, 1957
Processa ? *elegantula*: Barnich, R. 1996a. PS. (P).
- Processa macrodactyla* Holthuis, 1952
Processa macrodactyla: González-Gordillo, J.I.; Rodríguez, A. 2000. Z1. (L).
- Processa modica* Williamson, 1979
Processa modica: Fincham, A.A.; Williamson, D.I. 1978. CG. (B).
Processa modica modica: Fincham, A.A.; Williamson, D.I. 1978. Z5. (B).
* *Processa modica modica*: Williamson, D.I.; Rochanaburanon, T. 1979. Z1-Z7.LS. (P).
Processa modica carolii: Barnich, R. 1996a. Z8. (P).
- Processa nouveli* Al-Adhub and Williamson, 1975
Processa canaliculata: Gurney, R. 1923. Z5-Z9. (P+R)
Processa canaliculata: Kurian, C.V. 1956. Z1.Z5.Z6.LS. (P).
Processa nouveli: Fincham, A.A.; Williamson, D.I. 1978. CG.
Processa nouveli holthuisi: Fincham, A.A.; Williamson, D.I. 1978. Z1.Z6. (B).
* *Processa nouveli holthuisi*: Williamson, D.I.; Rochanaburanon, T. 1979. Z1-Z9. (L).
Processa nouveli nouveli: Barnich, R. 1996a. PS. (P).
- Familia Pandalidae** Haworth, 1825
Icotopus arcurostris: Bate, C.S. 1888. NE. (P).
Pandalidae: Webb, G.E. 1921. CG.
Pandalidae: Lebour, M.V. 1940. CG.
Pandalidae: Gurney, R. 1942. CG. K.
Pandalidae: Boschi, E.E. 1981. CG.
Pandalidae spec. 1: Barnich, R. 1996. Z1. (P). K.
- Chlorotocus crassicornis* (Costa, 1871)
Chlorotocus crassicornis: Heegaard, P. 1969. Z1. (L).
- Dichelopandalus bonnieri* (Caullery, 1896)
Dichelopandalus bonnieri: Pike, R.B.; Williamson, D.I. 1964. Z1-Z6. (L+R).
Pandalus (Dichelopandalus) bonnieri: Lebour, M.V. 1940. Z1-Z5. (L+P).
- Pandalina* sp.
Pandalina: Lebour, M.V. 1932. CG.
Pandalina: Lebour, M.V. 1940. CG.
- Pandalina brevisrostris* (Rathke, 1843)
Pandalus (Pandalina) brevisrostris: Sars, G.O. 1900. Z5 (as Z6). (P).
Pandalus brevisrostris: Williamson, H.C. 1915. Z6. (B).
Pandalus brevisrostris: Webb, G.E. 1921. Z4. (P).
Pandalina brevisrostris: Gurney, R. 1926. Z1. (L).
Pandalina brevisrostris: Lebour, M.V. 1940. Z1. (L).
Pandalina brevisrostris: Gurney, R. 1942. Z1. K.
Pandalina brevisrostris: Williamson, D.I. 1957. Z4. (P).
Pandalina brevisrostris: Bourdillon Casanova, L. 1960. LS. (P).
* *Pandalina brevisrostris*: Pike, R.B.; Williamson, D.I. 1964. Z1-Z7. (L+R).
Pandalina brevisrostris: Barnich, R. 1996. Z1-Z7. (P+K).
- Plesionika* sp.
Plesionika sp.: Bourdillon Casanova, L. 1960. Z4. (P).
Plesionika sp.: Barnich, R. 1996. Z1-Z11. (P+B). K.
- Plesionika acanthonotus* (S.I. Smith, 1882)
Plesionika acanthonotus: Bourdillon Casanova, L. 1960. Z1. (L).
- Plesionika edwardsii* (Brandt, 1851)
Plesionika edwardsii: Mura, M.; Pessani, D. 1994. Z1. (L).
- Plesionika martia* (A. Milne Edwards, 1883)
Plesionika martia?: Williamson, D.I. 1967a. K.
- Stylopandalus richardi* (Coutière, 1905)
* *Parapandalus richardi*: Lebour, M.V. 1940. Z1-Z9.PL. (L+P).
Parapandalus richardi: Gurney, R. 1942. K.
- Familia Crangonidae** Haworth, 1825
Crangon: Claus, C. 1861. Z. (P).
Crangonidae: Webb, G.E. 1921. CG.
Crangonidae: Lebour, M.V. 1931. CG.
Crangonidae: Gurney, R. 1942. CG.
Crangon dalli: Birshteyn, A.A. 1938. LS?. (P).
Crangonidae: Barnich, R. 1996. PL. K.
- Aegaeon lacazei* (Gourret, 1887)

- Pontocaris lacazei*: De Simon, M. 1979. Z1.Z4. (L).
Pontophilus sp.: Williamson, D.I. 1960. K.
- Aegaeon cataphractus* (Olivi, 1792)
Pontocaris cataphracta: Bourdillon Casanova, L. 1960. Z1.Z2. (L+P+B).
Pontocaris cataphractus: Williamson, D.I. 1960. Z4?. (B).
Pontocaris cataphracta: Seridji, R. 1971. Z2. (P).
- Crangon sp.*
Crangon: Lebour, M.V. 1931. K.
- Crangon crangon* (Linnaeus, 1758)
Crangon vulgaris: Sars, G.O. 1890. Z1.PL. (P).
Crangon vulgaris: Gurney, R. 1903. K.
Crangon vulgaris: Williamson, H.C. 1915. Z1-Z5. (P).
Crangon vulgaris: Webb, G.E. 1921. Z4. (P).
Crangon vulgaris: Lebour, M.V. 1931. Z1. (L). K.
Crangon crangon: Williamson, D.I. 1960. Z1. (B).
Crangon crangon: Bourdillon Casanova, L. 1960. Z1-Z5. (P+B). K.
* *Crangon crangon*: Gurney, A.R. 1982. Z1-Z6.PL. (L).
- Philocheras sp.*
Crangon larvae: Claus, C. 1884. Z.Y. (P).
Philocheras: Lebour, M.V. 1931. CG. K.
Philocheras: Williamson, D.I. 1960. K.
Philocheras: Barnich, R. 1996. Z1-Z5.PL. (P).
- Philocheras bispinosus*
Philocheras bispinosus: Lebour, M.V. 1931. Z1. (L). K.
Philocheras bispinosus: Kurian, C.V. 1956. Z3-Z5. (P).
Philocheras bispinosus: Bourdillon Casanova, L. 1960. K.
- Philocheras bispinosus bispinosus* (Hailstone, 1835)
Cheraphilus nanus: Sars, G.O. 1890. Z5.PL. (P).
Cheraphilus nanus: Gurney, R. 1903. Z1. (B). K.
Crangon nanus: Williamson, H.C. 1915. Z1.Z5.PL. (B).
Philocheras bispinosus bispinosus: Williamson, D.I. 1960. Z5. (B). K.
Philocheras bispinosus bispinosus: Pike, R.B.; Williamson, D.I. 1961. Z1-Z5. (P).
Philocheras bispinosus bispinosus: Pessani, D.; Godino, C. 1991. CG.
Philocheras bispinosus bispinosus: Barnich, R. 1996. CG.
- Philocheras bispinosus neglectus* (Sars, 1883)
Philocheras bispinosus neglectus: Williamson, D.I. 1960. Z5. (B). K.
* *Philocheras bispinosus neglectus*: Pike, R.B.; Williamson, D.I. 1961. Z1-Z5. (L).
Philocheras bispinosus neglectus: Pessani, D.; Godino, C. 1991. CG.
Philocheras bispinosus neglectus: Barnich, R. 1996. CG.
- Philocheras echinulatus* (Sars, 1861)
Cheraphilus echinulatus: Sars, G.O. 1890. Z1.Z5. (P).
Cheraphilus echinulatus: Gurney, R. 1903. K.
Crangon echinulatus: Williamson, H.C. 1915. Z1. (B).
Philocheras echinulatus: Bourdillon Casanova, L. 1960. K.
Philocheras echinulatus: Williamson, D.I. 1960. Z1. (B). K.
Philocheras echinulatus: Barnich, R. 1996. CG.
- Philocheras fasciatus* (Risso, 1816)
Aegeon fasciatus: Gurney, R. 1903. Z1. (L). K.
Crangon fasciatus: Gurney, R. 1903a. Z1.LS. (L+P).
Crangon fasciatus: Williamson, H.C. 1915. Z1. (B).
Aegeon fasciatus: Webb, G.E. 1921. Z1.Z4. (P).
Philocheras fasciatus: Lebour, M.V. 1931. Z2. (P+B). K.
Philocheras fasciatus: Bourdillon Casanova, L. 1960. K.
Philocheras fasciatus: Williamson, D.I. 1960. Z1. (B). K.
Philocheras fasciatus: Pessani, D.; Godino, C. 1991. CG.
Philocheras fasciatus: Barnich, R. 1996. CG.
* *Philocheras fasciatus*: González-Gordillo, J.I.; Rodríguez, A. 2000. Z1-Z4. (L).
- Philocheras monacanthus* (Hothuis, 1961)
* *Philocheras monacanthus*: González-Gordillo, J.I.; Santos, A. dos; Rodríguez, A. 2000. Z1-Z5. (L). K.
- Philocheras sculptus* (Bell, 1847)
Philocheras sculptus: Lebour, M.V. 1931. Z1. (L). K.
Philocheras sculptus: Kurian, C.V. 1956. Z1.Z5. (P).
Philocheras sculptus: Bourdillon Casanova, L. 1960. K.
Philocheras sculptus: Williamson, D.I. 1960. Z1. (P+B). K.
Philocheras sculptus: Seridji, R. 1971. Z3. (P).
Philocheras sculptus: Pessani, D.; Godino, C. 1991. CG.
Philocheras sculptus: Barnich, R. 1996. CG. K.
- Philocheras trispinosus* (Hailstone, 1835)
Cheraphilus trispinosus: Gurney, R. 1903. Z1. (L). K.
Crangon trispinosus: Gurney, R. 1903a. Z1.Z4.LS.PL. (L).
Crangon trispinosus: Williamson, H.C. 1915. Z1. (P).
Philocheras trispinosus: Lebour, M.V. 1931. Z1.Z5. (L). K.
Philocheras trispinosus: Bourdillon Casanova, L. 1960. K.
Philocheras trispinosus: Williamson, D.I. 1960. Z1.Z5. (L+B). K.
Philocheras trispinosus: Pike, R.B.; Williamson, D.I. 1961. Z5. (P).
* *Philocheras trispinosus*: Pessani, D.; Godino, C. 1991. Z1-Z5. (L).
Philocheras trispinosus: Barnich, R. 1996. CG.
- Pontophilus norvegicus* (Sars, 1861)
Pontophilus norvegicus: Sars, G.O. 1890. Z2.Z5.M. (P).
Pontophilus norvegicus: Gurney, R. 1903. K.
Crangon norvegicus: Williamson, H.C. 1915. Z2.M. (P).
Pontophilus norvegicus: Kurian, C.V. 1956. Z1. (P).
Pontophilus norvegicus: Bourdillon Casanova, L. 1960. K.
Pontophilus norvegicus: Williamson, D.I. 1960. Z5. (B).
Pontophilus norvegicus: Barnich, R. 1996. CG.
- Pontophilus spinosus* (Leach, 1815)
Pontophilus spinosus: Sars, G.O. 1890. Z1.Z5. (P).
Pontophilus spinosus: Gurney, R. 1903. K.
Crangon spinosus: Williamson, H.C. 1915. Z1. (P).
Pontophilus spinosus: Webb, G.E. 1921. Z1.Z4. (P).
Pontophilus spinosus: Gurney, R. 1942. Z1. (B).
Pontophilus spinosus: Kurian, C.V. 1956. Z2. (P).
Pontophilus spinosus: Bourdillon Casanova, L. 1960. Z1. (P). K.
Pontophilus spinosus: Williamson, D.I. 1960. Z1.Z5. (B).
Pontophilus spinosus: Barnich, R. 1996. Z1-Z5. (P+B). K.
- Family Glyphocrangonidae** S.I. Smith, 1884
Glyphocrangonidae: Boschi, E.E. 1981. CG.
- Infraorder ASTACIDEA** Latreille, 1803
- Family Nephropidae** Dana, 1852
- Homarus gammarus* (Linnaeus, 1758)
Homarus gammarus: Nichols, J.H.; Lawton, P. 1978. Z1-Z4. (P).
* *Homarus vulgaris*: Sars, G.O. 1875. Z1-Z3. (L).
Homarus vulgaris: Chadwick, H.C. 1905. Z1-Z3. (L).
Astacus gammarus: Williamson, H.C. 1915. Z1-Z3.PL. (P).
Homarus vulgaris: Webb, G.E. 1921. Z1-Z3. (L+B).
Homarus gammarus: Thiriot, A. 1974. NE. (B).
Homarus gammarus: Williamson, D.I. 1983. Z3. (B).
Homarus gammarus: Ingle, R.W. 1992. CG.
- Nephrops norvegicus* (Linnaeus, 1758)
Nephrops norvegicus: Sars, G.O. 1884. Z1.Z2.M. (P).
Astacus norvegicus: Williamson, H.C. 1915. Z2.LS.(B).
Nephrops norvegicus: Jorgensen, O.M. 1925a. Z1-Z3.PL. (P).
Nephrops norvegicus: Santucci, R. 1926. Z1-Z3.PL. (P).
Nephrops norvegicus: Santucci, R. 1927. Z1-Z3.PL. (P).
Nephrops norvegicus: Gurney, R. 1942. Z1-Z3. (B).
Nephrops norvegicus: Kurian, C.V. 1956. Z1. (P).
Nephrops norvegicus: Andersen, F.S. 1962. Z1-Z3. (P).
Nephrops norvegicus: Williamson, D.I. 1983. Z3. (B).
Nephrops norvegicus: Ingle, R.W. 1992. CG.
- Infraorder THALASSINIDEA** Latreille, 1825
Thalassinidea: Barnich, R. 1996. PL. (K).

Family Axiidae Huxley, 1879*Axius stirhynchus* Leach, 1815

- Axius stirhynchus*: Williamson, H.C. 1915. Z1.Z2. (P+B).
Axius stirhynchus: Webb, G.E. 1921. Z1.Z2.PL (P+R).
 Axiidae. Species I: Gurney, R. 1924a. Z1. (P).
Axius stirhynchus: Gurney, R. 1942. Z1.Z2. (B).
Axius stirhynchus: Kurian, C.V. 1956. Z1?. (P).
Axius stirhynchus: Bourdillon Casanova, L. 1960. Z1.Z2. (P).
Axius stirhynchus: Thiriot, A. 1974. NE. (B).
Axius stirhynchus: Ingle, R.W. 1992. CG.
Axius stirhynchus: Barnich, R. 1996. Z1.Z2.PL. (P+K).

Calocarides coronatus (Trybom, 1904)

- Calocarides coronatus*: Elofsson, R. 1959. NE. (P).

Family Calocarididae Ortmann, 1891*Calocaris macandreae* Bell, 1846

- Calocaris macandreae*: Sars, G.O. 1884. Z2-Z3 (not Z1). (P).
Calocaris macandreae: Björck, W. 1913. Z3.PL. (P).
Calocaris macandreae: Williamson, H.C. 1915. Z1.Z2.PL. (P+B).
Calocaris macandreae: Bull, H.O. 1933. Z1.Z2. (L).
Calocaris macandreae: Gurney, R. 1942. Z1-Z3. (P+B).
Calocaris macandreae: Bourdillon Casanova, L. 1960. ZA.ZB.PL. (L+P).
Calocaris macandreae: Thiriot, A. 1974. Z1-Z3. (B).
Calocaris macandreae: Ingle, R.W. 1992. CG. (B).
Calocaris macandreae: Barnich, R. 1996. Z1-Z3.PL. (B). K.

Family Callianassidae Dana, 1852

- Hippolyte*: Claus, C. 1861. Z. (P).
 Callianassinae: Boschii, E.E. 1981. CG.
 Callianassidae: Barnich, R. 1996. PL. K.
 ? *Callianassa* sp. type I: Barnich, R. 1996. Z1-Z5. (P). K.
 ? *Callianassa* sp. type II: Barnich, R. 1996. Z1.Z2. (P). K.

Callianassa sp.

- Axius Stirynchus*: Cano, G. 1891a. Z1-Z4. (P).

Callianassa subterranea (Montagu, 1808)

- Callianassa subterranea*: Mayer, P. 1877. NL.
Calocaris macandreae: Sars, G.O. 1884. Z1. (P).
Callianassa subterranea: Williamson, H.C. 1915. Z1.Z2.Y. (P).
Callianassa subterranea: Boraschi, L. 1921. Z1. (P).
Callianassa subterranea: Webb, G.E. 1921. Z1.Z4.PL. (P+R).
 * *Callianassa subterranea*: Lutze, J. 1938. Z1-Z4.M. (L).
Callianassa subterranea: Gurney, R. 1942. Z1-Z5. (P+B).
Callianassa subterranea: Kurian, C.V. 1956. Z1-Z3.Z5. (P).
Callianassa subterranea: Seridji, R. 1989. CG.
Callianassa subterranea: Ingle, R.W. 1992. Z5. (B).

Callianassa tyrrhena (Petagna, 1792)

- Callianassa subterranea*: Claus, C. 1876. Z. (P).
Callianassa (subterranea): Claus, C. 1885. Y. (P).
Callianassa subterranea: Cano, G. 1891a. Z1-Z3.PL. (L).
Callianassa stebbingi: Heegaard, P. 1963. Z1. (L).

Family Laomedidae Borradaile, 1903*Jaxeia* sp.

- Jaxeia*: Claus, C. 1884. Z. (P).

Jaxeia nocturna Nardo, 1847

- Jaxeia nocturna*: Claus, C. 1884. Z1.Z3. (P).
 Trachelifer: Brooks, 1889. Z2.Z4. (P).
Calliaxis adriatica: Cano, G. 1891a. Z1-Z3. (L).
Jaxeia nocturna: Bouvier, E.L. 1914. Z1-Z4.Y1-Y3. (P+B).
Jaxeia nocturna: Williamson, H.C. 1915. Z1. (B).
Jaxeia nocturna: Boraschi, L. 1921. Z1.Z2. (P).
 * *Jaxeia nocturna*: Caroli, E. 1924. Z1-Z6.PL. (P).
Jaxeia nocturna: Tattersall, W.M. 1938. L5.PL. (P).
Jaxeia nocturna: Gurney, R. 1942. CG.
Jaxeia nocturna: Kurian, C.V. 1956. Z2-Z4. (P).
Jaxeia nocturna: Seridji, R. 1989. CG.
Jaxeia nocturna: Ingle, R.W. 1992. CG.
Jaxeia nocturna: Barnich, R. 1996. Z1-Z6.PL. (P). K.

Family Upogebiidae Borradaile, 1903

Upogebiidae: Barnich, R. 1996. PL. K.

Upogebia sp.

- Gebia littoralis*: Cano, G. 1891a. Z1-Z4.PL. (P).
Upogebia sp.: Webb, G.E. 1921. CG.
Upogebia sp. B: Bourdillon Casanova, L. 1960. NE. (P).
Upogebia pusilla?: Bourdillon Casanova, L. 1960. Z1-Z4. (P).
Upogebia: Thiriot, A. 1974. CG.
Upogebia: Boschi, E.E. 1981. CG.
Upogebia sp.: Barnich, R. 1996. Z1-Z4.PL. (P). K.

Upogebia deltaura (Leach, 1815)

- Gebia littoralis*: Sars, G.O. 1884. Z1-Z3. (P).
 * *Upogebia deltaura*: Webb, G.E. 1919. Z1-Z4.PL. (P+R).
Upogebia deltaura: Gurney, R. 1942. CG.
Upogebia deltaura: Kurian, C.V. 1956. Z2-Z4. (P).
Upogebia deltaura: Bourdillon Casanova, L. 1960. Z1-Z4. (B).
Upogebia deltaura: Heegaard, P. 1963. Z1. (L).
Upogebia deltaura: Seridji, R. 1989. CG.
Upogebia deltaura: Ingle, R.W. 1992. Z3. (B).

Upogebia pusilla (Petagna, 1792)

- Gebia littoralis*: Mayer, P. 1877. NL.
Gebia littoralis: Williamson, H.C. 1915. Z1.Z2.LS. (B).
Gebia littoralis: Webb, G.E. 1919. CG.
Upogebia littoralis: Dolgolskaya, M.A. 1954. Z1-Z4.M.
Upogebia littoralis: Heegaard, P. 1963. Z1. (L).
 * *Upogebia pusilla*: Dolgopolskaya, M.A. 1969. Z1-Z4.M.
Upogebia pusilla: Seridji, R. 1989. CG.

Infraorder PALINURA Latreille, 1902**Family Polychelidae** Wood Mason, 1875

- Eryoneicus caecus*: Bate, S.C. 1888. Q. (P).
Eryoneicus sp. juv.: Selbie, C.M. 1914. NE. (P).
 Polychelidae: Ingle, R.W. 1992. CG.

Eryoneicus puritanii Lo Bianco, 1903

- Eryoneicus puritanii*: Lo Bianco, S. 1903. Q. (P).
Eryoneicus puritanii: Williamson, D.I. 1983. M. (B). K.

Eryoneicus spinoculatus Bouvier, 1905

- Eryoneicus spinoculatus*: Bernard, F. 1953. NE. K.
Eryoneicus spinoculatus: Williamson, D.I. 1983. M. (B). K.

Polycheles sp.

- Polycheles* sp.: Balss, H. 1925. Z1. (P).
Eryoneicus sp.: Gurney, R. 1942. CG.

Polycheles typhlops Heller, 1862

- Polycheles typhlops*: Guerao, G.; Abelló, P. 1996. Z1. (L).

Family Palinuridae Latreille, 1802

- Palinuridae: Gurney, R. 1942. CG.
 Palinuridae: Seridji, R. 1989. CG.

Palinurus sp.

- Palinurus*: Ingle, R.W. 1992. CG.
Palinurus sp.: Barnich, R. 1996. Z1.Z2. (P+B). K.

Palinurus elephas (Fabricius, 1787)

- Palinurus vulgaris*: Cunningham, J.T. 1891. P1.P2. (L+P).
Palinurus vulgaris: Bouvier, E.L. 1913. U. (P).
Palinurus vulgaris: Bouvier, E.L. 1913a. U. (P).
Palinurus vulgaris: Bouvier, E.L. 1914a. P1-P7.P9.P10.U. (P).
Palinurus vulgaris: Williamson, H.C. 1915. P1.P3. (B).
Palinurus vulgaris: Webb, G.E. 1921. NE. (B).
 * *Palinurus vulgaris*: Santucci, R. 1925. P1-P9. (P).
Palinurus vulgaris: Santucci, R. 1926b. U.PL. (P).
Palinurus vulgaris: Gurney, R. 1942. Z1-Z3. (B).
Palinurus vulgaris: Caroli, E. 1946. U. (P).
Palinurus vulgaris: Kurian, C.V. 1956. P1. (P).
Palinurus elephas: Williamson, D.I. 1983. P3.U. (B).
Palinurus elephas: Ingle, R.W. 1992. Z3. (B).

Family Scyllaridae Latreille, 1825

Scyllaridae: Gurney, R. 1942. CG.

- Scyllaridae: Seridji, R. 1989. CG.
 Scyllaridae: Ingle, R.W. 1992. CG.
- Scyllarides* sp.
Scyllarides: Boschi, E.E. 1981. CG.
Scyllarides: Barnich, R. 1996. Z1.Z2. (B).
- Scyllarides latus* (Latreille, 1803)
Pseudibacus veranyi: Bouvier, E.L. 1913. NE. (P).
 ? *Scyllarides latus*: Stephensen, K. 1923. NE. (P).
 ? *Thenus orientalis*: Stephensen, K. 1923. NE. (P).
Scyllarus latus: Santucci, R. 1925a. P1. (P).
Thenus orientalis?: Santucci, R. 1926a. P1. (P).
Scyllarides latus: Santucci, R. 1928. P1. (P).
- Scyllarus* sp.
Scyllarus: Gurney, R. 1936. CG.
Scyllarus sp.: Boschi, E.E. 1981. CG.
Scyllarus: Barnich, R. 1996. Z1.Z2. (P+B). K.
- Scyllarus arctus* (Linnaeus, 1758)
Phyllosoma mediterranea: Claus, C. 1863. P1.P8. (P).
Scyllarus arctus: Williamson, H.C. 1915. NE. (B).
Scyllarus arctus: Stephensen, K. 1923. P1-P9.N. (P).
 * *Scyllarus arctus*: Santucci, R. 1925a. P1-P9. (P).
Scyllarus arctus: Fedele, M. 1926. LS. (P).
Scyllarus arctus: Gurney, R. 1942. Z1.LS. (B).
Scyllarus arctus: Kurian, C.V. 1956. P1-P8. (P).
Scyllarus arctus: Williamson, D.I. 1983. P1.U. (B).
- Scyllarus posteli* Forest, 1963
Scyllarus posteli: González-Gordillo, J.I.; Rodríguez, A. 2000.
 Z1. (L).
- Scyllarus pygmaeus* (Bate, 1888)
Scyllarus pygmaeus: Mura, M.; Pessani, D. 1994. Z1. (L).
- Infraorder ANOMURA** MacLeay, 1838
 Anomura: Pike, R.B.; Williamson, D.I. 1960. CG.
 Anomura: Boschi, E.E. 1981. CG.
- Family Diogenidae** Ortmann, 1892
 Diogenidae: Bourdillon Casanova, L. 1960. CG.
 Diogenidae: Pike, R.B.; Williamson, D.I. 1960. CG.
 Diogenidae: Seridji, R. 1989. CG.
 Diogenidae: Ingle, R.W. 1992. CG.
 Diogenidae: Barnich, R. 1996. PL. K.
- Calcinus* sp.
 Larva D (*Pagurus calidus* ?): Boraschi, L. 1921. Z1. (P).
- Calcinus tubularis* (Linnaeus, 1767)
Glaucothoe grimaldii: Bouvier, E.L. 1922. M. (P).
Calcinus ornatus: Bourdillon Casanova, L. 1960. Z1. (P). K.
 * *Calcinus ornatus*: Pike, R.B.; Williamson, D.I. 1960. Z1-Z5.M. (L+P). K.
Calcinus ornatus: Thiriot, A. 1974. CG.
Calcinus tubularis: Barnich, R. 1996. Z1-Z5. (P+B). K.
Calcinus ornatus: Barnich, R. 1996. PL. K.
- Clibanarius erythropus* (Latreille, 1818)
Pagure misanthrope: Hesse, M. 1876. Z1. (P).
Zoea Virbii?: Czerniavsky, V. 1884. Z1. (P).
Clibanarius misanthropus: Issel, R. 1910. Z1. (L).
Pagurus misanthropus: Williamson, H.C. 1915. Z1. (P+B).
Clibanarius: Boraschi, L. 1921. Z1. (P).
Clibanarius misanthropus: Carayon, J. 1942. M. (P).
Clibanarius erythropus: MacDonald, J.D.; Pike, R.B.; Williamson, D.I. 1957. (B). K.
Clibanarius misanthropus: Dechancé, M. 1958. Z1-Z4.M. (P).
Clibanarius erythropus: Dechancé, M.; Forest, J. 1958. G. (R).
Clibanarius erythropus: Pike, R.B.; Williamson, D.I. 1958. Z1.M. (B).
Clibanarius erythropus: Bourdillon Casanova, L. 1960. Z1. (P). K.
 * *Clibanarius erythropus*: Pike, R.B.; Williamson, D.I. 1960. Z1-Z3. (L+P). K.
Clibanarius erythropus: Le Roux, A. 1966a. Z1-Z4.M. (L).
- Clibanarius erythropus*: Thiriot, A. 1974. CG.
Clibanarius erythropus: Seridji, R. 1989. Z4. (P).
Clibanarius erythropus: Barnich, R. 1996. Z1-Z5.PL. (P+B). K.
- Dardanus* sp.
Dardanus: Dechancé, M. 1962. CG.
Dardanus: Boschi, E.E. 1981. CG.
Dardanus ? *calidus*: Seridji, R. 1989. Z3. (P).
- Dardanus arrosor* (Herbst, 1796)
Pagurus arrosor: Issel, R. 1910. Z1. (L).
Pagurus arrosor: Boraschi, L. 1921. Z1. (P).
Dardanus arrosor: Bourdillon Casanova, L. 1960. Z1. (P). K.
Dardanus arrosor: Pike, R.B.; Williamson, D.I. 1960. Z1. (P). K.
Dardanus arrosor: Dechancé, M. 1962. Z1.Z2.
Dardanus arrosor: Thiriot, A. 1974. CG.
 * *Dardanus arrosor*: Kurata, H. 1968. Z1-Z7.M. (L).
Dardanus arrosor: Boschi, E.E. 1981. Z1.M. (B).
Dardanus arrosor: Barnich, R. 1996. Z1. (P). K.
- Dardanus calidus* (Risso, 1826)
Glaucothoe rostrata: Miers, E.J. 1881. G. (P).
- Diogenes pugilator* (Roux, 1829)
Diogenes pugilator: Gurney, R. 1927. Z1-Z4.G. (P).
Diogenes pugilator: Menon, M.K. 1937. Z1-Z4.M. (P).
Diogenes pugilator: Gurney, R. 1942. K.
 * *Diogenes pugilator*: MacDonald, J.D.; Pike, R.B.; Williamson, D.I. 1957. Z1-Z5.M. (L+P+R). K.
Diogenes pugilator: Pike, R.B.; Williamson, D.I. 1958. Z1-Z4.M. (B).
Diogenes pugilator: Bourdillon Casanova, L. 1960. Z1. (P). K.
Diogenes pugilator: Pike, R.B.; Williamson, D.I. 1960. K.
Diogenes pugilator: Thiriot, A. 1974. CG.
Diogenes pugilator: Barnich, R. 1996. Z1-Z5.PL. (P+B). K.
- Paguristes* sp.
Paguristes: Boschi, E.E. 1981. CG.
- Paguristes eremita* (Linnaeus, 1767)
Paguristes oculatus: Issel, R. 1910. Z3.G. (L).
Paguristes oculatus: Gurney, R. 1942. K.
Paguristes oculatus: Bourdillon Casanova, L. 1960. Z1.Z2.G. (P). K.
 * *Paguristes oculatus*: Pike, R.B.; Williamson, D.I. 1960. Z1-Z3.M. K.
Paguristes oculatus: Thiriot, A. 1974. CG.
Paguristes oculatus: Seridji, R. 1989. Z1-Z3. (B).
Paguristes oculatus: Barnich, R. 1996. PL. K.
- Family Paguridae** Latreille, 1803
 Paguridae: Webb, G.E. 1921. CG.
 Paguridae: Gurney, R. 1942. CG.
 Paguroidea: MacDonald, J.D.; Pike, R.B.; Williamson, D.I. 1957. CG.
 Paguridae: Pike, R.B.; Williamson, D.I. 1958. (B). K.
 Paguridae: Bourdillon Casanova, L. 1960. CG.
 Paguridae: Pike, R.B.; Williamson, D.I. 1960. CG.
 Paguridae: Rice, A.L.; Williamson, D.I. 1977. Z1.Z4. (P).
 Paguridae: Boschi, E.E. 1981. CG.
 Paguridae: Seridji, R. 1989. CG.
 Paguridae: Ingle, R.W. 1992. CG.
 Paguridae: Barnich, R. 1996. PL. K.
- Anapagurus* sp.
Anapagurus sp.: MacDonald, J.D.; Pike, R.B.; Williamson, D.I. 1957. CG.
Anapagurus: Barnich, R. 1996. CG. (P+B).
- Anapagurus bicorniger* A. Milne Edwards and Bouvier, 1892
 * *Anapagurus bicorniger*: Pike, R.B.; Williamson, D.I. 1960. Z1-Z4.M. (L+P+R).
Anapagurus bicorniger: Dechancé, M.; Forest, J. 1962. G. (P).
Anapagurus bicorniger: Barnich, R. 1996. Z1-Z4.PL. (B+P). K.
- Anapagurus breviaculeatus* Fenizia, 1937
Anapagurus laevis: Pike, R.B.; Williamson, D.I. 1958. Z1-Z4.M. (B). K.

- Anapagurus breviaculeatus*: Barnich, R. 1996. Z1-Z4.PL. (B). K. (P+B).
- Anapagurus chiroacanthus* (Lilljeborg, 1856)
Spiropagurus chiroacanthus: Sars, G.O. 1889. Z1.Z4.M. (P).
Pagurus chiroacanthus: Williamson, H.C. 1915. Z1.LS. (P+B).
Anapagurus chiroacanthus: Gurney, R. 1942. K.
Anapagurus chiroacanthus: Kurian, C.V. 1956. Z1-Z4. (P).
* *Anapagurus chiroacanthus*: MacDonald, J.D.; Pike, R.B.; Williamson, D.I. 1957. Z1-Z4.G. (L+P+R). K.
Anapagurus chiroacanthus: Pike, R.B.; Williamson, D.I. 1958. Z1-Z4.M. (B). K.
Anapagurus chiroacanthus: Pike, R.B.; Williamson, D.I. 1960. Z1.K.
* *Anapagurus chiroacanthus*: Ingle, R.W. 1990. Z1-Z4.M. (L).
Anapagurus chiroacanthus: Ingle, R.W. 1992. Z1-Z4. (B).
Anapagurus chiroacanthus: Barnich, R. 1996. Z1-Z4.PL. (P+B). K.
- Anapagurus hyndmanni* (Bell, 1845)
Anapagurus hyndmanni: Gurney, R. 1942. Z1.M. (B).
* *Anapagurus hyndmanni*: MacDonald, J.D.; Pike, R.B.; Williamson, D.I. 1957. Z1-Z4.G. (L+P+R). K.
Anapagurus hyndmanni: Pike, R.B.; Williamson, D.I. 1958. Z1-Z4.M. (B). K.
- Anapagurus laevis* (Bell, 1846)
* *Anapagurus laevis*: MacDonald, J.D.; Pike, R.B.; Williamson, D.I. 1957. Z1-Z4.G. (L+P+R). K.
Anapagurus laevis: Pike, R.B.; Williamson, D.I. 1958. Z1-Z4.M. (B). K.
Anapagurus laevis: Pike, R.B.; Williamson, D.I. 1960. K.
Anapagurus laevis: Barnich, R. 1996. Z1-Z4.PL. (P+B). K.
- Anapagurus petiti* Dechancé and Forest, 1962
Anapagurus sp. N1: Pike, R.B.; Williamson, D.I. 1960. Z4.M. (P).
Anapagurus petiti: Dechancé, M.; Forest, J. 1962. G. (P).
Anapagurus petiti: Barnich, R. 1996. Z3.Z4.PL. (P+B). K.
- Cestopagurus timidus* (Roux, 1830)
Catapaguroides timidus: Boraschi, L. 1921. Z1. (P).
Catapaguroides timidus: Dechancé, M.; Forest, J. 1958. G. (R).
Catapaguroides timidus: Pike, R.B.; Williamson, D.I. 1958. Z1-Z4. (B). K.
* *Catapaguroides timidus*: Pike, R.B.; Williamson, D.I. 1960. Z1-Z4.M. (P+R). K.
Catapaguroides timidus: Dechancé, M. 1961. Z1-Z4. (P).
Cestopagurus timidus: Barnich, R. 1996. Z1.Z4.PL. (P+B). K.
- Nematopagurus longicornis* A. Milne Edwards and Bouvier, 1892
Latreillia?: Cano, G. 1893. LS. (P).
Catapaguroides timidus: Issel, R. 1910. Z1. (L).
Anapagurus sp. N3: Pike, R.B.; Williamson, D.I. 1960. Z1-Z4. (L+P+R).
Nematopagurus longicornis: Barnich, R. 1996. Z1-Z4. (P+B). K.
- Pagurus sp.*
Pagurus: Claus, C. 1885. Z4. (P).
Pagurus: Boschi, E.E. 1981. CG.
Pagurus: Barnich, R. 1996. CG.
- Pagurus alatus* (Fabricius, 1775)
Eupagurus excavatus: Issel, R. 1910. Z1. (P).
Pagurus alatus: Pike, R.B.; Williamson, D.I. 1958. Z1.Z3.Z4. (B). K.
Pagurus variabilis: Samuelson, T.J. 1972a. Z1-Z3. (L).
Pagurus alatus: Barnich, R. 1996. Z1-Z4.PL. (B). K.
- Pagurus anachoretus* Risso, 1826
* *Pagurus anachoretus*: Pike, R.B.; Williamson, D.I. 1960. Z1-Z4.M. (L+R). K.
Pagurus anachoretus: Barnich, R. 1996. Z1-Z4.PL. (P+B). K.
- Pagurus bernhardus* (Linnaeus, 1758)
Pagurus bernhardus: Rathke, H. 1840. NL.
Pagurus bernhardus: Rathke, H. 1842. NL.
Eupagurus bernhardus: Sars, G.O. 1889. Z1-Z4.G.
Pagurus bernhardus: Williamson, H.C. 1915. Z1.LS.PL. (P+B).
Eupagurus bernhardus: Webb, G.E. 1921. Z1.Z4. (P).
Eupagurus bernhardus: Gurney, R. 1942. K.
* *Pagurus bernhardus*: MacDonald, J.D.; Pike, R.B.; Williamson, D.I. 1957. Z1-Z4.G. (L+R). K.
Pagurus bernhardus: Pike, R.B.; Williamson, D.I. 1958. Z1-Z4.M. (B). K.
Pagurus bernhardus: Hong, S.Y. 1988. Z1-Z4.M. (L).
Pagurus carneus Pocock, 1889
Pagurid larva: Sankarankutty, C. 1968. Z1-Z3. (P).
Pagurus cuanensis Bell, 1845
* *Pagurus cuanensis*: MacDonald, J.D.; Pike, R.B.; Williamson, D.I. 1957. Z1-Z4.G. (L+P+R). K.
Pagurus cuanensis: Pike, R.B.; Williamson, D.I. 1958. Z1-Z4.M. (B). K.
Pagurus cuanensis: Pike, R.B.; Williamson, D.I. 1960. K.
Pagurus cuanensis: Barnich, R. 1996. Z1-Z4.PL. (P+B). K.
- Pagurus excavatus* (Herbst, 1791)
Pagurus excavatus: Williamson, H.C. 1915. Z1. (B).
Pagurus alatus: Pike, R.B.; Williamson, D.I. 1960. Z1-Z4. (P).
* *Pagurus alatus*: Bookhout, C.G. 1972. Z1-Z4.G. (L).
Pagurus excavatus: Barnich, R. 1996. Z1-Z4. (P+B). K.
- Pagurus forbesii* Bell, 1845
Pagurus forbesii: Williamson, H.C. 1915. NE. (P).
Pagurus sculptimanus: MacDonald, J.D.; Pike, R.B.; Williamson, D.I. 1957. Z1. (P). K.
Pagurus forbesii?: Pike, R.B.; Williamson, D.I. 1958. Z1. (B). K.
Pagurus forbesii: Barnich, R. 1996. Z1.Z2. (B). K.
- Pagurus prideauxi* Leach, 1815
Eupagurus prideauxii: Mayer, P. 1877. NL.
Pagurus prideauxi: Williamson, H.C. 1915. Z1-Z4. (P+B).
Pagurus prideauxi: MacDonald, J.D.; Pike, R.B.; Williamson, D.I. 1957. Z1-Z4.M. (L+P+R). K.
Pagurus prideauxi: Pike, R.B.; Williamson, D.I. 1958. Z1-Z4.M. (B). K.
Pagurus prideauxi: Pike, R.B.; Williamson, D.I. 1960. K.
* *Pagurus prideauxi*: Goldstein, B.; Bookhout 1972. Z1-Z4.G. (L).
Pagurus prideauxi: Hong, S.Y. 1988. Z1-Z4.M. (L).
Pagurus prideauxi: Barnich, R. 1996. Z1-Z4.PL. (P+B). K.
- Spiropagurus elegans* Miers, 1881
* *Spiropagurus elegans*: Dechancé, M. 1962a. Z1-Z4.M. (L+P).
Spiropagurus elegans: Barnich, R. 1996. PL. K.
- Family Parapaguridae** S.I. Smith, 1882
Parapaguridae: Boschi, E.E. 1981. CG.
- Parapagurus sp.*
Glaucothoe sp.: Bouvier, E.L. 1891. M. (P).
Anebocharis: Legendre, R. 1940. M. (P).
Larve *Diaphroropus*: Legendre, R. 1940. Z5. (P).
Glaucothoe peronii: Gurney, R. 1942. G. (P).
? *Parapagurus pilosimanus*: Pike, R.B.; Williamson, D.I. 1958. Z1. (B).
Parapagurus sp. 5: Saint Laurent - Dechancé, M. 1964. Z4. (P).
Parapagurus: Saint Laurent - Dechancé, M. 1964. CG.
Parapagurus ASM 4: Rice, A.L.; Williamson, D.I. 1977. Z1. (P).
- Parapagurus pilosimanus* S.I. Smith, 1879
Parapagurus sp. 1: Saint Laurent-Dechancé, M. 1964. Z1-Z5. (P).
- Family Galatheidae** Samouelle, 1819
Anomuran: Claus, C. 1861. Z. (P).
Galatheidae: Webb, G.E. 1921. CG.
Galatheidae: Gurney, R. 1942. Z2. (P).
Galatheidae: Boschi, E.E. 1981. CG.
Galatheidae: Ingle, R.W. 1992. CG. (B).
Galatheidae: Barnich, R. 1996. PL. (K).
- Galathea sp.*
Galathea: Bate, C.S. 1878. Z. (P).
Pagurus: Claus, C. 1876. Z4. (P).

- Galathea (squamifera)*: Claus, C. 1885. Z4. (P).
Galathea: Gurney, R. 1942. CG.
Galathea sp.: Al-Kholy, A.A. 1959. Z1-Z3.M. (P).
Galathea: Pike, R.B.; Williamson, D.I. 1972. M. (B). K.
Galathea: Thiriot, A. 1974. Z1-Z4. CG.
Galathea ASM 5: Rice, A.L.; Williamson, D.I. 1977. Z2. (P).
Galathea ASM 6: Rice, A.L.; Williamson, D.I. 1977. Z3. (P).
Galathea ASM 7: Rice, A.L.; Williamson, D.I. 1977. Z4. (P).
Galathea ASM 8: Rice, A.L.; Williamson, D.I. 1977. Z4. (P).
Galathea: Barnich, R. 1996. Z1-Z5.PL. (P+B).
- Galathea dispersa* Bate, 1859
Galathea nexa: Sars, G.O. 1889. Z1. (L).
Galathea dispersa: Williamson, H.C. 1915. Z1. (P+B).
* *Galathea dispersa*: Lebour, M.V. 1930. Z1-Z5. (L+P).
Galathea dispersa: Bull, H.O. 1937. (B). K.
Galathea dispersa: Kurian, C.V. 1956. (P). K.
Galathea dispersa: Pike, R.B.; Williamson, D.I. 1972.
Z1.LS.M. (B). K.
Galathea dispersa: Barnich, R. 1996. Z1-Z5.PL. (P+B). K.
- Galathea intermedia* Lilljeborg, 1851
Galathea intermedia: Stuxberg, A. 1874. NL.
Galathea intermedia: Sars, G.O. 1889. LS. (P).
Galathea intermedia: Williamson, H.C. 1915. Z1.LS. (B).
Galathea intermedia: Lebour, M.V. 1931a. Z1-Z4. (P+L).
Galathea intermedia: Kurian, C.V. 1956. K.
Galathea intermedia: Pike, R.B.; Williamson, D.I. 1972.
Z1.LS.M. (B). K.
* *Galathea intermedia*: Christiansen, M.E.; Anger, K. 1990.
Z1-Z5.M. (L).
Galathea intermedia: Barnich, R. 1996. Z1-Z4. (P+B). K.
- Galathea nexa* Embleton, 1834
Galathea nexa: Bull, H.O. 1937. Z1.Z2. CG. (P). K.
Galathea nexa: Pike, R.B.; Williamson, D.I. 1972. Z1. (B). K.
Galathea nexa: Barnich, R. 1996. Z1. (P+B). K.
- Galathea squamifera* Leach, 1814
Galathea squamifera: Sars, G.O. 1889. Z1. (L).
Galathea squamifera: Williamson, H.C. 1915. Z1. (B).
Galathea squamifera: Webb, G.E. 1921. Z1. (P).
* *Galathea squamifera*: Lebour, M.V. 1931a. Z1.Z3.Z4. (L+P).
Galathea squamifera: Bull, H.O. 1937. (B). K.
Galathea squamifera: Gurney, R. 1942. Z1. (B).
Galathea squamifera: Kurian, C.V. 1956. (P). K.
Galathea squamifera: Pike, R.B.; Williamson, D.I. 1972.
Z1.LS.M. (B). K.
Galathea squamifera: Barnich, R. 1996. Z1. (P+B). K.
- Galathea strigosa* (Linnaeus, 1767)
Galathea strigosa: Williamson, H.C. 1915. Z1. (P).
* *Galathea strigosa*: Lebour, M.V. 1930. Z1-Z4. (L+P).
Galathea strigosa: Bull, H.O. 1937. K.
Galathea strigosa: Gurney, R. 1942. Z4. (B).
Galathea strigosa: Kurian, C.V. 1956. (P). K.
Galathea strigosa: Pike, R.B.; Williamson, D.I. 1972.
Z1.LS.M. (B). K.
Galathea strigosa: Barnich, R. 1996. Z1. (P+B). K.
- Munida sp.*
Munida: Cano, G. 1893. PS.LS. (P).
Munida: Huus, J. 1935. Z1-Z4. CG.
Munida: Gurney, R. 1942. CG.
Munida: Pike, R.B.; Williamson, D.I. 1972. M. (B). K.
Munida ASM 9: Rice, A.L.; Williamson, D.I. 1977. Z1. (P).
Munida: Boschi, E.E. 1981. CG.
Munida sp.: Barnich, R. 1996. K.
- Munida intermedia* A. Milne Edwards and Bouvier, 1899
Munida intermedia sarsi: Pike, R.B.; Williamson, D.I. 1972.
Z1.LS. (B). K.
- Munida sarsi* Huus, 1935
Munida rugosa: Sars, G.O. 1889. Z1.LS. (P).
Munida sarsi: Huus, J. 1935. Z1. (L).
- Munida rugosa* (Fabricius, 1775)
- Galathea rugosa*: Rathke, H. 1840. NL.
Galathea rugosa: Williamson, H.C. 1915. Z1.LS. (P).
Munida banffica: Lebour, M.V. 1930. Z1-Z4. (L+P).
Munida rugosa: Pike, R.B.; Williamson, D.I. 1972. Z1-Z4.M.
(B). K.
Munida rugosa: Thiriot, A. 1974. CG.
- Munida tenuimana* Sars, 1872
Munida tenuimana: Williamson, H.C. 1915. Z2. (P+B).
* *Munida tenuimana*: Huus, J. 1935. Z1-Z4. (L).
Munida tenuimana: Pike, R.B.; Williamson, D.I. 1972. Z1-Z4.
(B). K.
- Munidopsis sp.*
Munidopsis: Pike, R.B.; Williamson, D.I. 1972. M. (B). K.
- Munidopsis serricornis* (Lovén, 1853)
Galathodes tridentata: Sars, G.O. 1889. Z1.LS. (L+P).
Galathea tridentata: Williamson, H.C. 1915. Z1.LS. (B).
* *Munidopsis tridentata*: Samuelsen, T.J. 1972. Z1-Z3.M. (L).
Munidopsis tridentata: Pike, R.B.; Williamson, D.I. 1972.
Z1.LS.M. (B). K.
Munidopsis tridentata: Thiriot, A. 1974. CG.
- Family Porcellanidae** Haworth, 1825
Porcellana sp.: Müller, F. 1862. CG.
Porcellanidae: Webb, G.E. 1921. CG.
Porcellanidae: Gurney, R. 1942. CG.
Porcellanidae: Boschi, E.E. 1981. CG.
Porcellanidae: Ingle, R.W. 1992. CG.
- Pisidia sp.*
Pisidia: Boschi, E.E. 1981. CG.
Pisidia sp.: Barnich, R. 1996. Z1.Z2. (P). K.
Pisidia ASM 10: Rice, A.L.; Williamson, D.I. 1977. Z1.Z2.M.
(P).
- Pisidia bluteli* (Risso, 1816)
Porcellana bluteli: Bourdillon Casanova, L. 1956a. Z1.Z2.M. (P).
Porcellana bluteli: Bourdillon Casanova, L. 1960. M. (P).
Porcellana bluteli: Seridji, R. 1989. CG.
Pisidia bluteli: Kaya, B.; Özel, I. 1992. Z1.Z2.M. (P+B).
- Pisidia longicornis* (Linnaeus, 1767)
Porcellana longicornis: Dujardin, F. 1843. Z1. (L).
Galathea: Gosse, P.H. 1856. Z2. (P).
Porcellana longicornis: Bate, C.S. 1878. Z1. (P).
Porcellana platycheles: Hesse, M. 1884. Z1. (P).
Porcellana longicornis: Sars, G.O. 1889. Z1.Z2. (L+P).
Porcellana longicornis: Williamson, H.C. 1915. Z1.M. (P+B).
Porcellana longicornis: Webb, G.E. 1921. Z1.Z2. (P).
Porcellana sp.: Gurney, R. 1942. Z2. (P).
* *Porcellana longicornis*: Lebour, M.V. 1943. Z1.Z2.M.
(L+R).
Porcellana longicornis: Kurian, C.V. 1956. Z1.Z2. (P).
Porcellana longicornis: Le Roux, A. 1966. Z1.Z2.M. (L+P).
Pisidia longicornis: Pike, R.B.; Williamson, D.I. 1972. Z1.M.
(B). K.
Pisidia longicornis: Thiriot, A. 1974. CG.
Pisidia longicornis: Seridji, R. 1989. CG.
Pisidia longimana: Kaya, B.; Özel, I. 1992. Z1.Z2. (P+B).
- Porcellana sp.*
Porcellana larvae: Claus, C. 1876. Z. (P).
Porcellana sp.: Webb, G.E. 1921. LS. (P).
Porcellana: Boschi, E.E. 1981. CG.
- Porcellana platycheles* (Pennant, 1777)
Porcellana platycheles: Couch, R.Q. 1843. Z1. (L).
Porcellana (Polyonyx) macrocheles: Faxon, W.A. 1879a. Z2.
(P).
Porcellana platycheles: Williamson, H.C. 1915. Z1.M. (P+B).
Porcellana platycheles: Webb, G.E. 1921. Z1. (P).
Porcellana platycheles: Lebour, M.V. 1943. Z1.Z2.M. (L+R).
Porcellana platycheles: Pike, R.B.; Williamson, D.I. 1972.
Z1.M. (B). K.
Porcellana platycheles: Thiriot, A. 1974. CG.
Porcellana platycheles: Seridji, R. 1989. CG.

- Porcellana platycheles*: Ingle, R.W. 1992. Z1. (B).
Porcellana platycheles: Kaya, B.; Özel, I. 1992. Z1.Z2.M. (P+B).
Porcellana platycheles: Barnich, R. 1996. Z1.Z2. (P).
 * *Porcellana platycheles*: González-Gordillo, J.I.; Cuesta, J.A.; Rodríguez, A. 1996. Z1.Z2.M. (L). K.
- Family Albuneidae** Stimpson, 1858
 Albuneidae: Seridji, R. 1989. CG.
 Albuneidae: Boschi, E.E. 1981. CG.
- Albunea* sp.
Albunea: Gurney, R. 1942. CG.
Albunea Specie A: Gurney, R. 1942. NE. (P).
Albunea Specie B: Gurney, R. 1942. Z1. (P).
Albunea: Thiriot, A. 1974. CG.
Albunea: Boschi, E.E. 1981. CG.
- Albunea carabus* (Linnaeus, 1758)
Albunea carabus: Seridji, R. 1988. Z1-Z3. (P).
- Infraorder BRACHYURA** Latreille, 1802
Gonoplax rhomboides: Cano, G. 1891.M. (P).
Megalopa armata: Williamson, H.C. 1915. M. (P).
 Brachyura: Lebour, M.V. 1924. CG.
 Brachyura: Lebour, M.V. 1927. CG.
 Brachyura: Aikawa, H. 1929. CG.
 Brachyura: Gurney, R. 1942. CG.
Zoe G.M.2: Bourdillon Casanova, L. 1960. Z2. (P).
 Brachyura: Rice, A.L. 1980. CG.
 Brachyura: Boschi, E.E. 1981. CG.
 Brachyura: Roff, J.C.; Davidson, K.G.; Pohle, G.; Dadswell, M.J. 1984. Z.M. K.
 Brachyura: Ingle, R.W. 1992. CG.
- Family Dromiidae** De Haan, 1833
 Dromiidae: Rice, A.L. 1980. CG.
 Dromiacea: Seridji, R. 1989. CG.
- Dromia personata* (Linnaeus, 1758)
Dromia vulgaris: Mayer, P. 1877. NL.
Dromia: Boas, J.E.V. 1880. Z5.M. (R).
Dromia vulgaris: Gourret, P. 1884. Z1. (L).
Dromia vulgaris: Cano, G. 1893. Z1.Z5?.M. (L+R).
Dromia vulgaris: Williamson, H.C. 1915. Z1.Z5.M. (P).
Dromidia larraburei: Rathbun, M.J. 1923. M. (P).
Dromia vulgaris: Lebour, M.V. 1934a. Z1.Z2.Z5.M. (L+R).
Dromia vulgaris: Gurney, R. 1942. Z1-Z4. (B).
Dromia vulgaris: Kurian, C.V. 1956. Z1. (P).
Dromia personatus: Pike, R.B.; Williamson, D.I. 1958. Z1.Z2.M. (B).
Dromia personatus: Pike, R.B.; Williamson, D.I. 1960a. Z1-Z3. (P).
Dromia personatus: Rice, A.L.; Provenzano, A.J. 1966. Z1-Z4.M. (B).
 * *Dromia personata*: Rice, A.L.; Ingle, R.W.; Allen, E. 1970. Z1-Z4.M. (L).
Dromia personata: Thiriot, A. 1974. CG.
Dromia personata: Ingle, R.W. 1992. Z1Z4.M. (B). K.
Dromia personata: Barnich, R. 1996. Z1-Z4. (P+B). K.
- Family Homolidae** de Haan, 1839
 Homolidae: Rice, A.L. 1980. CG.
 Homolidae: Seridji, R. 1989. CG.
- Homola* sp.
Homola sp.: Williamson, H.C. 1915. M. (P).
Homola: Williamson, D.I. 1965. CG.
- Homola barbata* (Fabricius, 1793)
Homola sp.: Cano, G. 1893. LS. (P).
Homola sp.: Thiele 1905. LS. (P).
Homola cuvieri: Williamson, H.C. 1915. LS. (P).
Homola barbata: Pike, R.B.; Williamson, D.I. 1960a. Z1.Z2. (P).
Homola barbata: Rice, A.L. 1964. M. (P).
Homola sp.: Rice, A.L.; Levetzow, K.G. 1967. Z2-Z6. (P).
 * *Homola barbata*: Rice, A.L.; Provenzano, A.J. 1970. Z1-Z7. (L).
Homola barbata: Thiriot, A. 1974. CG.
- Homola barbata*: Rice, A.L. 1980. Z1.Z6. (B).
Homola barbata: Wear, R.G.; Fielder, D.R. 1985. Z1.M. (B).
Homola barbata: Barnich, R. 1996. K.
- Paromola cuvieri* (Risso, 1816)
Paromola cuvieri: Samuelsen, T.J. 1976. Z1. (L).
Paromola cuvieri: Wear, R.G.; Fielder, D.R. 1985. Z1. (B).
Paromola cuvieri: Ingle, R.W. 1992. Z1. (B).
- Family Latreillidae** Stimpson, 1858
Latreillia elegans Roux, 1830
Latreillia: Cano, G. 1893. LS.M. (P).
Latreillia ? *elegans* ASM 11: Rice, A.L.; Williamson, D.I. 1977. Z1.Z2. (P).
Latreillia elegans: Rice, A.L. 1982. M. (P).
- Family Dorippidae** MacLeay, 1838
 Dorippidae: Rice, A.L. 1980. CG.
Dorippe ? *armata* ASM 12: Rice, A.L.; Williamson, D.I. 1977. Z1. (P).
- Ethusa mascarone* (Herbst, 1785)
Ethusa Mascarone: Cano, G. 1892. Z1.Z2.M. (L+P).
Ethusa mascarone: Williamson, H.C. 1915. Z1. (P).
Ethusa: Gurney, R. 1942. CG.
Ethusa mascarone: Kurian, C.V. 1956. Z1-Z3. (P).
Ethusa mascarone: Bourdillon Casanova, L. 1960. Z1-Z4. (P).
Ethusa mascarone: Heegaard, P. 1963. Z1. (L).
Ethusa mascarone: Paula, J. 1987. Z1.Z3.Z4. (P).
Ethusa mascarone: Barnich, R. 1996. K.
- Medorippe lanata* (Linnaeus, 1767)
Dorippe lanata: Mayer, P. 1877. NL.
Dorippe lanata: Cano, G. 1892. Z1.Z2. (L+P).
Dorippe lanata: Cano, G. 1894. Z4. (L+P).
Dorippe lanata: Boraschi, L. 1921. Z1. (P).
Dorippe lanata: Gilet, R. 1952. Z3.M. (P).
Dorippe lanata: Bourdillon Casanova, L. 1960. Z1-Z4.M. (P+B).
Dorippe lanata: Heegaard, P. 1963. Z1. (L).
Medorippe lanata: Paula, J. 1987. Z1-Z4. (P).
Medorippe lanata: Paula, J. 1991. Z1-Z4. (L).
- Family Calappidae** De Haan, 1833
 Calappidae: Rice, A.L. 1980. CG.
Calappa granulata: Seridji, R. 1989. Z1. (P).
 Calappidae: Seridji, R. 1989. CG.
Calappa granulata?: Seridji, R. 1993. Z1. (P).
- Calappa granulata* (Linnaeus, 1767)
Calappa granulata: Taishaku, H.; Konishi, K. 1995. Z1. (B).
Calappa granulata: Guerao, G.; Abelló, P.; Cartes, J. 1998. M. (P).
Calappa granulata: Guerao, G.; Abelló, P.; Torres, P. 1999. Z1. (L).
- Family Leucosiidae** Samouelle, 1819
 Leucosiidae: Lebour, M.V. 1928. CG.
 Leucosiidae EM22: Williamson, D.I. 1967. Z2-Z4. (P).
 Leucosiidae: Rice, A.L. 1980. CG.
 Leucosiidae: Seridji, R. 1989. CG.
- Ebalia* sp.
Ebalia sp.: Jorgensen, O.M. 1925. Z1-Z4.M. (P).
Ebalia: Lebour, M.V. 1928. CG.
Ebalia: Gurney, R. 1942. LS.M. (P).
Ebalia? *nux* ASM 13: Rice, A.L.; Williamson, D.I. 1977. Z1.Z4. (P).
Ebalia sp. ASM 14: Rice, A.L.; Williamson, D.I. 1977. Z3. (P).
- Ebalia cranchii* Leach, 1817
Plagusia sp.: Cano, G. 1892. Z4. (P).
 * *Ebalia cranchii*: Lebour, M.V. 1928. Z1-Z4.M. (P+R).
Ebalia cranchii: Kurian, C.V. 1956. Z3.Z4.M. (P).
Ebalia cranchii: Salman, S.D. 1982a. Z1.Z4. (L+B).
- Ebalia nux* A. Milne Edwards, 1883
Ebalia nux: Rice, A.L. 1980. Z1.Z4. (B).

- Ebalia nux*: Rice, A.L. 1980a. Z1. (L).
Ebalia nux: Salman, S.D. 1982a. Z1.Z4. (B).
Ebalia nux: Ingle, R.W. 1992. Z1.Z4. (B). K.
- Ebalia tuberosa* (Pennant, 1777)
Ebalia sp.: Williamson, H.C. 1915. Z1. (P).
Ebalia tuberosa: Lebour, M.V. 1928. Z1-Z4.M. (L+P).
Ebalia tuberosa: Lebour, M.V. 1928a. Z1-Z4.M. (L).
Ebalia tuberosa: Kurian, C.V. 1956. Z1.Z4.M. (P).
* *Ebalia tuberosa*: Salman, S.D. 1982a. Z1-Z4.M. (L).
Ebalia tuberosa: Wear, R.G.; Fielder, D.R. 1985. M. (B).
Ebalia tuberosa: Ingle, R.W. 1992. Z1-Z4.M. (B). K.
- Ebalia tumefacta* (Montagu, 1808)
* *Ebalia tumefacta*: Salman, S.D. 1982a. Z1-Z4. (L).
Ebalia tumefacta: Paula, J. 1987. M. (P).
Ebalia tumefacta: Ingle, R.W. 1992. Z1-Z4. (B). K.
- Ilia nucleus* (Linnaeus, 1758)
Planes sp.: Cano, G. 1892. Z1.Z2.Y.M. (L+P).
Ilia nucleus: Boraschi, L. 1921. Z1. (P).
Ilia nucleus: Bourdillon Casanova, L. 1960. Z1-Z3. (P).
Ilia nucleus: Heegaard, P. 1963. Z1. (L).
- Family Majidae** Samouelle, 1819
Stenorhynchus phalangium: Lo Bianco, S. 1904. M. (P).
Majidae: Lebour, M.V. 1928. CG.
Hyas araneus: Frost, N. 1936. M. (P).
NRS 47: Williamson, D.I. 1970. Z2. (P).
NRS 48: Williamson, D.I. 1970. Z1. Z2. (P).
NRS 49: Williamson, D.I. 1970. Z2. (P).
Majinae ASM 15: Rice, A.L.; Williamson, D.I. 1977. Z2. (P).
Acanthonychinae: Ingle, R.W. 1979a. CG.
Inachinae: Ingle, R.W. 1979a. CG.
Oregoniinae: Ingle, R.W. 1979a. CG.
Pisinae: Ingle, R.W. 1979a. CG.
Majinae: Ingle, R.W. 1979a. CG.
Majidae: Rice, A.L. 1980. CG.
Majidae: Boschi, E.E. 1981. CG.
Oxyrhyncha: Ingle, R.W. 1982. Z.M. K.
Majidae S10: Paula, J. 1987. Z1. (P).
Majidae S11: Paula, J. 1987. Z2. (P).
Pisinae S8: Paula, J. 1987. Z1. (P).
Pisinae S9: Paula, J. 1987. Z1. (P).
- Acanthonyx lunulatus* (Risso, 1816)
Acanthonyx lunulatus: Cano, G. 1893a. Z2. (P).
Acanthonyx lunulatus: Boraschi, L. 1921. Z1. (P).
Acanthonyx lunulatus: Bourdillon Casanova, L. 1960. Z1.Z2. (P).
Acanthonyx lunulatus: Heegaard, P. 1963. Z1. (L).
Acanthonyx lunulatus: Yang, W.T. 1968. CG (B).
* *Acanthonyx lunulatus*: Guerao, G.; Abelló, P. 1996a. Z1.Z2.M. (L).
- Achaeus sp.*
Larva A (*Achaeus?*): Boraschi, L. 1921. Z1. (P).
Achaeus: Lebour, M.V. 1928. CG.
Achaeus spp.: Bourdillon Casanova, L. 1960. M. (P).
Achaeus: Ingle, R.W. 1982. Z.M. CG.
- Achaeus cranchii* Leach, 1817
* *Achaeus cranchii*: Bocquet, C. 1954. Z1.Z2.M. (L).
Achaeus cranchii: Paula, J. 1987. Z1.Z2. (P).
Achaeus cranchii: Ingle, R.W. 1992. Z1.Z2.M. (B). K.
- Dorhynchus thomsoni* Thomson, 1873
“Remarkable Zoa”: Williamson, D.I. 1960a. Z2. (P).
Fam. nov.?: Williamson, D.I. 1974. Z1?. (P).
? *Dorhynchus thomsoni*: Rice, A.L. 1980. Z1.Z2. (P).
? *Dorhynchus*: Williamson, D.I. 1982. Z2. (B). K.
* *Dorhynchus thomsoni*: Williamson, D.I. 1982. Z1.Z2.M. (R). K.
Dorhynchus thomsoni: Ingle, R.W. 1992. Z1.Z2.M. (B).
- Eurynome sp.*
Eurynome sp.: Cano, G. 1893a. CG.
Eurynome: Lebour, M.V. 1928. CG.
- Eurynome*: Ingle, R.W. 1982. Z.M. CG.
- Eurynome aspera* (Pennant, 1777)
Eurynome sp.: Cano, G. 1893a. Z1. (P).
Eurynome aspera: Gurney, R. 1924. Z1. (L).
Eurynome aspera: Lebour, M.V. 1928. Z1.Z2.M. (L+R).
* *Eurynome aspera*: Salman, S.D. 1982. Z1.Z2.M. (L).
Eurynome aspera: Wear, R.G.; Fielder, D.R. 1985. Z2.M. (B).
Eurynome aspera: Hong, S.Y. 1988. Z1.Z2.M. (L).
Eurynome aspera: Ingle, R.W. 1992. Z1.Z2.M. (B).
- Eurynome spinosa* Hailstone, 1835
Eurynome spinosa: Ingle, R.W. 1992. Z1.Z2.M. (B).
- Herbstia sp.*
Herbstia sp.: Cano, G. 1893a. CG.
- Herbstia condyliata* (Fabricius, 1787)
Herbstia condyliata: Cano, G. 1893a. Z2.M. (P).
Herbstia condyliata: Bourdillon Casanova, L. 1960. Z1. (P).
- Inachus sp.*
Inachus sp.: Cano, G. 1893a.
Megalopa niga: Williamson, H.C. 1915. M. (P).
Inachus: Lebour, M.V. 1928. CG.
Inachus spp.: Bourdillon Casanova, L. 1960. M. (P).
Inachus: Ingle, R.W. 1982. Z.M. CG.
Inachus S12: Paula, J. 1987. Z1. (P).
- Inachus dorsettensis* (Pennant, 1777)
Inachus scorio: Claus, C. 1876. Z1. (P).
Inachus dorsettensis: Lebour, M.V. 1927. Z1.Z2.M. (L).
Inachus dorsettensis: Lebour, M.V. 1928. Z1.Z2.M. (L).
Inachus dorsettensis: Lebour, M.V. 1933. Z1.Z2.M. (L).
Inachus dorsettensis: Heegaard, P. 1963. Z1. (L).
* *Inachus dorsettensis*: Ingle, R.W. 1977. Z1.Z2.M. (L).
Inachus dorsettensis: Rice, A.L. 1980. Z1.Z2. (B).
Inachus dorsettensis: Hong, S.Y. 1988. Z1.Z2.M. (L).
Inachus dorsettensis: Ingle, R.W. 1992. Z1.Z2.M. (B).
- Inachus leptochirus* Leach, 1817
* *Inachus leptochirus*: Lebour, M.V. 1928. Z1.Z2. (L+R).
Inachus leptochirus: Ingle, R.W. 1992. Z1.Z2.M. (B).
- Inachus phalangium* (Fabricius, 1775)
Inachus dorynchus: Gourret, P. 1884. Z1. (L).
Inachus dorynchus: Williamson, H.C. 1915. Z1. (B).
* *Inachus dorynchus*: Lebour, M.V. 1928. Z1.Z2.M. (L+R).
- Inachus thoracicus* (Roux, 1830)
Inachus scorio: Cano, G. 1893a. CG.
Inachus thoracicus: Heegaard, P. 1963. Z1. (L).
- Lissa sp.*
Lissa sp.: Cano, G. 1893a. CG.
- Lissa chiragra* (Herbst, 1783)
Lissa sp.: Cano, G. 1893a. Z1.Z2.M. (P).
Lissa chiragra: Boraschi, L. 1921. Z1. (P).
Lissa chiragra: Bourdillon Casanova, L. 1960. Z1.Z2. (L).
Lissa chiragra: Heegaard, P. 1963. Z1. (L).
- Macropodia sp.*
Stenorhynchus phalangium: Cano, G. 1893a. Z1.M.
Macropodia: Lebour, M.V. 1928. CG.
Macropodia sp.: Bourdillon Casanova, L. 1960. M. (P).
Macropodia: Ingle, R.W. 1982. Z.M. CG.
Macropodia S13: Paula, J. 1987. Z1.Z2.M. (P).
- Macropodia deflexa* Forest, 1978
Macropodia aegyptia: Lebour, M.V. 1928. Z1.Z2. (L+R).
- Macropodia linaresi* Forest and Zariquiey, 1964
Macropodia linaresi: Guerao, G.; Abelló, P.; Torres, P. 1998. Z1. (L)
- Macropodia longipes* (A. Milne Edwards and Bouvier, 1899)
* *Macropodia longipes*: Guerao, G.; Abelló, P. 1997. Z1.Z2.M. (L).

- Macropodia rostrata* (Linnaeus, 1761)
Macropodia phalangium?: Thompson, J.V. 1835. Z1. (L).
 ? *Stenorhynchus phalangium*: Cano, G. 1893a. Z1.M. (P).
Inachus rostratus: Williamson, H.C. 1915. Z1.M. (P).
Macropodia rostratus: Lebour, M.V. 1928. Z1.Z2.M. (L+R).
 * *Macropodia rostrata*: Ingle, R.W. 1982. Z1.Z2.M. (L).
Macropodia rostrata: Ingle, R.W. 1992. Z1.Z2.M. (B).
- Macropodia tenuirostris* (Leach, 1814)
Macropodia longirostris: Lebour, M.V. 1927. Z1.Z2.M. (L).
Macropodia longirostris: Lebour, M.V. 1928. Z1.Z2.M. (L+R).
 * *Macropodia tenuirostris*: Salman, S.D. 1981. Z1.Z2.M. (L).
Macropodia tenuirostris: Ingle, R.W. 1982. Z1.Z2.M. (L).
Macropodia tenuirostris: Ingle, R.W. 1992. Z1.Z2.M. (B).
- Maja* sp.
Maia: Lebour, M.V. 1928. CG.
Maja: Ingle, R.W. 1982. Z.M. CG.
Maja S7: Paula, J. 1987. Z1. (P).
- Maja crispata* (Risso, 1827)
Maia verrucosa: Claus, C. 1876. Z1. (P).
Maja verrucosa: Mayer, P. 1877. NL.
Maja verrucosa: Cano, G. 1893a. Z1.Z2.M. (L).
Maia verrucosa: Williamson, H.C. 1915. Z1.LS.PL. (B).
Maia verrucosa: Heegaard, P. 1963. Z1. (L).
Maja verrucosa: Seridji, R. 1989. CG.
Maja crispata: Neumann, V. 1993. Z1. (L).
- Maja goetziana* d'Oliveira, 1888
 * *Maja goetziana*: Paula, J. 1988. Z1.Z2.M. (L).
- Maja squinado* (Herbst, 1788)
Maia squinado: Schlegel 1911. Z1.Z2.M. (L).
Maia squinado: Williamson, H.C. Z1.Z2.PL. (B). 1915.
Maia squinado: Lebour, M.V. 1927. Z1.Z2.M. (L).
Maia squinado: Lebour, M.V. 1928. Z1.Z2.M. (L+R).
Maja squinado: Gurney, R. 1942. Z1.Z2.M. (B).
Maia squinado: Kurian, C.V. 1956. Z1. (P).
Maja squinado: Bourdillon Casanova, L. 1960. M. (P).
Maja squinado: Yang, W.T. 1968. M. (B).
Maja squinado: Paula, J. 1985. Z1. (L).
 * *Maja squinado*: Clark, P.F. 1986. Z1.Z2.M. (L).
Maja squinado: Paula, J. 1988. Z1.Z2.M. (B).
Maja squinado: Seridji, R. 1989. CG.
Maja squinado: Ingle, R.W. 1992. Z1.Z2.M. (B). K.
- Pisa* sp.
Pisa sp.: Cano, G. 1893a. CG.
Pisa: Ingle, R.W. 1982. Z.M. CG.
- Pisa armata* (Latreille, 1803)
Inachus tetraodon: Williamson, H.C. 1915. Z1.M. (P).
Pisa biaculeata: Lebour, M.V. 1931b. Z1.Z2. (L).
Pisa gibbsi: Bourdillon Casanova, L. 1960. M. (P).
Pisa armata: Heegaard, P. 1963. Z1. (L).
Pisa armata: Ingle, R.W.; Clark, P.F. 1980. Z1.Z2.M. (L).
Pisa armata: Rice, A.L. 1980. Z1. (B).
Pisa armata: Hong, S.Y. 1988. Z1.Z2.M. (L).
Pisa armata: Ingle, R.W. 1992. Z1.Z2.M. (B). K.
 * *Pisa armata*: Rodriguez, A. 1997. Z1.Z2.M. (L).
- Pisa nodipes* (Leach, 1815)
Pisa sp. B: Bourdillon Casanova, L. 1960. Z1. (P).
Pisa nodipes: Heegaard, P. 1963. Z1. (L).
- Pisa tetraodon* (Pennant, 1777)
Pinnotheres veterum: Gourret, P. 1884. Z1. (L).
Pisa sp. A: Bourdillon Casanova, L. 1960. Z1. (P).
Pisa tetraodon: Heegaard, P. 1963. Z1. (L).
 * *Pisa tetraodon*: Rodriguez, A. 1997. Z1.Z2.M. (L).
- Rochinia* sp.
Rochinia: Ingle, R.W. 1982. Z.M. CG.
- Rochinia carpenteri* (Thomson, 1873)
 * *Rochinia carpenteri*: Ingle, R.W. 1979a. Z1.Z2.M. (L).
- Rochinia carpenteri*: Wear, R.G.; Fielder, D.R. 1985. Z1.M. (B).
Rochinia carpenteri: Ingle, R.W. 1992. Z1.Z2.M. (B). K.
- Family Parthenopidae** MacLeay, 1838
 Parthenopidae ASM 18: Rice, A.L.; Williamson, D.I. 1977. Z1.Z2. (P).
 Parthenopidae ASM 19: Rice, A.L.; Williamson, D.I. 1977. Z2.Z3. (P).
 Parthenopidae: Rice, A.L. 1980. CG.
- Heterocrypta maltzami* Miers, 1881
Heterocrypta maltzami: Thiriot, A. 1973. Z1. (L).
- Parthenope* sp.
Lambrus: Cano, G. 1893a. Z1-Z3. (P).
Lambrus sp.: Boraschi, L. 1921. Z1. (P).
 ? *Parthenope* sp. ASM 16: Rice, A.L.; Williamson, D.I. 1977. Z2-Z4. (P).
Parthenope? massena: Rice, A.L. 1980. Z3. (B).
Species S3: Paula, J. 1987. Z1. (P).
Parthenope S14: Paula, J. 1987. Z1. (P).
Species S15: Paula, J. 1987. Z1. (P).
- Parthenope angulifrons* Latreille, 1825
Lambrus angulifrons: Heegaard, P. 1963. Z1. (L).
Parthenope angulifrons: Yang, W.T. 1971. Z1. (B).
- Parthenope macrochelos* (Herbst, 1790)
Parthenope macrochelos: Mura, M.; Pessani, D. 1994. Z1. (L).
Parthenope macrochelos: Guerao, G.; Abelló, P. 1999. Z1. (L).
- Parthenope massena* (Roux, 1830)
Lambrus massena: Gourret, P. 1884. Z1. (L).
Lambrus (Rhinolambrus) massena: Bourdillon Casanova, L. 1960. Z1.Z2. (P).
Lambrus massena: Heegaard, P. 1963. Z1. (L).
Parthenope massena: Yang, W.T. 1971. Z1. (B).
 * *Parthenope massena*: Thiriot, A. 1973. Z1-Z4.M. (P).
Parthenope ? massena: Rice, A.L.; Williamson, D.I. 1977. Z2-Z5. (P).
Parthenope ? massena: Rice, A.L. 1980. Z3. (B).
Parthenope massena: Paula, J. 1987. (P).
Parthenope massena: Ingle, R.W. 1992. Z1-Z5.M. (B). K.
- Family Atelecyclidae** Ortmann, 1893
 Atelecyclidae: Rice, A.L. 1980. CG.
 Atelecyclidae: Boschi, E.E. 1981. CG.
Species S2: Paula, J. 1987. Z1.Z2. (P).
- Atelecyclus* sp.
 Larva C (*Atelecyclus* ?): Boraschi, L. 1921. Z1. (P).
Atelecyclus: Lebour, M.V. 1928. CG.
Species S1: Paula, J. 1987. Z2.Z3.Z5.M. (P).
Atelecyclus undecimdentatus?: Ingle, R.W. 1992. Z2.Z3.M. (B).
- Atelecyclus rotundatus* (Olivi, 1792)
Atelecyclus septemdentatus: Lebour, M.V. 1928. Z1-Z5.M. (L+P).
Atelecyclus septemdentatus: Kurian, C.V. 1956. M. (P).
Atelecyclus rotundatus: Bourdillon Casanova, L. 1960. Z4. (P).
Atelecyclus rotundatus: Bigot, J.L. 1979. Z1-Z5. (P).
 * *Atelecyclus rotundatus*: Hong, S.Y.; Ingle, R.W. 1987. Z1-Z5.M. (L).
Atelecyclus rotundatus: Ingle, R.W. 1992. Z1-Z5.M. (B). K.
- Family Cancridae** Latreille, 1803
 Cancridae: Lebour, M.V. 1928. CG.
 Cancridae: Rice, A.L. 1980. CG.
- Cancer* sp.
Cancer: Lebour, M.V. 1928. CG.
- Cancer bellianus* Johnson, 1861
Cancer sp. ASM 24: Rice, A.L.; Williamson, D.I. 1977. LS. (P).
Cancer bellianus?: Ingle, R.W. 1992. Z5. (B).
- Cancer pagurus* Linnaeus, 1758
Cancer germanus: Linnaeus, C. 1767. M. (P).
Megalopa armata?: Leach, W.E. 1817. M. (P).

- Cancer pagurus*: Thompson, J.V. 1828. Z1. (L).
Cancer pagurus: Couch, R.Q. 1853. Z1.M. (L).
Cancer pagurus: Pearson, J.C. 1908. Z1. (L).
Cancer pagurus: Williamson, H.C. 1915. Z1-Z3. (B).
Cancer pagurus: Lebour, M.V. 1928. Z1-Z5.M. (L+P).
Cancer pagurus: Rice, A.L. 1975. Z1. (L).
Cancer pagurus: Bigot, J.L. 1979. Z1-Z5. (P).
Cancer pagurus: Rice, A.L. 1980. Z1. (B).
* *Cancer pagurus*: Ingle, R.W. 1981. Z1-Z5.M. (L).
Cancer pagurus: Ingle, R.W. 1992. Z1-Z5.M. (B). K.
- Family Corystidae** Samouelle, 1819
Corystidae: Lebour, M.V. 1928. CG.
Corystidae: Rice, A.L. 1980. CG.
- Corystes* sp.
Corystes: Lebour, M.V. 1928. CG.
- Corystes cassivelaunus* (Pennant, 1777)
Corystes cassivelaunus: Gurney, R. 1902. Z1-Z4.M. (P).
Corystes cassivelaunus: Williamson, H.C. 1915. Z1-Z4.M. (P+B).
Corystes cassivelaunus: Lebour, M.V. 1928. Z1-Z5.M. (P+R).
Corystes cassivelaunus: Gurney, R. 1942. LS. (B).
* *Corystes cassivelaunus*: Ingle, R.W.; Rice, A.L. 1971. Z1-Z5.M. (L).
Corystes cassivelaunus: Rice, A.L. 1980. Z1.Z2.Z4.Z5. (B).
Corystes cassivelaunus: Ingle, R.W. 1992. Z1-Z5.M. (B). K.
- Family Pirimelidae** Alcock, 1819
Species S4: Paula, J. 1987. Z2. (P).
- Pirimela denticulata* (Montagu, 1808)
Pirimela denticulata: Kinahan, J.R. 1860. Z1. (L).
Pirimela denticulata: Cano, G. 1892a. M. (P).
Pirimela sp.: Williamson, H.C. 1915. M. (P).
Pirimela (*Pirimela*) *denticulata*: Williamson, H.C. 1915. Z1.M. (P).
Larva B (*Pirimela denticulata* ?): Boraschi, L. 1921. Z1.Z2. (P).
Pirimela denticulata: Lebour, M.V. 1944. Z1.Z2. (L).
Pirimela denticulata: Bourdillon Casanova, L. 1956. Z1-Z4.M. (L).
Pirimela denticulata: Bourdillon Casanova, L. 1960. Z1-Z4.M. (P).
Pirimela denticulata: Paula, J. 1987. Z1-Z4.M. (P).
Pirimela denticulata: Ingle, R.W. 1992. Z1-Z4.M. (B). K.
- Sirpus zariquieyi* Gordon, 1953
Sirpus zariquieyi: Bourdillon Casanova, L. 1960. Z1-Z4.M. (L+P).
- Family Thiidae** Dana, 1852
Thiidae: Lebour, M.V. 1928. CG
- Thia scutellata* (Fabricius, 1793)
Thia polita: Claus, C. 1876. Z1. (P).
Thia polita: Cano, G. 1892. Z1.Z3.Z4.M. (L+P).
Thia residua: Williamson, H.C. 1915. Z1.Z3.Z4.M. (B).
Thia polita: Lebour, M.V. 1928. Z2-Z4.M. (P).
* *Thia scutellata*: Ingle, R.W. 1984. Z1-Z4.M. (L).
Thia scutellata: Paula, J. 1987. Z1-Z4. (P).
Thia scutellata: Ingle, R.W. 1992. Z1-Z4.M. (B).
- Family Geryonidae** Colosi, 1923
Geryonidae: Rice, A.L. 1980. CG.
Geryon ? longipes: Seridji, R. 1989. Z1-Z4. (P).
- Geryon longipes* A. Milne Edwards, 1882
* *Geryon longipes*: Guerao, G.; Abelló, P.; Castejón, M.R.1996. Z1-Z4.M. (L).
- Geryon trispinosus* (Herbst, 1803)
Geryon tridens: Brattergard, T.; Sankarankutty, C. 1967. Z1. (L).
Bathynectes sp. A ASM 20: Rice, A.L.; Williamson, D.I. 1977. Z1. (P).
* *Geryon tridens*: Ingle, R.W. 1979. Z1-Z4.M. (L).
Geryon trispinosus: Terada, M. 1987. Z1-Z3. (L).
- Geryon trispinosus*: Ingle, R.W. 1992. Z1-Z4.M. (B).
Geryon trispinosus: Guerao, G.; Abelló, P.; Castejón, M.R.1996. Z1-Z4.M. (B).
- Family Portunidae** Rafinesque, 1815
Portunus sp.: Williamson, H.C. 1915. (P).
Portunidae: Lebour, M.V. 1928. CG.
Portunus: Gurney, R. 1942. CG.
NRS 43: Williamson, D.I. 1970. Z3-Z5.M. (P).
NRS 44: Williamson, D.I. 1970. Z2 (P).
NRS 45: Williamson, D.I. 1970. Z3. (P).
Portunidae: Rice, A.L.; Ingle, R.W. 1975a. CG.
Portunidae: Rice, A.L. 1980. CG.
Portunidae: Boschi, E.E. 1981. CG.
Portunidae: Seridji, R. 1989. CG. K.
- Bathynectes* sp.
Bathynectes sp. A ASM 20: Rice, A.L.; Williamson, D.I. 1977. Z1. (P).
Bathynectes sp. B ASM 21: Rice, A.L.; Williamson, D.I. 1977. Z1. (P).
- Bathynectes longipes* (Risso, 1816)
Bathynectes longipes: Lebour, M.V. 1928. Z1. (L).
Bathynectes longipes: Lebour, M.V. 1931b. Z1. (L).
Bathynectes superba: Roberts, M.H. 1969. Z1-Z5. (L).
Bathynectes sp. B ASM 21: Rice, A.L.; Williamson, D.I. 1977. Z2. (P).
* *Bathynectes longipes*: Ingle, R.W. 1985a. Z1-Z5.M. (L).
Bathynectes longipes: Ingle, R.W. 1992. Z1-Z5.M. (B).
- Carcinus aestuarii* Czerniavsky, 1884
* *Carcinus mediterraneus*: Rice, A.L.; Ingle, R.W. 1975. Z1-Z4.M. (L).
- Carcinus maenas* (Linnaeus, 1758)
Monoculus taurus: Slabber, M. 1778. Z2.M?. (P).
Monoculus taurus: Slabber, M. 1781. Z2.M?. (P).
Monoculus taurus: Latreille, P.A. 1802. Z2. (P).
Carcinus maenas: Du Cane, C. 1839a. Z1.
Carcinus maenas: Dalyell, J.G. 1851. Z1. (L).
Carcinus: Bate, C.S. 1859. Z1.Z3?.M. (L).
Carcinus maenas: Claus, C. 1861. Z. (P).
Carcinus maenas: Stuxberg, A. 1874. NL.
Carcinus maenas: Faxon, W.A. 1880. Z1. (L).
Carcinus maenas: Brooks, W.K. 1884. M. (R).
Portunus maenas: Williamson, H.C. 1915. Z1.Z4.M. (P).
Carcinus maenas: Jorgensen, O.M. 1918. Z1.Z2.Z3?.Z4.M. (L).
Carcinus moenas: Boraschi, L. 1921. Z1. (P).
Carcinus maenas: Lebour, M.V. 1928. Z1-Z4.M. (L+P).
Carcinus maenas: Shen, C.J. 1935. M. (P).
Carcinus maenas: Williams, B.G. 1968. Z1-Z4. (B).
* *Carcinus maenas*: Rice, A.L.; Ingle, R.W. 1975. Z1-Z4.M. (L).
Carcinus maenas: Rice, A.L. 1980. Z1.Z3.Z4. (B).
Carcinus maenas: Hong, S.Y. 1988. Z1-Z4.M. (L).
Carcinus maenas: Paula, J. 1988a. Z1-Z4.M. (B).
Carcinus maenas: Ingle, R.W. 1992. Z1-Z4.M. (B).
- Liocarcinus* sp.
Macropipus sp. A ASM 22: Rice, A.L.; Williamson, D.I. 1977. Z1.Z3. (P).
Macropipus sp. B ASM 23: Rice, A.L.; Williamson, D.I. 1977. Z3. (P).
- Liocarcinus arcuatus* (Leach, 1814)
Portunus arcuatus: Lebour, M.V. 1928. Z1.M. (L+R).
* *Liocarcinus arcuatus*: Clark, P.F. 1984. Z1-Z5. (L).
Liocarcinus arcuatus: Ingle, R.W. 1985a. Z1-Z5.M. (B).
Liocarcinus arcuatus: Ingle, R.W. 1992. Z1-Z5.M. (B).
- Liocarcinus corrugatus* (Pennant, 1777)
Portunus corrugatus: Lebour, M.V. 1928. Z1. (L).
Liocarcinus corrugatus: Clark, P.F. 1984. Z1-Z5. (L).
Macropipus corrugatus: Wear, R.G.; Fielder, D.R. 1985. Z1.Z2.Z4. (L+P+B).
Liocarcinus corrugatus: Ingle, R.W. 1985a. Z1-Z5. (B).
Liocarcinus corrugatus: Hong, S.Y. 1988. Z1-Z5.M. (L).
Liocarcinus corrugatus: Ingle, R.W. 1992. Z1-Z5.M. (B).

- * *Liocarcinus corrugatus*: Kim, K.B.; Hong, S.Y. 1999. Z1-Z5.M. (L).
- Liocarcinus depurator* (Linnaeus, 1758)
Portunus depurator: Stuxberg, A. 1874. NL.
Portunus depurator: Williamson, H.C. 1910. Z1. (L+P).
Portunus depurator: Björck, W. 1913a. Z3-Z5.M. (P).
Portunus depurator: Williamson, H.C. 1915. Z1-Z5.M. (P).
Megalopa montagui: Williamson, H.C. 1915. M. (P).
Portunus depurator: Lebour, M.V. 1928. Z1-Z3.M. (L+P).
Liocarcinus depurator: Clark, P.F. 1984. Z2-Z5. (L).
Liocarcinus depurator: Ingle, R.W. 1985a. Z1-Z5.M. (B).
Liocarcinus depurator: Ingle, R.W. 1992. Z1-Z5.M. (B).
- Liocarcinus holsatus* (Fabricius, 1798)
Portunus holsatus: Williamson, H.C. 1910. Z1-Z5.M. (L+P).
Portunus holsatus: Williamson, H.C. 1915. Z1-Z5.M. (P).
Portunus holsatus: Lebour, M.V. 1928. Z1.M. (L+P).
* *Macropipus holsatus*: Rice, A.L.; Ingle, R.W. 1975a. Z1-Z5.M. (L).
Macropipus holsatus: Rice, A.L.; Ingle, R.W. 1978. Z1-Z5.M. (B).
Macropipus holsatus: Rice, A.L. 1980. Z5. (B).
Liocarcinus holsatus: Clark, P.F. 1984. Z1-Z5. (B).
Macropipus holsatus: Wear, R.G.; Fielder, D.R. 1985. M. (B).
Liocarcinus holsatus: Ingle, R.W. 1985a. Z1-Z5.M. (B).
Liocarcinus holsatus: Hong, S.Y. 1988. Z5.M. (L).
Liocarcinus holsatus: Ingle, R.W. 1992. Z1-Z5.M. (B).
- Liocarcinus marmoreus* (Leach, 1814)
Portunus marmoreus: Williamson, H.C. 1915. Z1.M. (P).
Portunus marmoreus: Lebour, M.V. 1928. Z1.M. (L+P).
* *Macropipus marmoreus*: Goldstein, B. 1971. Z1-Z5.M. (L).
Macropipus marmoreus: Rice, A.L.; Ingle, R.W. 1975a. Z1-Z5.M. (B).
Macropipus marmoreus: Rice, A.L.; Ingle, R.W. 1978. Z1-Z5.M. (B).
Liocarcinus marmoreus: Clark, P.F. 1984. Z1-Z5. (B).
Liocarcinus marmoreus: Ingle, R.W. 1985a. Z1-Z5.M. (B).
Liocarcinus marmoreus: Ingle, R.W. 1992. Z1-Z5.M. (B).
- Liocarcinus pusillus* (Leach, 1815)
Portunus pusillus: Lebour, M.V. 1928. Z1. (L).
* *Macropipus pusillus*: Rice, A.L.; Ingle, R.W. 1978. Z1-Z5.M. (L).
Macropipus pusillus: Rice, A.L. 1980. Z2-Z5. (B).
Liocarcinus pusillus: Clark, P.F. 1984. Z1-Z5. (B).
Liocarcinus pusillus: Ingle, R.W. 1985a. Z1-Z5.M. (B).
Liocarcinus pusillus: Ingle, R.W. 1992. Z1-Z5.M. (B).
- Liocarcinus vernalis* (Leach, 1815)
Liocarcinus vernalis: Mura, M.; Pessani, D. 1994. Z1. (L).
- Macropipus tuberculatus* (Roux, 1830)
Macropipus tuberculatus: Guerao, G.; Abelló, P. 1999. Z1-Z3. (L).
- Necora puber* (Linnaeus, 1767)
Cancer rhomboidalis: Montagu, G. 1804. M. (P).
Portunus puber: Williamson, H.C. 1910. Z1-Z5.M. (L+P).
Portunus puber: Williamson, H.C. 1915. Z1-Z5.M. (L+P).
Portunus puber: Lebour, M.V. 1928. Z1-Z5.M. (L).
Macropipus puber: Bourdillon Casanova, E.L. 1960. CG.
* *Macropipus puber*: Rice, A.L.; Ingle, R.W. 1975a. Z1-Z5.M. (L).
Macropipus puber: Rice, A.L.; Ingle, R.W. 1978. Z1-Z5.M. (B).
Macropipus puber: Bigot, J.L. 1979. Z1-Z5. (P).
Liocarcinus puber: Clark, P.F. 1984. Z1-Z5. (B).
Liocarcinus puber: Ingle, R.W. 1985a. Z1-Z5.M. (B).
Liocarcinus puber: Mene 1987. Z1-Z5.M. (L).
Necora puber: Ingle, R.W. 1992. Z1-Z5.M. (B).
- Polybius henslowii* Leach, 1820
Polybius henslowii: Legendre, R. 1940. Z.M.(P).
Polybius henslowii: Lebour, M.V. 1944. Z1. (L).
Polybius henslowii: Sivertsen, E.; Holthuis, L.B. 1956. M. (P).
Polybius henslowii: Paula, J. 1985. Z1. (L).
Polybius henslowii: Ingle, R.W. 1992. Z1.M. (B).
- Portumnus latipes* (Pennant, 1777)
Pirimela denticulata?: Lebour, M.V. 1928. Z4.M. (P).
Portumnus latipes: Lebour, M.V. 1944. Z1.Z2.Z4.M. (L+P).
Portumnus latipes: Paula, J. 1987. Z1-Z4.M. (P).
* *Portumnus latipes*: Paula, J. 1988a. Z1-Z4.M. (L).
Portumnus latipes: Ingle, R.W. 1992. Z1-Z4.M. (B). K.
- Portunus sp.*
Portunus: Boschi, E.E. 1981. CG.
- Xaiva biguttata* (Risso, 1816)
Portumnus biguttatus: Lebour, M.V. 1928. M. (P).
Portumnus biguttatus: Lebour, M.V. 1944. M. (P).
Xaiva biguttata: Ingle, R.W. 1992. M. (B).
- Family Goneplacidae** MacLeay, 1838
Goneplacidae: Rice, A.L. 1980. CG.
- Goneplax sp.*
Goneplax: Lebour, M.V. 1928. CG.
- Goneplax rhomboides* (Linnaeus, 1758)
Goneplax rhomboides: Williamson, H.C. 1915. PL. (B).
Goneplax sp.: Boraschi, L. 1921. Z1. (P).
Goneplax angulata: Caroli, E. 1927. Z1-Z4.M.
Goneplax rhomboides: Lebour, M.V. 1928. Z1-Z4.M. (L+P).
Goneplax rhomboides: Kurian, C.V. 1956. Z2-Z4.M. (P).
Goneplax angulata: Bourdillon Casanova, L. 1960. Z1.M. (P+B).
Goneplax rhomboides ASM 28: Rice, A.L.; Williamson, D.I. 1977. Z2-Z4. (P).
Goneplax rhomboides: Ingle, R.W. 1979. CG.
Goneplax rhomboides: Rice, A.L. 1980. Z3. (B).
* *Goneplax rhomboides*: Ingle, R.W.; Clark, P.F. 1983. Z1-Z4.M. (L).
Goneplax rhomboides: Ingle, R.W. 1992. Z1-Z4.M. (B). K.
- Family Xanthidae** Dana, 1851
Xanthidae: Lebour, M.V. 1928. CG.
Xanthide G.M.1: Bourdillon Casanova, L. 1960. Z1.Z2. (P).
Menippinae or Trapezinae ASM 26: Rice, A.L.; Williamson, D.I. 1977. Z3.Z4. (P).
Xanthidae: Rice, A.L. 1980. CG.
Xanthidae: Boschi, E.E. 1981. CG.
Xanthidae: Martin, J.W. 1984. CG. (B).
- Eriphia sp.*
Eriphia: Martin, J.W. 1984. (B). K.
- Eriphia verrucosa* (Forskål, 1775)
Eriphia spinifrons: Cano, G. 1892a. CG.
Eriphia spinifrons: Boraschi, L. 1921. Z1. (P).
Eriphia spinifrons: Bourdillon Casanova, L. 1960. Z1-Z3. (L+P).
* *Eriphia verrucosa*: Lumare, F.; Gozzo, S. 1972. Z1-Z4.M. (L).
- Monodaeus couchi* (Couch, 1851)
* *Monodaeus couchi*: Ingle, R.W. 1983. Z1-Z4.M. (L).
Monodaeus couchi: Hong, S.Y. 1988. Z1-Z4.M. (L).
Monodaeus couchi: Ingle, R.W. 1992. Z1-Z4.M. (B). K.
- Panopeus africanus* A. Milne Edwards, 1867
Panopeus ? africanus ASM 27: Rice, A.L.; Williamson, D.I. 1977. Z2. (P).
* *Panopeus africanus*: Rodríguez, A.; Paula, J. 1993a. Z1-Z4.M. (L).
- Pilumnus sp.*
Pilumnus sp.: Cano, G. 1892a. Z1-Z3.M2. (L).
Pilumnus sp.: Williamson, H.C. 1915. Z1. (P).
Pilumnus: Lebour, M.V. 1928. CG.
Pilumnus ? inermis ASM 25: Rice, A.L.; Williamson, D.I. 1977. Z3. (P).
- Pilumnus hirtellus* (Linnaeus, 1761)
Pilumnus hirtellus?: Mayer, P. 1877. Z1. (L).
Pilumnus hirtellus: Williamson, H.C. 1915. Z1. (P+B).

- Pilumnus hirtellus*: Boraschi, L. 1921. Z1. (P).
Pilumnus hirtellus: Lebour, M.V. 1928. Z1-Z4.M. (L).
Pilumnus hirtellus: Bourdillon Casanova, L. 1960. Z1. (L).
Pilumnus hirtellus: Salman, S.D. 1982b. Z1-Z4.M. (L+R).
 * *Pilumnus hirtellus*: Ingle, R.W. 1983. Z1-Z4.M. (L).
Pilumnus hirtellus: Hong, S.Y. 1988. Z1-Z4.M. (L).
Pilumnus hirtellus: Ingle, R.W. 1992. Z1-Z4.M. (B). K.
- Pilumnus spinifer* H. Milne Edwards, 1834
Pilumnus spinifer: Gourret, P. 1884. Z1. (L).
- Rhithropanopeus harrisii* (Gould, 1841)
Rhithropanopeus harrisii: Connolly, C.J. 1925. Z1-Z4.M. (P).
Rhithropanopeus harrisii: Chamberlain, N.A. 1962. Z1-Z4.M. (L).
Rhithropanopeus harrisii: Hood, M.R. 1962. Z1-Z4.M. (L).
Rhithropanopeus harrisii: Martin, J.W. 1984. K.
Rhithropanopeus harrisii: Ingle, R.W. 1992. Z1-Z4.M. (B).
- Xantho* sp.
Xantho sp.: Williamson, H.C. 1915. Z1-Z4.M. (P).
Xantho: Boraschi, L. 1921. Z1. (P).
Xantho: Lebour, M.V. 1928. CG.
- Xantho incisus* Leach, 1814
Xantho incisus: Lebour, M.V. 1928. Z1-Z4.M. (L).
Xantho incisus: Kurian, C.V. 1956. M. (P).
Xantho incisus: Bourdillon Casanova, L. 1960. Z1. (P).
 * *Xantho incisus*: Ingle, R.W. 1983. Z1-Z4.M. (L).
Xantho incisus: Ingle, R.W. 1992. Z1-Z4.M. (B).
- Xantho pilipes* A. Milne Edwards, 1867
Xantho hydrophilus: Williamson, H.C. 1915. Z1. (P).
- Xantho poressa* (Olivi, 1792)
Xantho rivulosus: Gourret, P. 1884. Z1. (L).
Xantho hydrophilus: Lebour, M.V. 1928. Z1. (L).
Xantho poressa: Bourdillon Casanova, L. 1960. Z1. (P).
 * *Xantho poressa*: Rodríguez, A.; Martin, J.W. 1997. Z1-Z4.M. (L).
- Family Grapsidae** MacLeay, 1838
 Zoe GM2: Bourdillon Casanova, L. 1960. Z2. (P).
 Grapsidae EM20: Williamson, D.I. 1967. LS. (P).
 Plagusinae ASM 29: Rice, A.L.; Williamson, D.I. 1977. Z1. (P).
 Grapsinae ASM 30: Rice, A.L.; Williamson, D.I. 1977. Z3. (P).
 Grapsinae ASM 31: Rice, A.L.; Williamson, D.I. 1977. LS. (P).
 Grapsidae: Rice, A.L. 1980. CG.
 Species S5: Paula, J. 1987. Z5. (P).
- Brachynotus atlanticus* Forest, 1957
 * *Brachynotus atlanticus*: Rodríguez, A.; González-Gordillo, J.I.; Cuesta, J.A. 1992. Z1-Z5.M. (L).
- Brachynotus sexdentatus* (Risso, 1827)
Brachynotus sexdentatus: Cano, G. 1891. Z1-Z3.M1.M2. (L).
Brachynotus sexdentatus: Bourdillon Casanova, L. 1960. Z1.Z3-Z5.M. (L+P).
Brachynotus sexdentatus: Paula, J. 1987. Z2. (P).
 * *Brachynotus sexdentatus*: Cuesta, J.A.; Schubart, C.; Rodríguez, A. In press. Z1-Z5.M. (L).
- Grapsus adscensionis* (Osbeck, 1765)
Grapsus adscensionis: Cuesta, J.A.; González-Gordillo, J.I.; Rodríguez, A. 1997. Z1. (L).
- Pachygrapsus* sp.
Paradesmarestia prototypa: Czerniavsky, V. 1880. M. (P).
- Pachygrapsus marmoratus* (Fabricius, 1787)
Pachygrapsus marmoratus: Cano, G. 1892. Z1.Z3?.Z4?.Z5.M. (L+P).
Pachygrapsus marmoratus: Williamson, H.C. 1915. Z1.Z2.Z5?. (P).
Pachygrapsus marmoratus: Hyman, O.W. 1924. Z1.Z3?.Z5?.M. (L+P+B). K.
Pachygrapsus marmoratus: Bourdillon Casanova, L. 1960. Z1. (P).
Pachygrapsus marmoratus: Paula, J. 1985. Z1. (L).
Pachygrapsus marmoratus: Ingle, R.W. 1987. Z1. (L).
- Pachygrapsus marmoratus*: Ingle, R.W. 1992. Z1.M. (B). K.
Pachygrapsus marmoratus: Cuesta, J.A.; Rodríguez, A. 1994. Z2. (L).
Pachygrapsus marmoratus: Guerao, G.; Abelló, P.; Cuesta, J.A. 1997. M. (P).
Pachygrapsus marmoratus: Cuesta, J.A.; González-Gordillo, J.I.; Rodríguez, A. 1997. Z1. (B).
Pachygrapsus marmoratus: Cuesta, J.A.; Rodríguez, A. In press. ZIII-ZVI. (L).
- Pachygrapsus maurus* (Lucas, 1846)
Pachygrapsus maurus: Cuesta, J.A.; Rodríguez, A. 1994. Z1.Z2. (L).
- Pachygrapsus transversus* (Gibbes, 1850)
Pachygrapsus transversus: Lebour, M.V. 1944a. Z1. (L).
Pachygrapsus transversus: Rossignol, M. 1957. M. (P).
Pachygrapsus transversus: Ingle, R.W. 1987. Z1. (L).
Pachygrapsus transversus: Cuesta, J.A.; Rodríguez, A. 1994. Z2. (L).
Pachygrapsus transversus: Brossi-García, A.L.; Rodríguez, M.D. 1997. Z1-Z7. (L).
- Percnon gibbesi* (H. Milne Edwards, 1853)
Pluteocaris sp.: Claus, C. 1876. Z. (P).
Percnon gibbesii: Lebour, M.V. 1944a. Z1.M. (L+P)
 * *Percnon gibbesi*: Paula, J.; Hartnoll, R.G. 1989. Z1-Z6.M. (L+P).
- Plagusia depressa* (Fabricius, 1775)
 * *Plagusia depressa*: Wilson, K.A.; Gore, R.H. 1980. Z1-Z5. (L).
- Planes minutus* (Linnaeus, 1758)
Nautilograpsus: Cano, G. 1892. Z1?.M.
Planes minutus: Hyman, O.W. 1924. Z1. (L).
Planes minutus: Lebour, M.V. 1944a. Z1.M. (L+P)
Planes minutus: Cuesta, J.A.; González-Gordillo, J.I.; Rodríguez, A. 1997. Z1. (L).
- Family Pinnotheridae** De Haan, 1833
 Pinnotheridae: Lebour, M.V. 1928. CG.
 Pinnotheridae: Rice, A.L. 1980. CG.
 Pinnotheridae: Boschi, E.E. 1981. CG.
- Asthenognathus atlanticus* Monod, 1933
 * *Tritodynamia atlantica*: Bocquet, C. 1965. Z1-Z5.M. (L).
Asthenognathus atlanticus: Ingle, R.W. 1992. Z1-Z5.M. (B). K.
- Neopinnotheres pinnotheres* (Linnaeus, 1758)
Pinnotheres Marioni: Gourret, P. 1888. Z1. (L+P).
Pinnotheres veterum: Hyman, O.W. 1924a. Z1. (B). K.
Pinnotheres veterum: Lebour, M.V. 1928. Z1.Z2.M. (L).
Pinnotheres veterum: Lebour, M.V. 1928a. Z1.Z2.M. (P+R).
Pinnotheres veterum: Gurney, R. 1942. Z1. (B).
 * *Pinnotheres pinnotheres*: Atkins, D. 1955. Z1.Z2.M. (L+P).
Pinnotheres pinnotheres: Paula, J. 1987. Z1.Z2. (P).
Pinnotheres pinnotheres: Hong, S.Y. 1988. Z1.Z2.M. (L).
Pinnotheres pinnotheres: Seridji, R. 1989. Z2. (P).
Pinnotheres pinnotheres: Ingle, R.W. 1992. Z1.Z2.M. (B). K.
- Pinnotheres* sp.
 Gen. *Pinnotheres*: Lebour, M.V. 1928. CG.
- Pinnotheres pisum* (Linnaeus, 1767)
Pinnotheres pisum: Williamson, H.C. 1915. Z1. (P).
Pinnotheres pisum: Hyman, O.W. 1924a. Z1. (B). K.
Pinnotheres pisum: Lebour, M.V. 1928. Z1.Z2?. (L+P).
Pinnotheres pisum: Lebour, M.V. 1928a. Z1. (L).
 * *Pinnotheres pisum*: Atkins, D. 1955. Z1-Z4.M. (L+P).
Pinnotheres pisum: Rice, A.L. 1975. Z1. (L).
Pinnotheres pisum: Rice, A.L. 1980. Z1. (B).
Pinnotheres pisum: Hong, S.Y. 1988. Z1.Z5.M. (L).
Pinnotheres pisum: Ingle, R.W. 1992. Z1-Z4.M. (B). K.
- Family Ocypodidae** Rafinesque, 1815
- Uca tangeri* (Eydoux, 1835)
Uca tangeri: Paula, J. 1985. Z1. (L).
 * *Uca tangeri*: Rodríguez, A.; Jones, D.A. 1993. Z1-Z5.M. (L).

REFERENCES

- Aikawa, H. – 1929. On larval forms of some Brachyura. *Rec. Oceanogr. W. Japan*, 2(1): 17-55.
- Al-Kholy, A.A. – 1959. Larval stages of the three anomuran Crustacea. *Publ. Mar. Biol. Sta. Al-Ghardaqa*, 10: 83-89.
- Al-Kholy, A.A. and El-Hawary, M.M. – 1970. Some penaeids of the red sea. *Bull. Inst. Oceanogr. Fish.* 1: 341-377.
- Andersen, F.S. – 1962. The norway lobster in Faeroe waters. *Meddr. Danm. Fisk. Havunders.*, 3 (9): 265-326.
- Atkins, D. – 1955. The post-embryonic development of British Pinnotheres (Crustacea). *Proc. Zool. Soc. London*, 124: 687-715.
- Balss, H. – 1925. Macrura der Deustcehn Tiefsee-Expedition. I. Palinura, Astacura und Thalassinidea. *Wiss. Ergebn. Valdivia Exp.*, 20: 189-216.
- Barnich, R. – 1996. *The larvae of the Crustacea Decapoda (excl. Brachyura) in the plankton of the French Mediterranean Coast (Identification keys and systematic review)*. Ph. D. thesis, Univ. Münster, 189 pp.
- Barnich, R. – 1996a. The identification of the penultimate larval stage of the Processidae (Crustacea, Decapoda, Caridea) from the French coast of the Mediterranean sea. *Vie et Milieu*, 46: 39-44.
- Bate, C.S. – 1859. On the development of decapod crustacea. *Phil. Trans. R. Soc. London*, 148: 589-605.
- Bate, C.S. – 1878. Report on the present stage of our knowledge of Crustacea. IV. On development. *Rep. Brit. Ass. Adv. Sci.*, 48: 193-209.
- Bate, C.S. – 1888. Report on the Crustacea Macrura dredged by H.M.S. Challenger during the years 1873-1876. *Rep. Voy. Challenger*, 24: 1-942.
- Bernard, F. – 1953. Decapoda Eryonidae (*Eryoneicus* et *Willemoesia*). *Dana Report*, 37: 1-93.
- Bhuti, G.S., Shenoy, S. and Sankolli, K.N. – 1977. Laboratory reared alpheid larvae of the genera *Automate*, *Athanas* and *Synalpheus* (Crustacea, Decapoda, Alpheidae). 588-600.
- Bigot, J.L. – 1979. Identification des zoés de tourteau (*Cancer pagurus* L.) et d'étrille (*Macropipus puber* L.). *Cons. Int. Explor. Mer.*, 17: 1-15.
- Birshteyn, A.A. – 1938. Zemetka o Decapoda iz planktona, sobrannogo vo vremya plavaniya ledokolov Sadko i Litke v Arktike. *Byull. M. O.-Va Isp. Prirody Otd. Biol.*, 47: 199-209.
- Björck, W. – 1911. Bidrag till kannedom om Decapodernas larvutveckling. I: Passiphaea. *Ark. Zool.*, 7(15): 1-17.
- Björck, W. – 1913. Beiträge zur Kenntnis der Decapodenmetamorphose. II. Über das postlarvale stadium von *Calocaris macandreae* Bell. *Ark. Zool.*, 8: 1-8.
- Björck, W. – 1913a. Biologisch-Faunistische Untersuchungen dem resund I. Pantopoda, Mysidacea und Decapoda. *Acta Univ. Lund.*, 9(17): 1-40.
- Boas, J.E.V. – 1880. Studies over decapodernes slaegtkskabsforhold. K. *Dans. vidensk. Selsk. Skr.*, 6: 25-210.
- Bocquet, C. – 1954. Développement larvaire d'*Achaeus cranchii* Leach (Décapode, Oxyrhynque). *Bull. Soc. Zool. France*, 79(1): 50-56.
- Bocquet, C. – 1965. Stages larvaires et juvéniles de *Tritodynamia atlantica* (Th. Monod) (= *Asthenognathus atlanticus* Th Monod) et position Systématique de ce crabe. *Cah. Biol. Mar.*, 6: 407-418.
- Bookhout, C.G. – 1972. Larval development of the hermit crab, *Pagurus alatus* Fabricius, reared in the laboratory (Decapoda, Paguridae). *Crustaceana*, 22(3): 213-238.
- Boraschi, L. – 1921. Osservazione sulle larve dei Crostacei Decapodi: brachyuri e anomuri. *Mem. R. Com. Talassogr. Ital.*, 87: 1-32.
- Boschi, E.E. – 1981. Larvas de Crustacea Decapoda. In: D. Boltovsky (ed). *Atlas del zooplankton del Atlántico Sudoccidental y métodos de trabajo con zooplankton marino*, pp. 699-758. INIDEP, Mar del Plata.
- Bourdillon Casanova, L. – 1956. Le développement larvaire de *Pirimela denticulata* Montagu (Crustacea Decapoda). *Bull. Inst. Oceanogr. Monaco*, 1073: 1-8.
- Bourdillon Casanova, L. – 1956a. Note sur la présence de *Porcellana bluteli* (Risso) dans le golfe de Marseille et sur le développement larvaire de cette espèce. *Cons. Int. Explor. Mer.*, 13: 225-232.
- Bourdillon Casanova, L. – 1960. Le meroplankton du Golfe de Marseille: les larves de crustacés décapodes. *Rec. Trav. Stat. Mar. Endoume*, 30(18): 1-286.
- Bouvier, E.L. – 1891. Les glaucothoes sont-elles des larves de Pagures?. *Ann. Sci. Nat.*, 12: 65-82.
- Bouvier, E.L. – 1905. Nouvelles observations sur les Glaucothoes. *Bull. Mus. Oceanogr. Monaco*, 2(51): 1-15.
- Bouvier, E.L. – 1913. Sur les genres *Pseudibacus* et *Nisto*, et le stade natant des Crustacés décapodes macroures de la famille des Scyllarides. *C. R. Hebd. Acad. Sci.*, 156(22): 1643-1648.
- Bouvier, E.L. – 1913a. Observations nouvelles sur le développement larvaire de la langouste commune *Palinurus vulgaris* Latreille. *C. R. Acad. Sci. Paris*: 457-463.
- Bouvier, E.L. – 1914. Observations nouvelles sur les trachélifer, larves luciferiformes de *Jaxea nocturna*. *J. Mar. Biol. Assoc. U. K.*, 10(2): 194-206.
- Bouvier, E.L. – 1914a. Recherches sur le développement post-embryonnaire de la langouste commune (*Palinurus vulgaris*). *J. Mar. Biol. Assoc. U. K.*, 10: 179-193.
- Bouvier, E.L. – 1922. Observations complémentaires sur les crustacés décapodes (Abstraction faite des Carides) provenant des campagnes de S.A.S. le Prince de Monaco. *Resul. Camp. Sci.*, 62: 107 pp.
- Bowman, T.E. and Abele, L.G. – 1982. Classification of the recent Crustacea. In: D.E. Bliss (ed.): *The biology of Crustacea, Vol. 1: Systematics, the fossil record, and biogeography*, pp.1-27. Academic Press, New York.
- Brattergard, T. and Sankarankutty, C. – 1967. On prezoaea and zoea of *Geryon tridens* Kröyer (Crustacea, Decapoda). *Sarsia*, 26: 7-12.
- Brooks, W.K. – 1880. The young of the crustacean *Lucifer*, a nauplius. *Amer. Nat.*, 14: 806-808.
- Brooks, W.K. – 1882. *Lucifer*, a study in morphology. *Phil. Trans. R. Soc.*, 173: 57-137.
- Brooks, W.K. – 1884. On the rate of development of the common shore-crab (*Carcinus maenas*). *Ann. Mag. Nat. Hist.*, 14: 202-207.
- Brooks, W.K. – 1889. Notes on a *Lucifer*-like decapod larva from the west coast of Scotland. *Proc. R. Soc. Edinb.*, 15: 420-423.
- Brossi-García, A.L. and Domínguez, M. – 1997. Zoeal morphology of *Pachygrapsus transversus* (Gibbes) (Decapoda, Grapsidae) reared in the laboratory. *Rev. Bras. Zool.*, 14 :803-819.
- Bull, H.O. – 1933. The newly-hatched larvae of *Calocaris macandreae* Bell. *Rep. Dove Mar. Lab.*, 1(3): 48-50.
- Bull, H.O. – 1937. Notes on the British species of the genus *Galathea* Fab. *Rep. Dove Mar. Lab.*, 3(4): 38-52.
- Bull, H.O. – 1939. The newly-hatched larva of *Spirontocaris pusilla* (Kröyer). *Rep. Dove Mar. Lab.*, 6(3): 43-44.
- Burkenroad, M.D. – 1983. Natural classification of Dendrobranchiata, with a key to recent genera. *Crust. issues*, 3: 279-290.
- Calafiore, N., Costanzo, G. and Giacobbe, S. – 1991. Mediterranean species of the genus *Pontonia* Latreille, 1829. I. Developmental stages of *Pontonia pinnophylax* (Otto, 1821) (Decapoda, Natantia, Pontoniinae) reared in the laboratory. *Crustaceana*, 60(1): 52-75.
- Cano, G. – 1891. Sviluppo postembrionale dei Gonoplacidi. *Atti Acad. Sci. Torino*, 26: 639-648.
- Cano, G. – 1891a. Sviluppo postembrionale della *Gebia*, *Axius*, *Callianassa* e *Callinax*. Morfologia dei Talassinidi. *Boll. Soc. Nat. Napoli*, 1: 5-30.
- Cano, G. – 1891b. Sviluppo post-embriionale dello *Stenopus spinosus* Risso. Studio morfologico. *Boll. Soc. Nat. Napoli, Sr.1*, 5(2): 134-137.
- Cano, G. – 1892. Sviluppo postembrionale dei Dorippidei, Leucosiadi, Corystoidei e Grapsidi. *Mem. Soc. Ital. Sci. Nat.*, 8(4): 1-14.
- Cano, G. – 1892a. Sviluppo postembrionale dei Cancridi. *Bull. Ent. Ital.*, 24: 146-158.
- Cano, G. – 1893. Sviluppo dei Dromidei. *Att. Acad. Sci. Fis. Mat. Napoli*, 6(2): 1-23.
- Cano, G. – 1893a. Sviluppo e morfologia degli oxyrhynchi. *Mitt. Zool. Stat. Neapel*, 10: 527-583.
- Cano, G. – 1894. *Dorippe*, studio morfologico. *Att. Acad. Sci. Fis. Mat. Napoli*, 6(9): 1-9.
- Carayon, J. – 1942. Sur le stade glaucothoe du pagure *Clibanarius misanthropus* et sur l'établissement de la dissymétrie chez les pagures. Comparaison avec *Glaucothoe Grimaldii*. *C. R. Seanc. Acad. Sci.*, 214: 387-389
- Carli, A. – 1978. Chiave analitica per l'identificazione degli stadi larvali planctonici e del primo stadio postlarvale di *Palaemon elegans*, *P. serratus*, *P. xiphias* (Crustacea, Decapoda). *Mem. Biol.Mar. Ocean.*, 8(5): 115122.
- Carli, A. and Marchi, M. – 1979. Osservazioni sugli stadi larvali

- planctonici di *Palaemon xiphias* Risso, 1816 allevati in laboratorio (Crustacea, Decapoda). *Boll. Mus. Ist. Biol. Univ. Genova*, 47: 5-20.
- Carli, A. and Vignola, S. – 1977. Osservazioni sugli stadi larvali planctonici di *P. elegans* Rathke, 1837 allevate in laboratorio. *Boll. Pesca Pisc. Idrobiol.*, 34: 1-22.
- Caroli, E. – 1918. *Miersia clavigera* Chun, stadio misidiforme di *Lysmata seticaudata*. *Pub. Staz. Zool. Napoli*, 2: 177-189.
- Caroli, E. – 1924. Sviluppo larvale e primo stadio postlarvale della *Jaxea nocturna* Nardo (= *Calliaxis adriatica* Heller). *Pub. Staz. Zool. Napoli*, 5: 153-198.
- Caroli, E. – 1926. La zoea dei Pontoniinae. *Boll. Soc. Nat. Napoli*, 37: 3-5.
- Caroli, E. – 1927. Sviluppo larvale della *Gonoplax angulata* (Pennant). *Boll. Soc. Nat. Napoli*, 38: 161-166.
- Caroli, E. – 1946. Di un puerulus di *Palinurus vulgaris* pescato nel Golfo di Napoli. *Pub. Staz. Zool. Napoli*, 20: 152-157.
- Cecchini, C. – 1928. Sopra alcuni forme larvali di *Sergestes* non comprese in serie larvali note. *Att. Soc. Ital. Sci. Nat.*, 67: 144-149.
- Chadwick, H.C. – 1905. Experiments on lobsters rearing. *Trans. Liverpool Biol. Soc.*, 19: 304-308.
- Christiansen, M.E. and Anger, K. – 1990. Complete larval development of *Galathea intermedia* Lilljeborg reared in laboratory culture (Anomura, Galatheididae). *J. Crust. Biol.*, 10(1): 87-111.
- Clark, P.F. – 1984. A comparative study of zoeal morphology in the genus *Liocarcinus* (Crustacea, Brachyura, Portunidae). *Zool. J. Linn. Soc.*, 82: 273-290.
- Clark, P.F. – 1986. The larval stages of *Maja squinado* (Herbst, 1788) (Crustacea, Brachyura, Majidae) reared in the laboratory. *J. Nat. Hist.*, 20: 825-836.
- Claus, C. – 1861. Zur Kenntniss der Malacostracenlarven. *Würzb. Naturw. Zeitschr.*, 2: 23-46.
- Claus, C. – 1876. *Untersuchungen zur Erforschung der Genealogischen Grundlage des Crustaceen-Systems*. Wien, 114 pp.
- Claus, C. – 1884. Zur kenntnis der kreislaufsorgane der Schizopoden und Decapoden. *Arb. Zool. Inst. Univ. Wien*, 5: 271-318.
- Claus, C. – 1885. Neue beiträge zur morphologie der Crustaceen. *Arb. Zool. Inst. Univ. Wien*, 6: 1-108.
- Connolly, C.J. – 1925. The larval stages and megalops of *Rhithropanopeus harrisi* (Gould). *Contr. Can. Biol. Fish.*, 15: 329-334.
- Costanzo, G., Calafiore, N. and Crescenti, N. – 1996. Mediterranean species of the genus *Pontonia* Latreille, 1829. II. Developmental stages of *Pontonia flavomaculata* Heller, 1864 (Decapoda, Natantia, Pontoniinae) reared in the laboratory. *Crustaceana*, 69(6): 773-781.
- Couch, R.Q. – 1843. On the metamorphosis of the decapod Crustacea. *Rep. R. Cornw. Polyth. Soc.*, 11: 28-43.
- Couch, R.Q. – 1853. Notes on the metamorphosis of the common crab (*C. pagurus*). *Trans. Nat. Hist. Antiq. Soc. Penzance*, 2: 200-203.
- Coutière, H. – 1898. Note sur le developpement de *Synalpheus laevimanus* Heller. *Bull. Soc. Entom. France*, 1898: 220-222.
- Coutière, H. – 1906. Note sur la synonymie et le développement de quelques Hoplophoridae. *Bull. Mus. Oceanogr. Monaco*, 70: 1-20.
- Coutière, H. – 1907. Sur quelques formes larvaires énigmatiques d'*Eucyphotes*, provenant des collections de S.A.R. le Prince de Monaco. *Bull. Inst. Oceanogr. Monaco*, 104: 1-70.
- Criales, M.M. and McGowan, M.F. – 1993. Coastal oceanic planktonic distribution of natantia shrimps in the Florida Keys, USA. *Rev. Biol. Trop.*, Supl. 41(1): 23-26.
- Cuesta, J.A., González-Gordillo, J.I. and Rodríguez, A. – 1997. First zoeal stages of *Grapsus adscensionis* (Osbeck) and *Planes minutus* (Linnaeus) (Brachyura, Grapsidae) described from laboratory hatched material, with notes on larval characters of the Grapsinae. *J. Nat. Hist.*, 31: 887-900.
- Cuesta, J.A. and Rodríguez, A. – 1994. Early zoeal stages of *Pachygrapsus marmoratus* (Fabricius), *P. transversus* (Gibbes) and *P. maurus* (Lucas) (Decapoda, Brachyura, Grapsidae) reared in the laboratory. *Sci. Mar.*, 58(4): 323-327.
- Cuesta, J.A., Schubart, C. and Rodríguez, A. – In press. Zoeal stages of the intertidal crab *Pachygrapsus marmoratus* (Fabricius, 1787) (Brachyura, Grapsidae) reared in the laboratory. *Hydrobiologia*.
- Cunningham, J.T. – 1891. On the development of *Palinurus vulgaris*. *J. Mar. Biol. Ass. U. K.*, 2: 141-151.
- Czerniavsky, V. – 1880. Megalopidea S. larvae anomuriformes crustaceorum brachyurorum. *Trav. Soc. Entom. Russe*, 11: 51-96.
- Czerniavsky, V. – 1884. Crustacea Decapoda Pontica Littoralia. Materialia ad Zoographiam Ponticam Comparatam, II. *Trans. Soc. Univ. Kharkow*, 13: 1-268.
- Dall, W., Hill, B.J., Rothlisberg, P.C. and Staples, D.J. – 1990. The biology of the Penaeidae. *Adv. Mar. Biol.*, 27: 1-489.
- Dalyell, J.G. – 1851. *The powers of the Creator displayed in the Creation*, Vol. I. London.
- De Simon, M. – 1979. Primeros estadios larvarios de *Pontocaris lacazei* (Gouret) (Decapoda, Macrura, Crangonidae) obtenidos en laboratorio. *Inv. Pesq.*, 43(2): 565-580.
- Dehancé, M. – 1958. Caractérisation de la glaucothoe et des premiers stades Pagure chez *Clibanarius misanthropus* (Risso) (Crust. Décapode Anomure). *C. R. Hebd. Sean. Acad. Sci.*, 246: 839-842.
- Dehancé, M. – 1961. Sur la morphologie externe des larves de Pagurides. I. *Catapaguroides timidus* (Roux). *Crustaceana*, 2: 53-67.
- Dehancé, M. – 1962. Remarques sur les premiers stades larvaires de plusieurs espèces indopacifiques du genre *Dardanus* (Crustacés, Décapodes, Pagurides). *Bull. Mus. Nat. Hist. Nat.*, 34(1): 82-94.
- Dehancé, M. – 1962a. Description des stades larvaires et de la glaucothoé de *Spiropagurus elegans* Miers. *Bull. Mus. Nat. Hist. Nat.*, 34(5): 371-386.
- Dehancé, M. and Forest, J. – 1958. Les glaucothoés de *Catapaguroides timidus* (Roux) et de *Clibanarius erythropus* (Latreille). Remarques sur le stade postlarvaire des pagurides. *Bull. Soc. Zool. Fr.*, 83(2/3): 274-293.
- Dehancé, M. and Forest, J. – 1962. Sur *Anapagurus bicorniger* Milne Edwards et Bouvier et *A. petiti* sp. nov. (Crustacea, Decapoda, Paguridae). *Bull. Mus. Nat. Hist. Nat.*, 2 ser., 34(4): 293-307.
- Dohrn, A. – 1908. Zur kenntnis der Metamorphose von *Sergestes arcticus* Kr. *Zool. Anz.*, 33: 303-331.
- Dolgopolskaya, M.A. – 1969. Larvae of Decapoda Macrura and Anomura. In: Morduhai-Boltovskoi (ed.): *Key to the fauna of the Black and Azov seas*, 2: 307-362. (In Russian)
- Du Cane, C. – 1839. Letter from Captain Du Cane, R.N., to the Ver. Leonard Jenyns, on the subject of the metamorphosis of Crustacea. *Ann. Mag. Nat. Hist.*, 2(9): 178-180.
- Du Cane, C. – 1839a. On the metamorphosis of the Crustacea. *Ann. Mag. Nat. Hist.*, 3: 438-440.
- d'Udekem d'Acoz, C. – 1999. Inventaire et distribution des crustacés décapodes de l'Atlantique nord-oriental, de la Méditerranée et des eaux continentales adjacents au nord de 25° N. *Patrimoines naturels* (MNHN / SPN), 40: 1-383.
- Dujardin, F. – 1843. Observations sur les métamorphoses de la *Porcellana longicornis*, et description de la Zoé, qui est la larve de ce crustacé. *C. R. Hebd. Seanc. Acad. Sci.*, 16: 1204-1207.
- Ehrebaum, E. – 1890. Zur naturgeschichte von *Crangon vulgaris* Fabr. In: *Studien über Bau, Entwicklung, Lebensweise und Fangerhältnisse des Nordsee-Granat im Auftrage der Sektion für Küsten und Hochseefischerei des Deutschen Fischerei-Vereins*. Berlin, 124 pp.
- Elofsson, R. – 1959. A new decapod larva referred to *Calocarides coronatus* (Trybom). *Publ. Biol. Sta. Espeyrend*, 26: 1-10.
- Elofsson, R. – 1961. The larvae of *Pasiphaea multidentata* (Esmark) and *Pasiphaea tarda* (Kröyer). *Sarsia*, 4: 43-53.
- Faxon, W.A. – 1879. On the development of *Palaemonetes vulgaris*. *Bull. Mus. Comp. Zool. Harvard Coll.*, 5: 303-330.
- Faxon, W.A. – 1879a. On some young stages in the development of *Hippa*, *Porcellana*, and *Pinnixia*. *Bull. Mus. Comp. Zool. Harvard Coll.*, 5: 253-268.
- Faxon, W.A. – 1880. On some points in the structure of the embryonic zoea. *Bull. Mus. Comp. Zool. Harvard Coll.*, 6: 159-166.
- Faxon, W.A. – 1882. Selections from embryological monographs. I. Crustacea. *Mem. Mus. Comp. Zool. Harv.*, 9: 1-32.
- Fedele, M. – 1926. La metamorfosi dal Phyllosoma dello *Scyllarus arctus*. *Biol. Soc. nat. Napoli*, 37: 215-233.
- Fincham, A.A. – 1977. Larval development of british prawns and shrimps (Crustacea, Decapoda, Natantia). – 1. Laboratory methods and review of *Palaemon (Paleander) elegans* Rathke, 1837. *Bull. Br. Mus. Nat. Hist.*, 32(1): 1-28.
- Fincham, A.A. – 1979. Larval development of british prawns and shrimps (Crustacea, Decapoda, Natantia). 3. *Palaemon (Paleander) longirostris* Milne Edwards, 1837 and the effect of antibiotic on morphogenesis. *Bull. Br. Mus. Nat. Hist.*, 37(1): 17-46.
- Fincham, A.A. – 1983. Larval development of british prawns and

- shrimps (Crustacea, Decapoda, Natantia). 4. *Palaemon (Palaemon) serratus* (Pennant, 1777) and the functional morphology of swimming. *Bull. Br. Mus. Nat. Hist.*, 44(2): 125-161.
- Fincham, A.A. – 1985. Larval development of british prawns and shrimps (Crustacea, Decapoda, Natantia). 5. *Palaemon (Palaemon) adpersus* Rathke, 1837. *Bull. Br. Mus. Nat. Hist.*, 48(4): 215-231.
- Fincham, A.A. and Figueras, A.J. – 1986. Larval keys and diagnoses for the subfamily Palaemoninae (Crustacea, Decapoda, Palaemonidae) in the northeast Atlantic and aspects of functional morphology. *J. Nat. Hist.*, 20: 203-224.
- Fincham, A.A. and Williamson, D.I. – 1978. Crustacea Decapoda: larvae. VI. Caridea, Families: Palaemonidae and Processidae. *Fich. Ident. Zoopl.*, 159/160: 1-8.
- Frontier, S. – 1963. Notes sur quelques larves atypiques de Décapodes brachyours récoltes dans le plankton de Nosy Bé. *Cah. ORSTOM*, 3: 31-59.
- Frost, N. – 1936. Decapod larvae from Newfoundland waters. *Fish. Res. Bull. Newfoundland*, 3(2): 11-24.
- García Raso, J.E. – 1996. Crustacea Decapoda (Excl. Sergestidae) from Ibero-Moroccan waters. Results of Balgim-84 Expedition. *Bull. Mar. Sci.*, 58(3): 730-752.
- Gilet, R. – 1952. Métazoé de *Dorippe lanata* (Linné) et sa mégalo-pe. *Vie et Milieu*, 3(4): 415-420.
- Goldstein, B. – 1971. Développement larvaire de *Macropipus marmoratus* (Leach) en laboratoire (Crustacea, Decapoda, Portunidae). *Bull. Mus. Nat. Hist. Nat.*, 42(5): 919-943.
- Goldstein, B. and Bookhout, C.G. – 1972. The larval development of *Pagurus prideauxi* Leach, 1814, under laboratory conditions (Decapoda, Paguridea). *Crustaceana*, 23(3): 263-281.
- González-Gordillo, J.I., Cuesta, J.A. and Pablos, F. – 1990. Adiciones al conocimiento de los crustáceos decápodos de las zonas mediolitoral e infralitoral de las costas suratlánticas andaluzas (Suroeste España). I Brachyura. *Cah. Biol. Mar.*, 31: 417-429.
- González-Gordillo, J.I., Cuesta, J.A. and Rodríguez, A. – 1996. Studies on the larval development of northeastern Atlantic and Mediterranean Porcellanidae (Decapoda, Anomura). I Redescription of the larval stages of *Porcellana platycheles* (Pennant, 1777) reared under laboratory conditions. *Helg. Meeresunt.*, 50: 517-531.
- González-Gordillo, J.I. and Rodríguez, A. – 2000. Larval development of *Philocheles fasciatus* (Risso, 1816) (Decapoda, Caridea) reared in the laboratory, comparison with plankton larvae and occurrence of accelerated development. *J. Plank. Res.*, 22: 1909-1923.
- González-Gordillo, J.I. and Rodríguez, A. – 2000. First larval stage of *Scyllarus posteli* Forest, 1963 and *Processa macrodactyla* Holthuis, 1952 (Crustacea, Decapoda) hatched in the laboratory. *Ophelia*, 53: 91-99.
- González-Gordillo, J.I., dos Santos, A. and Rodríguez, A. – 2000. The complete larval development of *Philocheles monacanthus* (Holthuis, 1961) from laboratory culture, with an identification key to the European species of the genus (Decapoda, Caridea, Crangonidae). *J. Crust. Biol.*, 20: 75-88.
- Gordon, I. – 1964. On the larval genus *Problemacaris* Stebbing and its probable identity (Crustacea, Decapoda). *Zool. Meded. Leiden*, 39: 331-347.
- Gosse, P.H. – 1856. *Tenby, a sea-side holiday*. London.
- Gourret, P. – 1884. Considérations sur la fauna pélagique du Golfe de Marseille suivies d'une étude anatomique et zoologique de *La Spadella Marioni* espèce nouvelle de l'ordre des choetognathes (Leuckart). *Ann. Mus. Hist. Nat. Marseille*, 2(2): 1-175.
- Gourret, P. – 1888. Études zoologiques sur quelques Crustacés parasites des Ascidies. *Bibl. Ec. Haut. Etud. Sci. nat.*, 36(3): 1-64.
- Gray, J.W. – 1969. Investigations of the basic life history of the red crab (*Geryon quinquedens*). *Rhode Island Div. Conser. Proj.* 3-46-R: 1-36.
- Greenwood, J.G. and Fielder, D.R. – 1979a. A comparative study of the first and last zoeal stages of four species of *Thalamita* (Crustacea, Portunidae). *Micronesica*, 15: 304-309.
- Guerao, G. – 1993. The larval development of a fresh-water prawn, *Palaemonetes zariquieyi* Sollaud, 1939 (Decapoda, Palaemonidae), reared in the laboratory. *Crustaceana*, 64(2): 226-241.
- Guerao, G. and Abelló, P. – 1996. Description of the first larval stage of *Polycheles typhlops* (Decapoda, Eryonidea, Polychelidae). *J. Nat. Hist.*, 30: 1179-1184.
- Guerao, G. and Abelló, P. – 1996a. Larval development of *Acanthonyx lunulatus* (Brachyura, Majidae, Epialtinae). *J. Plank. Res.*, 18(7): 1185-1200.
- Guerao, G. and Abelló, P. – 1997. Larval development of the spider crab *Macropodia longipes* (Brachyura, Majidae, Inachiniae). *J. Crust. Biol.*, 17(3): 459-471.
- Guerao, G. and Abelló, P. – 1999. Morphology of the early zoeal stages of *Macropipus tuberculatus* (Roux, 1830) (Crustacea, Brachyura, Portunidae). *J. Plank. Res.*, 21: 1993-2008.
- Guerao, G., Abelló, P. and Cartes, J. – 1998. Morphology of the megalopa and first crab instar of the Shamefaced Crab *Calappa granulata* (Crustacea, Brachyura, Calappidae). *Misc. Zool.*, 21: 37-47.
- Guerao, G., Abelló, P. and Castejón, M.R. – 1996. Morphology of the larval stages of the deep-sea crab *Geryon longipes* (Brachyura, Geryonidae). *J. Nat. Hist.*, 30: 505-521.
- Guerao, G., Abelló, P. and Cuesta, J.A. – 1997. Morphology of the megalopa and first crab stage of the mediolittoral crab *Pachygrapsus marmoratus* (Brachyura, Grapsidae, Grapsinae). *Zoosystema*, 19(2-3): 437-447.
- Guerao, G., Abelló, P. and Torres, P. – 1998. Morphology of the first zoea of the spider crab *Macropodia linearesi* (Brachyura, Majidae, Inachiniae). *Boll. Soc. Hist. Nat. Balears*, 41: 13-18.
- Guerao, G., Abelló, P. and Torres, P. – 1999. Morphology of the first zoea of the shamefaced crab *Calappa granulata* (Linnaeus, 1758) (Brachyura, Calappidae) obtained in the laboratory. *Graellsia*, 55: 157-162.
- Gurney, A.R. – 1982. The larval development of *Crangon crangon* (Fabricius, 1795) (Crustacea, Decapoda). *Bull. Br. Mus. Nat. Hist.*, 42(4): 247-262.
- Gurney, R. – 1902. The metamorphosis of *Corystes cassivelaunus* (Pennant). *Quart. J. Micr. Sci.*, 46: 461-478.
- Gurney, R. – 1903. The larvae of certain british Crangonidae. *J. Mar. Biol. Assoc. U. K.*, 6: 595-597.
- Gurney, R. – 1903a. The metamorphosis of the decapod crustaceans *Aegeon (crangon) fasciatus* Risso and *Aegeon (crangon) trispinosus* Hailstone. *Proc. Zool. Soc. London*, 1903: 24-30.
- Gurney, R. – 1923. The larval stages of *Processa canaliculata* Leach. *J. Mar. Biol. Assoc. U. K.*, 13: 245-265.
- Gurney, R. – 1924. The zoea of *Eurynome aspera*. *J. Mar. Biol. Assoc. U. K.*, 13(2): 433-436.
- Gurney, R. – 1924a. British Antarctic "Terra Nova" Expedition, 1910. Crustacea. Part IX. Decapoda larvae. *Nat. Hist. Rep.*, 8(2): 37-202.
- Gurney, R. – 1924b. The larval development of some british prawns (Palaemonidae). I. *Palaemonetes varians*. *Proc. Zool. Soc. London*, 1924: 297-328.
- Gurney, R. – 1924c. The larval development of some British prawns (Palaemonidae). II. *Leander longirostris* and *Leander squilla*. *Proc. Zool. Soc. London*, 1924: 961-982.
- Gurney, R. – 1926. The protozoal stage in Decapod development. *Ann. Mag. Nat. Hist.*, 18(9): 19-27.
- Gurney, R. – 1927. Report on the larvae of the Crustacea Decapoda: Suez Canal Expedition. *Trans. Zool. Soc. London*, 22(2): 231-286.
- Gurney, R. – 1936. Larvae of Decapod Crustacea, I-III. *Discovery Rep.*, 12: 377-440.
- Gurney, R. – 1936a. Notes on some decapod Crustacea of Bermuda. II. The species of *Hippolyte* and their larvae. *Proc. Zool. Soc. London*, 1936: 25-32.
- Gurney, R. – 1937. Larvae of Decapod Crustacea. IV. Hippolytidae. *Discovery Rep.*, 14: 351-404.
- Gurney, R. – 1937a. Notes on some decapod Crustacea from the Red Sea. I. The genus *Processa*. *Proc. Zool. Soc. London*, 107: 85-101.
- Gurney, R. – 1938. The larvae of the Decapod Crustacea. Palaemonidae and Alpheidae. *Sci. Rep. Great Barrier Reef Exp.* (1928-1929), 6(1): 1-60.
- Gurney, R. – 1939. *Bibliography of the larvae of Decapod Crustacea*. The Ray Society of London, London, 123 pp.
- Gurney, R. – 1942. *Larvae of Decapod Crustacea*. The Ray Society of London, London, 306 pp.
- Gurney, R. – 1943. The larval development of two penaeid prawns from Bermuda of the genera *Sicyonia* and *Penaeopsis*. *Proc. Zool. Soc. London*, 113: 1-16.
- Gurney, R. and Lebour, M.V. – 1940. The larvae of decapod Crustacea. VI. The genus *Sergestes*. *Discovery Rep.*, 20: 1-68.
- Gurney, R. and Lebour, M.V. – 1941. On the larvae of certain Crustacea Macrura, mainly from Bermuda. *J. Linn. Soc. London*, 41: 89-181.

- Hansen, H.J. – 1922. Crustacés Décapodes (Sergestides) provenant des campagnes des Yachts “Hiron-delle” et “Princesse Alice” (1885-1915). *Res. Camp. Sci. Monaco*, 64: 1-232.
- Hashizume, K. – 1999. Larval development of seven species of *Lucifer* (Dendrobranchiata, Sergestoidea) with a key for the identification of their larval forms. In: Schram, F.R. and Klein, von V. (eds). *Crustaceans and Biodiversity Crisis: Proceedings of the Fourth International Crustaceans Congress*, pp. 753-799. Amsterdam.
- Heegaard, P. – 1963. Decapod larvae from the Gulf of Napoli hatched in captivity. *Vid. Medd. Dansk. Nat. For.*, 125: 449-493.
- Heegaard, P. – 1966. Larvae of decapod Crustacea. The oceanic penaeids *Solenocera*, *Cerataspis*, *Cerataspides*. *Dana Rep.*, 67: 1-147.
- Heegaard, P. – 1969. The first larval stages of *Chlorotocus crassicornis* (Decapoda, Pandalidae). *Crustaceana*, 17: 151-158.
- Heldt, J.H. – 1938. La reproduction chez les Crustacés Décapodes de la famille des Pénéides. *Ann. Inst. Oceanogr. Monaco*, 18(2): 31-206.
- Heldt, J.H. – 1954. Stades larvaires d'*Aristeomorpha foliacea* (Risso) et *Aristeus antennatus* (Risso), Décapodes Pénéides. *C. R. Acad. Sci.*, 239: 1080-1082.
- Heldt, J.H. – 1955. Contribution à l'étude de la biologie des Crevettes Pénéides. Formes larvaires de *Solenocera membranacea* (Milne Edwards). *Bull. Sta. Oceanogr. Salambo*, 51: 29-56.
- Heldt, J.H. – 1955a. Contribution à l'étude de la biologie des crevettes Pénéides *Aristaeomorpha foliacea* (Risso) et *Aristeus antennatus* (Risso) (formes larvaires). *Bull. Soc. des Sc. Nat. Tunisie*, VIII, 1-2: 1-29.
- Herring, P.J. – 1967. Observations on the early larvae of three species of *Acantheephyra* (Crustacea, Decapoda, Caridea). *Deep Sea Res.*, 14: 325-329.
- Hesse, M. – 1876. Descriptions des Crustacés rares ou nouveaux des côtes de France. *Ann. Sci. Nat. Zool.*, 3(5): 1-42.
- Hesse, M. – 1884. Crustacés rares ou nouveaux des côtes de France. *Ann. Sci. Nat. Zool.*, 6: 1-14.
- Hoglund, H. – 1943. On the biology and larval development of *Leander squilla* (L.) forma typica De Man. *Svens. Hydr. Biol. Kommn.*, 6: 1-44.
- Hong, S.Y. – 1988. Development of epipods and gills in some pagurids and brachyurans. *J. Nat. Hist.*, 22: 1005-1040.
- Hong, S.Y. and Ingle, R.W. – 1987. Larval development of the circular crab, *Atelecyclus rotundatus* (Olivii) (Crustacea, Brachyura, Atelecyclidae) reared in the laboratory. *J. Nat. Hist.*, 21: 1539-1560.
- Hood, M.R. – 1962. Studies on the larval development of *Rithropanopeus harrissii* (Gould) of the family Xanthidae (Brachyura). *Gulf Res. Rep.*, 1(3): 122-130.
- Hudinaga, M. – 1942. Reproduction, development and rearing of *Penaeus japonicus*, Bate. *Jap. J. Zool.*, 10: 305-393.
- Huus, J. – 1935. Zur morphologisch-systematische und biologischen Kenntnis der nordischen Munida-larven (Crustacea, Decapoda). *Bergens Mus. Aarb.*, 1934 (8): 1-29.
- Hyman, O.W. – 1924. Studies on larvae of crabs of the family Grapsidae. *Proc. U. S. Nat. Mus.*, 65(10): 1-8.
- Hyman, O.W. – 1924a. Studies on the larvae of crabs of the family Pinnotheridae. *Proc. U. S. Nat. Mus.*, 64(7): 1-9.
- Illig, G. – 1914. Die Dekapoden des deutschen Südpolar Expedition. II: Die Sergestidae. *Deuts. Südp. Exp.*, 15: 347-376.
- Illig, G. – 1927. Die Sergestiden. *Wiss. Ergeb. Deuts. Tiefsee Exp.*, 23: 279-354.
- Ingle, R.W. – 1977. The larval and postlarval development of the Scorpion Spider Crab, *Inachus dorsettensis* (Pennant) (Family Majidae), reared in the laboratory. *Bull. Br. Mus. Nat. Hist.*, 30: 329-348.
- Ingle, R.W. – 1979. The larval and postlarval development of the brachyuran crab *Geryon tridens* Kröyer (Family Geryonidae) reared in the laboratory. *Bull. Br. Mus. Nat. Hist.*, 36: 217-232.
- Ingle, R.W. – 1979a. The larval development of the spider crab *Rochinia carpenteri* (Thomson) (Oxyrhyncha, Majidae) with a review of majid subfamily larval features. *Bull. Br. Mus. Nat. Hist.*, 37: 47-66.
- Ingle, R.W. – 1981. The larval and postlarval development of the edible crab *Cancer pagurus* Linnaeus (Decapoda, Brachyura). *Bull. Br. Mus. Nat. Hist.*, 40: 211-236.
- Ingle, R.W. – 1982. Larval and post-larval development of the slender-legged spider crab, *Macropodia rostrata* (Linnaeus) (Oxyrhyncha, Majidae, Inachinae), reared in the laboratory. *Bull. Br. Mus. Nat. Hist.*, 42: 207-225.
- Ingle, R.W. – 1983. A comparative study of the larval development of *Monodaeus couchi* (Couch), *Xantho incisus* (Leach) and *Pilumnus hirtellus* (Linnaeus) (Crustacea, Brachyura, Xanthidae). *J. Nat. Hist.*, 17: 951-978.
- Ingle, R.W. – 1984. The larval and post-larval development of the thumb-nail crab, *Thia scutellata* (Fabricius) (Decapoda, Brachyura). *Bull. Br. Mus. Nat. Hist.*, 47(1): 53-64.
- Ingle, R.W. – 1985a. Larval development of the red swimming crab, *Bathynectes longipes* (Risso, 1816) (Crustacea, Decapoda, Portunidae). *Bull. Br. Mus. Nat. Hist.*, 49: 239-255.
- Ingle, R.W. – 1987. The first zoea of three *Pachygrapsus* species and of *Cataleptodius floridanus* (Gibbes) from Bermuda and Mediterranean (Crustacea, Decapoda, Brachyura). *Bull. Br. Mus. Nat. Hist.*, 52(1): 31-41.
- Ingle, R.W. – 1990. Larval and post-larval development of *Anapagurus chiroacanthus* (Lilljeborg, 1855) (Anomura, Paguroidea, Paguridae). *Bull. Br. Mus. Nat. Hist.*, 56(2): 105-134.
- Ingle, R.W. – 1992. *Larval stages of northeastern atlantic crabs. An illustrated key*. Chapman & Hall, London, 363 pp.
- Ingle, R.W. – 1993. *Hermit crab of the northeastern Atlantic Ocean and Mediterranean Sea: an illustrated key*. Chapman & Hall, London, 495 pp.
- Ingle, R.W. and Clark, P.F. – 1980. The larval and postlarval development of Gibbs's spider crab *Pisa armata* (Latreille) (Family Majidae, Subfamily Pisinae) reared in the laboratory. *J. Nat. Hist.*, 14: 723-735.
- Ingle, R.W. and Clark, P.F. – 1983. The larval development of the angular crab *Goneplax rhomboides* (Linnaeus) (Decapoda, Brachyura). *Bull. Br. Mus. Nat. Hist.*, 44: 163-177.
- Ingle, R.W. and Rice, A.L. – 1971. The larval development of the masked crab *Corystes cassivelaunus* (Pennant) (Brachyura, Corystidae) reared in the laboratory. *Crustaceana*, 20(3): 271-284.
- Issel, R. – 1910. Ricerche intorno alla biologia ed alla morfologia dei crostacei decapodi. Parte I: Studi sui Paguridi. *Arc. Zool.*, 4(3): 335-397.
- Jorgensen, O.M. – 1918. Notes on development of *Carcinus maenas*. *Rep. Dove Mar. Lab.*, 7: 62-64.
- Jorgensen, O.M. – 1925. Some crustaceans larvae from the Northumberland plankton. *Trans. Nat. Hist. Soc. Northumb.*, 6: 157-166.
- Jorgensen, O.M. – 1925a. The early stages of *Nephrops norvegicus* from the Northumberland plankton, together with a note on the post-larval *Homarus vulgaris*. *J. Mar. Biol. Ass. U. K.*, 13: 870-876.
- Kaya, B. and Özel, I. – 1992. Planktonic larval stages of porcellanid Crustacea (Crustacea, Decapoda, Anomura) in Izmir Bay. *J. Fac. Sci. Ege Univ.*, B, 14(2): 79-91.
- Kemp, S.W. – 1907. Biscayan plankton. XI Decapoda. *Trans. Linn. Soc. London*, 10: 205-217.
- Kemp, S.W. – 1910. The Decapoda Natantia of the coast of Ireland. *Fish. Ire. Sci. Inv.*, 1908, 1: 1-190.
- Kim, K.B. and Hong, S.Y. – 1999. Larval development of the wrinkled swimming crab *Liocarcinus corrugatus* (Decapoda, Brachyura, Portunidae) reared in the laboratory. *J. Crust. Biol.*, 19(4): 792-808.
- Kinahan, J.R. – 1860. Notes on the foregoing paper, with a supplement to his list of Dublin Crustacea. *Proc. Nat. Hist. Soc. Dublin*, 2: 43-51.
- Knowlton, R.E. and Alavi, M.R. – 1995. The larval morphology of *Lysmata anchisteus* Chace (Crustacea, Decapoda) compared with other *Lysmata* spp. *Can. J. Sci.*, 31: 289-310.
- Kurata, H. – 1968. Larvae of Decapoda Anomura of Arasaki, Sagami Bay. II. *Dardanus arrosor* (Herbst) (Diogenidae). *Bull. Tokai Reg. Fish. Res. Lab.*, 56: 173-180.
- Kurian, C.V. – 1956. Larvae of decapod Crustacea from the Adriatic Sea. *Acta Adriatica*, 6(3): 1-108.
- Latreille, P.A. – 1802. *Historie Naturelle, Générale et Particulière des Crustacés et des Insectes*. Paris, 387 pp.
- Le Roux, A. – 1963. Contribution à l'étude du développement larvaire d'*Hippolyte inermis* Leach (Crustacé Décapode Macroure). *C. R. Hebd. Seán. Acad. Sci.*, 256: 3499-3501.
- Le Roux, A. – 1966. Le développement larvaire de *Porcellana longicornis* Pennant (Crustacé, Décapode, Anomoure, Galatheide). *Cah. Biol. Mar.*, 7: 69-78.

- Le Roux, A. – 1966a. Contribution a l'étude du développement larvaire de *Clibanarius erythropus* (Latreille) (Crustacé, Décapode, Anomure, Diogénidé). *Cah. Biol. Mar.*, 7: 225-230.
- Leach, W.E. – 1817. *The zoological Miscellany, Being Descriptions of New or Interesting Animals*. London, 151 pp.
- Lebour, M.V. – 1924. Larval crabs from Bermuda. *Rep. Zool. Sci. Cont.*, 29: 113-128.
- Lebour, M.V. – 1925. The eggs and newly hatched larvae of *Typton spongicola* Costa. *J. Mar. Biol. Ass. U. K.*, 13(4): 848-853.
- Lebour, M.V. – 1927. Studies of the Plymouth Brachyura. I. The rearing of the crabs in captivity with a description of the larval stages of *Inachus dorsettensis*, *Macropodia longirostris* and *Maia squinado*. *J. Mar. Biol. Ass. U. K.*, 14(3): 795-821.
- Lebour, M.V. – 1928. The larval stages of the Plymouth Brachyura. *Proc. Zool. Soc. London*, 1928: 473-560.
- Lebour, M.V. – 1928a. Studies of the Plymouth Brachyura. II. The larval stages of *Ebalia* and *Pinnotheres*. *J. Mar. Biol. Ass. U. K.*, 15: 109-122.
- Lebour, M.V. – 1930. The larvae of the Plymouth Galatheidae. I. *Munida banffica*, *Galathea strigosa* and *Galathea dispersa*. *J. Mar. Biol. Ass. U. K.*, 17: 175-184.
- Lebour, M.V. – 1931. The larvae of the Plymouth Caridea. I The larvae of the Crangonidae. II The larvae of the Hippolytidae. *Proc. Zool. Soc. London*, 1931: 1-9.
- Lebour, M.V. – 1931a. The larvae of the Plymouth Galatheidae. II. *Galathea squamifera* and *Galathea intermedia*. *J. Mar. Biol. Ass. U. K.*, 17: 385-390.
- Lebour, M.V. – 1931b. Further notes on larval Brachyura. *Proc. Zool. Soc. London*, 1: 93-96.
- Lebour, M.V. – 1932. The larval stages of the Plymouth Caridea. III: The larval stages of *Spirontocari cranchii* (Leach). *Proc. Zool. Soc. London*, 1932: 131-137.
- Lebour, M.V. – 1932a. The larval stages of the Plymouth Caridea. IV: The Alpheidae. *Proc. Zool. Soc. London*, 1932: 463-469.
- Lebour, M.V. – 1933. Rearing marine animals in a plunger jar. *Sci. Prog.*, 107: 494-502.
- Lebour, M.V. – 1934a. The life history of *Dromia vulgaris*. *Proc. Zool. Soc. London*, 2: 241-249.
- Lebour, M.V. – 1936. Notes on the Plymouth Species of *Spirotoncaris* (Crustacea). *Proc. Zool. Soc. London*, 1936: 89-104.
- Lebour, M.V. – 1936a. Notes on the Plymouth *Processa* (Crustacea). *Proc. Zool. Soc. London*, 1936: 609-617.
- Lebour, M.V. – 1940. The larvae of the Pandalidae. *J. Mar. Biol. Ass. U. K.*, 24: 239-252.
- Lebour, M.V. – 1941. Notes on Thalassinid and Processid larvae (Crustacea, Decapoda) from Bermuda. *Ann. Mag. Nat. Hist.*, 7: 401-420.
- Lebour, M.V. – 1943. The larvae of the genus *Porcellana* (Crustacea, Decapoda) and related forms. *J. Mar. Biol. Ass. U. K.*, 25: 721-737.
- Lebour, M.V. – 1944. The larval stages of *Portunus* (Crustacea, Brachyura) with notes on some other genera. *J. Mar. Biol. Ass. U. K.*, 26: 7-15.
- Lebour, M.V. – 1944a. Larval crabs from Bermuda. *Zoologica*, 29(11): 113-128.
- Lebour, M.V. – 1949. The last larva and postlarva of *Typton spongicola* from Plymouth (Crustacea, Decapoda). *J. Mar. Biol. Ass. U. K.*, 28: 667-672.
- Lebour, M.V. – 1959. The larval decapod Crustacea of Tropical West Africa. *Atlant. Rep.*, 5: 119-143.
- Legendre, R. – 1940. La faune pélagique de L'Atlantique au large du Golfe de Gascogne, recueillie dans des estomacs de Germons. Troisième partie: invertébrés (cephalopodes exclus) Parasites du Germon. *Ann. Inst. Oceanogr.*, 20: 127-310.
- Linnaeus, C. – 1767. *Systema naturae per Regna Tria Naturae, Secundum Classes, Ordines, Genera, Species, cum characteribus, differentiis, synonymis, locis*. Ed. 12, Pt 2. Stockholm, 1047 pp.
- Lo Bianco, S. – 1901. Le pesche pelagiche abissali eseguite dal "Maia" nelle vicinanze di Capri. *Mitt. Zool. Sta. Neapel*, 15: 413-482.
- Lo Bianco, S. – 1903. La pesche abissali eseguite da F.A. Krupp Col Yacht Puritan nelle adiacenze di Capri ed in altre località del mediterraneo. *Mitt. Zool. Sta. Neapel*, 16: 109-279.
- Lo Bianco, S. – 1904. Pelagische Tiefseefischerei der "Maia" in der Umgebung von Capri. *Beitr. Ken. Meer. Bewohner*, 1: 1-91.
- Lumare, F. and Gozzo, S. – 1972. Sviluppo larvale del crostaceo Xanthidae *Eriphia verrucosa* (Förskal, 1775) in condizioni di laboratorio. *Boll. Pesca Pisc. Idrobiol.*, 27: 185-209.
- Lumare, F. and Gozzo, S. – 1973. Osservazioni sulla morfogenesi del nauplio di *P. kerathurus* nelle sue relazioni con *P. japonicus*. *Atti Soc. Pelorit. Sci. Fis. Mat. Nat.*, 18: 97-116.
- Lutze, J. – 1938. Ueber systematik, entwicklung und oekologie von *Callianassa*. *Helgol. Wiss. Meeresunters. Ach.*, 1: 162-199.
- MacDonald, J.D., Pike, R.B. and Williamson, D.I. – 1957. Larvae of the British species of *Diogenes*, *Pagurus*, *Anapagurus* and *Lithodes* (Crustacea, Decapoda). *Proc. Zool. Soc. London*, 128: 209-257.
- Makarov, R.R. and Golodetsky, L.A. – 1980. Larval development of the Black Sea prawn *Palaemon adspersus* (Crustacea, Decapoda) in the laboratory. *Zool. Zh.*, 59(3): 375-382.
- Martin, J.W. – 1984. Notes and bibliography on the larvae of Xanthid crabs, with a key to the known xanthid zoeas of the western atlantic and gulf of Mexico. *Bull. Mar. Sci.*, 34: 220-239.
- Mayer, P. – 1877. Zur Entwicklungsgeschichte der Dekapoden. *Jena. Z. Natur.*, 11: 188-269.
- Mayer, P. – 1878. Über einige Jugendstadien von *Penaeus caramote*. *Mitt. Zool. Sta. Neapel*, 1: 49-51.
- Mene, L.J. – 1987. Aspectos morfológicos de la fases larvarias de la nécora, *Liocarcinus puber*. *Bol. Inst. Esp. Oceanogr.*, 4(1): 61-68.
- Menon, M.K. – 1937. Decapod larvae from the Madras plankton. *Bull. Madras Gov. Mus.*, 3: 1-55.
- Miers, E.J. – 1881. Account of the zoological collections made during the survey of H.M.S. "Alert" in the Strait of Magellan and on the coast of Patagonia. Crustacea. *Proc. Zool. Soc. London*, 1881: 61-80.
- Montagu, G. – 1804. Description of several marine animals found on the south coast of Devonshire. *Trans. Linn. Soc. London*, 7: 61-85.
- Monticelli, F.S. and Lo Bianco, S. – 1900. Sullo sviluppo dei Penaeidae nel golfo di Napoli. *Monit. Zool. Ital.*, 11: 23-31.
- Monticelli, F.S. and Lo Bianco, S. – 1901. Uova e larva di *Solenocera siphonocera*. *Monit. Zool. Ital.*, 12: 205-206.
- Monticelli, F.S. and Lo Bianco, S. – 1902. Su la probabile larva di *Aristeus antennatus*, Risso. *Monit. Zool. Ital.*, 13: 30-31.
- Mortensen, T. – 1897. Undersøgelser over vor almindelige Rejes (*Palaemon fabricii* Rathke). Biologi og Udviklingshistorie samt Bemærkninger om Rejefiskeriet i de Danske farvande. *Vid. Undersøg. Fisk. omr. Udg. Dansk Fiskerifor.*, 1: 1-79.
- Müller, F. – 1862. On the transformations of the Porcellanæ. *Ann. Mag. Nat. Hist.*, ser. 3, 11:47-50.
- Mura, M. and Pessani, D. – 1994. Descrizione del primo stadio larvale e notizie sul periodo riproduttivo di alcune specie di decapodi. *Biol. Mar. Medit.*, 1(1): 391-392.
- Neumann, V. – 1993. The morphology of the first zoea stage of the spider crab *Maja crispata* (Risso, 1827). *Senckenberg. Mar.*, 23(4/6): 143-148.
- Ngoc-Ho, N. – 1981. A taxonomic study of the larvae of four thalassinid species (Decapoda, Thalassinidea) from the gulf of Mexico. *Bull. Brit. Mus. Nat. Hist.*, 40: 237-273.
- Nichols, J.H. and Lawton, P. – 1978. The occurrence of the larval stages of the lobster *Homarus gammarus*, (Linnaeus, 1758) off the northeast coast of England in 1976. *Cons. Int. Explor. Mer.*, 38(2): 234-243.
- Nöel, P.Y. – 1992. *Clé préliminaire d'identification des Crustacea Decapoda de France et des principales autres espèces d'Europe*. Collection Patrimoines Naturels. Muséum National d'Histoire Naturels Paris. Paris, 145 pp.
- Ortmann, A. – 1893. Decapoden und Schizopoden. Plankton Expedition der Humboldt Stiftung. *Wiss. Ergebn.*, 2: 1-120.
- Paula, J. – 1985. The first zoeal stages of *Polybius henslowi* Leach, *Maja squinado* (Fabricius), and *Uca tangeri* (Eydoux) (Crustacea, Decapoda, Brachyura). *Arq. Mus. Boc.*, B2(17): 137-147.
- Paula, J. – 1987. Planktonic stages of brachyuran crabs from the south-western Iberian coast (Crustacea, Decapoda, Brachyura). *J. Nat. Hist.*, 21: 717-756.
- Paula, J. – 1988. The larval development of the spider crab *Maja goetziana* d'Oliveira, 1888 (Crustacea, Decapoda, Majidae) reared in the laboratory. *J. Nat. Hist.*, 22: 1697-1708.
- Paula, J. – 1988a. The larval and post-larval development of Pennant's swimming crab, *Portunus latipes* (Pennant) (Brachyura, Portunidae) reared in the laboratory. *Crustaceana*, 55(2): 202-216.
- Paula, J. – 1991. The zoeal stages of the crab *Medorippe lanata* (Linnaeus, 1767) (Brachyura, Dorippidae) reared in the labora-

- tory, and the larval characters of the Dorippidae. *J. Nat. Hist.*, 25: 75-89.
- Paula, J. and Hartnoll, R.G. – 1989. The larval and post-larval development of *Percnon gibbesi* (Crustacea, Brachyura, Grapsidae) and the identity of the larval genus *Pluteocaris*. *J. Nat. Hist.*, 21: 17-37.
- Paulinose, V.T. – 1984. Larval and postlarval stages of the genus *Trachypenaopsis* Burkenroad (Penaeidae, Penaeinae) from the Indian Ocean. *Bull. Natn. Inst. Oceanogr. Mahasagar*, 17: 221-226.
- Pearson, J.C. – 1908. *Cancer* (The edible Crab). *Proc. Trans. Liverpool Biol. Soc.*, 22: 291-499.
- Pérez-Farfante, I. and Kensley, B. – 1997. Penaeoid and Sergestoid shrimps and prawns of the world - Keys and diagnoses for the families and genera. *Mem. Mus. natn. Hist. nat.*, 175: 1-233.
- Pessani, D. – 1993. Planktonic larvae of *Natantia* (Decapoda) in Tigullio Gulf (Ligurian Sea), with remarks on larvae of Pandalidae. *Crustaceana*, 65(3):309-317.
- Pessani, D. and Godino, C. – 1991. Larval development of *Philocheas trispinosus* (Hailstone, 1835) (Decapoda, Crangonidae) reared in the laboratory. *J. Crust. Biol.*, 11: 123-137.
- Pessani, D. and Robotti, C.A. – 1992. Larvae of the mediterranean decapod crustaceans: summary of the literature until 1988. *Oebalia*, 17: 387-397.
- Pike, R.B. and Williamson, D.I. – 1958. Crustacea Decapoda: Larvae. XI. Paguridea, Coenobitidae, Dromiidea, and Homolidea. *Fich. Ident. Zoopl.*, 81: 1-9.
- Pike, R.B. and Williamson, D.I. – 1960. Larvae of decapod Crustacea of the families Diogenidae and Paguridae from the bay of Naples. *Publ. Staz. Zool. Nap.*, 31: 493-552.
- Pike, R.B. and Williamson, D.I. – 1960a. Larvae of decapod Crustacea of the families Dromiidae and Homolidae from the bay of Naples. *Publ. Staz. Zool. Nap.*, 31: 553-563.
- Pike, R.B. and Williamson, D.I. – 1961. Larval variation in *Philocheas bispinosus* (Hailstone) (Decapoda, Crangonidae). *Crustaceana*, 2: 21-25.
- Pike, R.B. and Williamson, D.I. – 1961a. The larvae of *Spirontocaris* and related genera (Decapoda, Hippolytidae). *Crustaceana*, 2: 187-208.
- Pike, R.B. and Williamson, D.I. – 1964. The larvae of some species of Pandalidae (Decapoda). *Crustaceana*, 6: 265-284.
- Pike, R.B. and Williamson, D.I. – 1972. Crustacea Decapoda: Larvae. X. Galatheaidea. *Fich. Ident. Zoopl.*, 139: 1-5.
- Ramonell, R. – 1987. Estudio morfológico de los estadios larvarios del camarón *Palaemon serratus* (Pennant, 1777). *Inv. Pesq.*, 51 (Supl.1): 545-560.
- Rathbun, M.J. – 1923. The brachyuran crabs collected by the U.S. Fisheries Steamer "Albatross" in 1911, chiefly on the west coast of Mexico. *Bull. Amer. Mus. Nat. Hist.*, 48:619-637.
- Rice, A.L. – 1964. The metamorphosis of a species of *Homola* (Crustacea, Decapoda, Dromiacea). *Bull. Mar. Sci. Gulf Caribb.*, 14: 221-238.
- Rice, A.L. – 1975. The first zoeal stages of *Cancer pagurus* L., *Pinnotheres pisum* (Pennant) and *Macrophthalmus depressus* Ruppel (Crustacea, Decapoda, Brachyura). *Bull. Br. Mus. Nat. Hist.*, 28: 237-247.
- Rice, A.L. – 1980. Crab zoeal morphology and its bearing on the classification of the Brachyura. *Trans. Zool. Soc. London*, 35: 271-424.
- Rice, A.L. – 1980a. The first zoeal stage of *Ebalia nux* Milne Edwards, 1883, with a discussion of the zoeal characters of the Leucosiidae (Crustacea, Decapoda, Brachyura). *J. Nat. Hist.*, 14: 331-337.
- Rice, A.L. – 1982. The megalopa stage of *Latreillia elegans* Roux, 1830 (Decapoda, Brachyura, Homoloidea). *Crustaceana*, 43(2): 205-210.
- Rice, A.L. and Ingle, R.W. – 1975. The larval development of *Carcinus maenas* (Linnaeus) and *Carcinus mediterraneus* Czerniavsky (Crustacea, Brachyura, Portunidae) reared in the laboratory. *Bull. Br. Mus. Nat. Hist.*, 28(3): 101-119.
- Rice, A.L. and Ingle, R.W. – 1975a. A comparative study of the larval morphology of the British portunid crabs *Macropipus puber* (L.) and *Macropipus holsatus* (Fabricius), with a discussion of generic and subfamily larval characters within the Portunidae. *Bull. Br. Mus. Nat. Hist.*, 28: 121-151.
- Rice, A.L. and Ingle, R.W. – 1978. The larval development of the portunid crab *Macropipus pusillus* (Leach) reared in the laboratory. *Bull. Br. Mus. Nat. Hist.*, 33: 287-296.
- Rice, A.L., Ingle, R.W. and Allen, E. – 1970. The larval development of the sponge crab *Dromia personata* (L.) (Crustacea, Decapoda, Brachyura) reared in the laboratory. *Vie et Milieu*, 21: 223-240.
- Rice, A.L. and Provenzano, A.J. – 1966. The larval development of the West Indian sponge crab *Dromidia antillensis* (Decapoda, Dromiidae). *J. Zool. London*, 149: 297-319.
- Rice, A.L. and Provenzano, A.J. – 1970. The larval stages of *Homola barbata* (Fabricius) (Crustacea, Decapoda, Homolidae) reared in the laboratory. *Bull. Mar. Sci.*, 20: 446-471.
- Rice, A.L. and Von Levetzow, K.G. – 1967. Larvae of *Homola* (Crustacea, Dromiacea) from South Africa. *J. Nat. Hist.*, 1: 435-453.
- Rice, A.L. and Williamson, D.I. – 1977. Planktonic stages of Crustacea Malacostraca from the Atlantic Sea Mounts. *Meteors Fors.*, (D) 26: 28-64.
- Roberts, M.H. – 1969. Larval development of *Bathynectes superba* (Costa) reared in the laboratory. *Biol. Bull.*, 137:338-351.
- Rochanaburanon, T. and Williamson, D.I. – 1976. Laboratory survival of *Palaemon elegans* Rathke and other caridean shrimps in relation to their distribution and ecology. *Estuar. Coast. Mar. Sci.*, 4: 83-91.
- Rodríguez, A. – 1997. Larval and postlarval development of *Pisa tetraodon* (Pennant, 1777) (Decapoda, Majidae) reared in the laboratory. *J. Plank. Res.*, 19(1): 29-41.
- Rodríguez, A., González-Gordillo, J.I. and Cuesta, J.A. – 1992. Larval stages of *Brachynotus atlanticus* Forest, 1957 (Crustacea, Decapoda, Grapsidae) reared under laboratory conditions. *J. Plank. Res.*, 14(6): 867-883.
- Rodríguez, A. and Jones, D.A. – 1993. Larval development of *Uca tangeri* (Eydoux, 1835) (Decapoda, Ocypodidae) reared in the laboratory. *J. Crust. Biol.*, 13(2): 309-321.
- Rodríguez, A. and Martin, J.W. – 1997. Larval development of the crab *Xantho poressa* (Decapoda, Xanthidae) reared in the laboratory. *J. Crust. Biol.*, 17(1):98-110.
- Rodríguez, A. and Paula, J. – 1993a. Larval and postlarval development of the mud crab *Panopeus africanus* Milne Edwards (Decapoda, Xanthidae) reared in the laboratory. *J. Crust. Biol.*, 13(2): 296-308.
- Roff, J.C., Davidson, K.G., Pohle, G. and Dadswell, M.J. – 1984. A guide to the marine flora and fauna of Bay of Fundy and Scotian Shelf: larval Decapoda: Brachyura. *Can. Tech. Rep. Fish. Aquat. Sci.*, 132: 1-57.
- Rossignol, M. – 1957. Crustacés Décapodes Marins de la Région de Pointe-Noire. In: J. Collignon, M. Rosignol, and Ch. Roux (eds.): *Mollusques, Crustacés, Poissons Marins des côtes d'AEF en collection au centre d'Océanographie de l'Institut d'Etudes Centrafricaines de Pointe Noire*, pp. 71-136. Paris.
- Saint Laurent - Dehancé, M. – 1964. Développement et position systématique du genre *Parapagurus* Smith (Crustacea, Decapoda, Paguridea). I. Description des stades larvaires. *Bull. Inst. Oceanogr. Monaco*, 64(1321): 1-26.
- Salman, S.D. – 1981. Larval development of *Macropodia tenuirostris* (Leach) (Crustacea, Brachyura, Majidae) reared in the laboratory. *J. Nat. Hist.*, 15: 931-938.
- Salman, S.D. – 1982. Larval development of the spider crab *Eurynome aspera* (Pennant) reared in the laboratory with a key to the known larvae of the subfamily Pisinae (Brachyura, Majidae). *Crustaceana*, 43(1): 78-88.
- Salman, S.D. – 1982a. Observations on the larvae of north european crabs of the genus *Ebalia* (Brachyura, Leucosiidae). *Crustaceana*, 42:256-269.
- Salman, S.D. – 1982b. Larval development of the crab *Pilumnus hirtellus* (L.) reared in the laboratory (Decapoda, Brachyura, Xanthidae). *Crustaceana*, 42(2): 113-126.
- Samuelsen, T.J. – 1972. Larvae of *Munidopsis tridentata* (Esmark) (Decapoda, Anomura) reared in the laboratory. *Sarsia*, 48: 91-98.
- Samuelsen, T.J. – 1972a. Larvae of *Pagurus variabilis* Milne-Edwards and Bouvier (Decapoda, Anomura) reared in the laboratory. *Sarsia*, 48: 2-11.
- Samuelsen, T.J. – 1976. The first zoea of *Paromola cuvieri* (Risso) (Decapoda, Homolidae). *Sarsia*, 62: 5-8.
- Sankarankutty, C. – 1968. Larvae of an unrecorded pagurid (Crustacea, Paguridae) from western Norway. *Sarsia*, 31: 57-62.
- Santos, A. dos and Lindley, J.A. – In press. Crustacea Decapoda: Larvae II. Dendobranchiata (Aristeidae, Benthescymidae, Penaeidae, Solnoceridae, Sicyonidae, Sergestidae and Luciferidae). *Fich. Ident. Zoopl.*, 30.

- Santucci, R. – 1925. Contributo allo studio dello sviluppo post embrionali degli Scyllaridea del Mediterraneo I *Palinurus vulgaris*. *Atti Accad. naz. Lincei Rc.*, 6: 333-338.
- Santucci, R. – 1925a. Contributo allo studio dello sviluppo post-embriale degli Scyllaridea del Mediterraneo II: *Scyllarus arctus*. III: *Scyllarides latus*. *Mem. R. Com. Talassogr. Ital.*, 71: 1-16.
- Santucci, R. – 1926. Lo Sviluppo e l'ecologia Postembrionali dello Scampo *Nephrops norvegicus* (L.) nel Tirreno e nei mari nordici. *Mem. R. Com. Talassogr. Ital.*, 125: 1-36.
- Santucci, R. – 1926a. Fillosomi di Scyllaridi esotici nel mediterraneo. *Monit. Zool. Ital.*, 27: 19-23.
- Santucci, R. – 1926b. Lo stadio natante e la prima forma post-natante dell'Aragosta (*Palinurus vulgaris* Latr.) del Mediterraneo. *Mem. R. Com. Talassogr. Ital.*, 127: 1-11.
- Santucci, R. – 1927. Uno stadio sviluppo non ancora descritto dello "Scampo" *Nephrops norvegicus* (L.) *Mem. R. Com. Talassogr. Ital.*, 128: 1-6.
- Santucci, R. – 1928. Il primo stadio post-embriale di *Scyllarides latus* Latreille. *Mem. R. Com. Talassogr. Ital.*, 144: 1-7.
- Sars, G.O. – 1875. Om hummerens postembryonale udvikling. *Forh. Vidensk. Selsk. Krist.*, 1874: 1-27.
- Sars, G.O. – 1884. Bidrag til kundskaben om decapodernes forvandlinger. I. *Nephrops*, *Calocaris*, *Gebia*. *Arc. Math. Natur.*, 9: 155-204.
- Sars, G.O. – 1889. Bidrag til kundskaben om decapodernes forvandlinger. II. *Lithodes*, *Eupagurus*, *Spiropagurus*, *Galathodes*, *Galathea*, *Munida*, *Porcellana*, *Nephrops*. *Arc. Math. Natur.*, 13: 133-201.
- Sars, G.O. – 1890. Bidrag til kundskaben om Decapodernes Forvandlinger. III: Crangonidae. *Arc. Math. Natur.*, 14: 132-195.
- Sars, G.O. – 1900. Account of the postembryonal development of *Pandalus borealis*, with remarks on the development of other pandali, and description of the adult *Pandalus borealis*. *Rep. Norw. Fish. Mar. Inv.*, 1(3): 1-45.
- Sars, G.O. – 1906. Postembryonal development of *Athanas nitescens* Leach. *Arc. Math. Natur.*, 27(10): 1-29.
- Sars, G.O. – 1911. Account of the post-embryonal development of *Hippolyte varians* Leach. *Arc. Math. Natur.*, 32(7): 1-25.
- Schlegel, C. – 1911. Sur le developpement de *Maia squinado* Latr. *C. R. Hebd. Seanc. Acad. Sci.*, 153(8): 480-482.
- Sekiguchi, H. – 1986. Identification of late-stage phyllosoma larvae of the scyllarid and palinurid lobsters in the Japanese waters. *Bull. Jap. Soc. Sci. Fish.*, 52(8): 1289-1294.
- Selbie, C.M. – 1914. The Decapoda Reptantia of the coast of Ireland. I. *Palinura*, *Astacura* and *Anomura* (except *Paguridea*). *Sci. Invest. Fish. Br. Ireland*, 1: 1-116.
- Seridji, R. – 1971. Contribution à l'étude des larves crustacées décapodes en baie d'Alger. *Pelagos*, 3(2): 1-107.
- Seridji, R. – 1988. Some planktonic larval stages of *Albunea carabus* (L., 1758) (Crustacea, Decapoda, Anomura). *J. Nat. Hist.*, 22: 1293-1300.
- Seridji, R. – 1989. *Etude des larves des crustacés décapodes: aspects taxonomique, écologique et biogéographique*. Ph.D. thesis, Alger, 618 pp.
- Seridji, R. – 1990. Description of some planktonic larval stages of *Stenopus spinosus* Risso, 1826: notes on the genus and the systematic position of the Stenopodidea as revealed by larval characters. *Sci. Mar.*, 54(3): 293-303.
- Seridji, R. – 1993. Descriptions of some planktonic larvae of the Calappidae (Crustacea, Decapoda, Brachyura). *J. Plank. Res.*, 15(4): 437-453.
- Shen, C.J. – 1935. An investigation of the post-larval development of the shore-crab *Carcinus maenas*, with the special reference to the external secondary sexual characters. *Proc. Zool. Soc. London*, 1935: 1-33.
- Sivertsen, E. and Holthuis, L.B. – 1956. Crustacea Decapoda (The Penaeidea and Stenopodidea excepted). *Rep. Sci. Res. "Michael Sars" N. Atl. Exp.*, 1910: 121-154.
- Slabber, M. – 1778. *Natuurkundige Verlostingen, behelzende microscopise waarneemingen van in-en uitlandse Water-en Land-Dieren*. Haarlem, 166 pp.
- Slabber, M. – 1781. *Physikalische Belustigungen, order mikroskopische Wahrnehmungen von drey und vierzig in und ausländischen Wassere- und Landthieren*. Aus dem Holländischen übersezt. Nürnberg, 99 pp.
- Sollaud, E. – 1912. Les Métamorphoses du Bocquet. *C. R. Acad. Sci. Paris*, 154: 664-667.
- Sollaud, E. – 1923. Le développement larvaire des Palamoninae. *Bull. Biol. Fr. Belg.*, 57: 509-603.
- Soltanpour-Gargari, A., Engelmann, R. and Wellershaus, S. – 1989. Development and rearing of zoea larvae in brachyura (Crustacea Decapoda). A bibliography. *Crustaceana*, Supl. 14: 1-173.
- Stephensen, K. – 1916. Zoogeographical investigations of certain fjords in southern Greenland with special reference to the Crustacea, Pycnogonida and Echinodermata. *Medd. Gronland*, 53: 231-378.
- Stephensen, K. – 1923. Decapoda Macrura (excl. Sergestidae). *Rep. Danish Oceanogr. Exp.* 1908-1910, 2: 1-85.
- Sund, O. – 1920. Report of the Scientific Results of the "Michel Sars" North Atlant. Deep Sea Exp. 1910, 3(2): 1-32.
- Sutton, A. H., Main, G. and Ronald, A. – 1969. An instrument for counting the larvae of the prawn *Palaemon serratus* and the brine shrimp *Artemia salina*. *Lab. Pract.*, 18: 433-436.
- Taishaku, H. and Konishi, K. – 1995. Zoeas of Calappa species with special reference to larval characters of the family Calappidae (Crustacea, Brachyura). *Zool. Sci.*, 12: 649-654.
- Tattersall, W.M. – 1938. A note on the trachelifer larva of *Jaxea nocturna* (Chiereghin) and its metamorphosis. *Ann. Mag. Nat. Hist.*, ser. 11, 1(6): 625-631.
- Terada, M. – 1987. Zoeal forms of 14 species of crabs from the Enshunada. *Res. Crust.*, 16: 93-120.
- Thiele, J. – 1905. Über einige stieläugige Krebse von Messina. *Zool. Jb.*, Supl. 8: 443-474.
- Thiriot, A. – 1973. Stades larvaires de Parthenopidae méditerranéens: *Heterocrypta maltzani* Miers et *Parthenope massena* (Milne Edwards). *Cah. Biol. Mar.*, 14(2): 111-134.
- Thiriot, A. – 1974. Larves de décapodes Macrura et Anomura, espèces européennes; caractères morphologiques et observations écologiques. *Thal. Jugosl.*, 10: 341-378.
- Thompson, J.V. – 1828. On the metamorphoses of the Crustacea, and on the zoea, exposing their singular structure, and demonstrating that they are not, as has been supposed, a peculiar genus, but the larva of Crustacea. *Zool. Res. Illustr. Nat. Hist.*, vol. I: 1-11.
- Thompson, J.V. – 1835. Memoir on the metamorphosis in *Porcellana* and *Portunus*. *Entom. Mag.*, 3: 275-280.
- Thompson, J.V. – 1836. Memoir on the metamorphosis in the Macrourea or long-tailed Crustacea, exemplified in the prawn (*Palaemon serratus*). *Edinburgh New Phil. J.*, 21: 221-223.
- Tsurnamal, M. – 1963. Larval development of the prawn *Palaemon elegans* Rathke (Crustacea, Decapoda) from the coast of Israel. *Israel J. Zool.*, 12: 117-141.
- Wasserloos, E. – 1908. Zur Kenntnis der metamorphose von *Sergestes arcticus*. *Kr. Zool. Anz.*, 33: 303-331.
- Wear, R.G. – 1985. Checklist and annotated bibliography of New Zealand decapod crustacean larvae (Natantia, Macrura Reptantia, and Anomura). *Zool. Publ. Victoria Univ. Wellington*, 79: 1-15.
- Wear, R.G. and Fielder, D.R. – 1985. The Marine Fauna of New Zealand: Larvae of the Brachyura (Crustacea, Decapoda). *Mem. N. Z. Oceanogr. Inst.*, 92: 1-90.
- Webb, G.E. – 1919. The development of the species of *Upogebia* from Plymouth Sound. *J. Mar. Biol. Assoc. U. K.*, 12: 81-134.
- Webb, G.E. – 1921. The larvae of the Decapoda Macrura and Anomura of Plymouth. *J. Mar. Biol. Assoc. U. K.*, 12(3): 385-425.
- Williams, B.G. – 1968. Laboratory rearing of the larval stages of *Carcinus maenas* (L.) (Crustacea: Decapoda). *J. Nat. Hist.*, 2: 121-126.
- Williamson, D.I. – 1957. Crustacea Decapoda: larvae. I. General. *Fich. Ident. Zoopl.*, 67: 1-7.
- Williamson, D.I. – 1957a. Crustacea Decapoda: Larvae. V. Caridea, Family Hippolytidae. *Fich. Ident. Zoopl.*, 68: 1-5.
- Williamson, D.I. – 1960. Crustacea Decapoda: larvae. VII. Caridea, Family Crangonidae; Stenopodidea. *Fich. Ident. Zoopl.*, 90: 1-5.
- Williamson, D.I. – 1960a. A remarkable zoea, attributed to the Majidae (Decapoda, Brachyura). *Ann. Mag. Nat. Hist.*, 13(3): 141-144.
- Williamson, D.I. – 1960b. Larval stages of *Pasiphaea sivado* and some other Pasiphaeidae (Decapoda). *Crustaceana*, 1(4): 331-341.
- Williamson, D.I. – 1962. Crustacea Decapoda: larvae. III. Caridea, Families Oplophoridae, Nematocarinidae, and Pasiphaeidae. *Fich. Ident. Zoopl.*, 92: 1-5.
- Williamson, D.I. – 1965. Some larval stages of three Australian crabs belonging to the families Homolidae and Raninidae, and

- observations on the affinities of these families (Crustacea, Decapoda). *Austr. J. Mar. Freshw. Res.*, 16: 369-398.
- Williamson, D.I. – 1967. On a collection of planktonic Decapoda and Stomatopoda (Crustacea) from the Mediterranean coast of Israel. *Bull. Sea Fish. Res. Sta. Haifa*, 45: 32-64.
- Williamson, D.I. – 1967a. Crustacea Decapoda: Larvae. IV. Caridea. Families: Pandalidae and Alpheidae. *Fich. Ident. Zoopl.*, 109: 1-5.
- Williamson, D.I. – 1970. On a collection of planktonic Decapoda and Stomatopoda (Crustacea) from the east coast of the Sinai Peninsula, Northern Red Sea. *Bull. Sea Fish. Res. Sta. Haifa*, 56: 3-48
- Williamson, D.I. – 1974. Larval characters and the origin of crabs (Crustacea, Decapoda, Brachyura). *Thal. Jugosl.*, 10: 401-414.
- Williamson, D.I. – 1982. The larval characters of *Dorhynchus thomsoni* Thomson (Crustacea, Brachyura, Majoidea) and their evolution. *J. Nat. Hist.*, 16: 727-744.
- Williamson, D.I. – 1983. Crustacea Decapoda: Larvae. VIII. Nephropidae, Palinuridea, Palinuridea, and Eryonidea. *Fich. Ident. Zoopl.*, 167/168: 1-8.
- Williamson, D.I. and Rochanaburanon, T. – 1979. A new species of Processidae (Crustacea, Decapoda, Caridea) and the larvae of the north European species. *J. Nat. Hist.*, 13: 11-33.
- Williamson, H.C. – 1910. Report on the larval and later stages of *Portunus holsathus*, Fabr.; *Portunus puber*, L.; *Portunus depu-*
- rator*, Leach; *Hyas araneus*, (L.); *Eupagurus bernhardus*, L.; *Galathea dispersa*, Spence Bate; *Crangon trispinosus* (Hailstone); *Cancer pagurus*, L. *Fish. Scot. Sci. Invest.*, 1909: 1-20.
- Williamson, H.C. – 1915. VI. Crustacea Decapoda. Larven. *Nord. Plank.*, 18: 315-588.
- Wilson, K.A. and Gore, R.H. – 1980. Studies on Decapod Crustacea from the Indian River region of Florida. XVII. Larval stages of *Plagusia depressa* (Fabricius, 1775) cultured under laboratory conditions (Brachyura, Grapsidae). *Bull. Mar. Sci.*, 30(4): 776-789.
- Wimpenny, R.S. and Titterton, E. – 1963. The tow-net plankton of lake Qarun, Egypt. 2. The stages of *Leander squilla elegans* Rathke. *Notes Mem. Fish. Res.*, 14: 21-36.
- Yagi, H. – 1986. Le développement larvaire de la crevette rose *Palaemon serratus* (Pennant) (Palaemonidae, Decapoda, Crustacea). *Mesogée*, 46(1): 29-43.
- Yang, W.T. – 1968. The zoeae, megalopa, and the first crab of *Epiplatys dilatatus* (Brachyura, Majidae) reared in the laboratory. *Crustaceana*, (Supl. 2): 181-202.
- Yang, W.T. – 1971. The larval and postlarval development of *Parthenope serrata* reared in the laboratory and the systematic position of the Parthenopinae (Crustacea, Brachyura). *Biol. Bull.*, 140: 166-189.

Scient. ed.: P. Abelló

APPENDIX

Synonyms or inaccurate names assigned to larval material (left column) and its corresponding correct name (right column). Current valid names are in italics; synonyms are in non italics.

<i>Acanthephyra debilis</i>	<i>Stellaspis debilis</i> (M. Edwards, 1881)	<i>Crangon trispinosus</i>	<i>Philocheirus trispinosus</i> (Hailstone, 1835)
<i>Acanthephyra purpurea</i>	<i>Acanthephyra purpurea</i> M. Edwards, 1881 or <i>Acanthephyra pelagica</i> (Risso, 1816)	<i>Crangon vulgaris</i>	<i>Crangon crangon</i> (Linnaeus, 1758)
<i>Aegeon fasciatus</i>	<i>Philocheirus fasciatus</i> (Risso, 1816)	<i>Dorippe lanata</i>	<i>Medorippe lanata</i> (Linnaeus, 1767)
<i>Alpheus ruber</i>	<i>Alpheus glaber</i> (Olivi, 1792)	<i>Dromia personatus</i>	<i>Dromia personata</i> (Linnaeus, 1758)
<i>Amalopenaenus elegans</i>	<i>Gennadas elegans</i> (S.I. Smith, 1882)	<i>Dromia vulgaris</i>	<i>Dromia personata</i> (Linnaeus, 1758)
<i>Anapagurus laevis</i>	<i>Anapagurus laevis</i> (Bell, 1846) or <i>Anapagurus breviaculeatus</i> Fenizia, 1937	<i>Dromidia larraburei</i>	<i>Dromia personata</i> (Linnaeus, 1758)
<i>Aristaeomorpha foliacea</i>	<i>Aristaeomorpha foliacea</i> (Risso, 1827) or <i>Funchalia woodardii</i> Johnson, 1867	<i>Eriphia spinifrons</i>	<i>Eriphia verrucosa</i> (Forskål, 1775)
<i>Aristeus antennatus</i>	<i>Aristeus antennatus</i> (Risso, 1816) or <i>Funchalia woodardii</i> Johnson, 1867	<i>Ethusa mascerone</i>	<i>Ethusa mascerone</i> (Herbst, 1785)
<i>Astacus gammarus</i>	<i>Homarus gammarus</i> (Linnaeus, 1758)	<i>Eupagurus bernhardus</i>	<i>Pagurus bernhardus</i> (Linnaeus, 1758)
<i>Astacus norvegicus</i>	<i>Nephrops norvegicus</i> (Linnaeus, 1758)	<i>Eupagurus excavatus</i>	<i>Pagurus alatus</i> (Fabricius, 1775)
<i>Atelecyclus septemdentatus</i>	<i>Atelecyclus rotundatus</i> (Olivi, 1792)	<i>Eupagurus prideauxii</i>	<i>Pagurus prideauxii</i> Leach, 1815
<i>Bathynectes superba</i>	<i>Bathynectes longipes</i> (Risso, 1816)	<i>Euphema armata</i>	<i>Gennadas elegans</i> (S.I. Smith, 1882)
<i>Calcinus ornatus</i>	<i>Calcinus tubularis</i> (Linnaeus, 1767)	<i>Galathea nexa</i>	<i>Galathea nexa</i> Embleton, 1834 or <i>Galathea dispersa</i> Bate, 1859
<i>Callianassa stebbingi</i>	<i>Callianassa tyrrhena</i> (Petagna, 1792)	<i>Galathea rugosa</i>	<i>Munida rugosa</i> (Fabricius, 1775)
<i>Callianassa subterranea</i>	<i>Callianassa subterranea</i> (Montagu, 1808) or <i>Callianassa tyrrhena</i> (Petagna, 1792)	<i>Galathodes tridentata</i>	<i>Munidopsis sericornis</i> (Lovén, 1853)
<i>Calliaxis adriatica</i>	<i>Jaxea nocturna</i> Nardo, 1847	<i>Gebia littoralis</i>	<i>Upogebia deltaura</i> (Leach, 1815) or <i>Upogebia pusilla</i> (Petagna, 1792)
<i>Calocaris macandreae</i>	<i>Calocaris macandreae</i> Bell, 1846 or <i>Callianassa subterranea</i> (Montagu, 1808)	<i>Geryon tridens</i>	<i>Geryon trispinosus</i> (Herbst, 1803)
<i>Cancer germanus</i>	<i>Cancer pagurus</i> Linnaeus, 1758	<i>Glaucothoe grimaldii</i>	<i>Calcinus tubularis</i> (Linnaeus, 1767)
<i>Cancer rhomboidalis</i>	<i>Necora puber</i> (Linnaeus, 1767)	<i>Glaucothoe rostrata</i>	<i>Dardanus calidus</i> (Risso, 1826)
<i>Carcinus mediterraneus</i>	<i>Carcinus aestuarii</i> Czerniavsky, 1884	<i>Gonoplax angulata</i>	<i>Goneplax rhomboides</i> (Linnaeus, 1758)
<i>Catapaguroides timidus</i>	<i>Cestopagurus timidus</i> (Roux, 1830) or <i>Nematopagurus longicornis</i> M. Edwards and Bouvier, 1892	<i>Gonoplax rhomboides</i>	<i>Goneplax rhomboides</i> (Linnaeus, 1758)
<i>Cheraphilus echinulatus</i>	<i>Philocheirus echinulatus</i> (Sars, 1861)	<i>Hippolyte cranchii</i>	<i>Thoralus cranchii</i> (Leach, 1817)
<i>Cheraphilus nanus</i>	<i>Philocheirus bispinosus bispinosus</i> (Hailstone, 1835)	<i>Hippolyte prideauxiana</i>	<i>Hippolyte inermis</i> Leach, 1815
<i>Cheraphilus trispinosus</i>	<i>Philocheirus trispinosus</i> (Hailstone, 1835)	<i>Homarus vulgaris</i>	<i>Homarus vulgaris</i> (Linnaeus, 1758)
<i>Clibanarius erythropus</i>	<i>Clibanarius erythropus</i> (Latreille, 1818)	<i>Homola cuvieri</i>	<i>Homola barbata</i> (Fabricius, 1793)
<i>Crangon echinulatus</i>	<i>Philocheirus echinulatus</i> (Sars, 1861)	<i>Hoplophorus grimaldii</i>	<i>Oplophorus spinosus</i> (Brullé, 1839)
<i>Crangon fasciatus</i>	<i>Philocheirus fasciatus</i> (Risso, 1816)	<i>Inachus dorynchus</i>	<i>Inachus phalangium</i> (Fabricius, 1775)
<i>Crangon nanus</i>	<i>Philocheirus bispinosus bispinosus</i> (Hailstone, 1835)	<i>Inachus rostratus</i>	<i>Macropodia rostrata</i> (Linnaeus, 1761)
<i>Crangon norvegicus</i>	<i>Pontophilus norvegicus</i> (Sars, 1861)	<i>Inachus scorpio</i>	<i>Inachus dorsettensis</i> (Pennant, 1777) or <i>Inachus thoracicus</i> (Roux, 1830)
<i>Crangon spinosus</i>	<i>Pontophilus spinosus</i> (Leach, 1815)	<i>Inachus tetraodon</i>	<i>Pisa armata</i> (Latreille, 1803)
		<i>Lambrus angulifrons</i>	<i>Parthenope angulifrons</i> Latreille, 1825
		<i>Lambrus (Rhinolambrus) massena</i>	<i>Parthenope massena</i> (Roux, 1830)
		<i>Leander adpersus</i>	<i>Parthenope massena</i> (Roux, 1830)
		<i>Leander fabricii</i>	<i>Palaemon adpersus</i> Rathke, 1837
		<i>Leander longirostris</i>	<i>Palaemon adpersus</i> Rathke, 1837
		<i>Leander serratus</i>	<i>Palaemon longirostris</i> M. Edwards, 1837
		<i>Leander squilla</i>	<i>Palaemon serratus</i> (Pennant, 1777)
		<i>Leander squilla elegans</i>	<i>Palaemon elegans</i> Rathke, 1837
		<i>Leander squilla typica</i>	<i>Palaemon elegans</i> Rathke, 1837
		<i>Leander xiphias</i>	<i>Palaemon xiphias</i> Riso, 1816
		<i>Leandri rectirostris</i>	<i>Palaemon adpersus</i> Rathke, 1837
		<i>Liocarcinus puber</i>	<i>Necora puber</i> (Linnaeus, 1767)
		<i>Macropipus corrugatus</i>	<i>Liocarcinus corrugatus</i> (Pennant, 1777)
		<i>Macropipus holsatus</i>	<i>Liocarcinus holsatus</i> (Fabricius, 1798)
		<i>Macropipus marmoreus</i>	<i>Liocarcinus marmoreus</i> (Leach, 1814)

- Macropipus puber
 Macropipus pusillus
 Macropodia aegyptia
 Macropodia longirostris
 Macropodia phalangium
 Macropodia rostratus
 Maia squinado
 Maja verrucosa
 Megalopa armata
 Megalopa montagu
 Miersia clavigera
 Monoculus taurus
 Munida banffica
 Munida rugosa

 Munidopsis tridentata
 Nematocarcinus ensifer
 Nematocarcinus ensifer exilis
 Pagure misanthrope
 Paguristes oculatus
 Pagurus alatus

 Pagurus arrosor
 Pagurus chiroacanthus

 Pagurus misanthropus
 Pagurus prideaux
 Pagurus sculptimanus
 Pagurus variabilis
 Palaemon fabricii
 Palaemon squilla
 Palaemon variabilis
 Palaemon varians
 Palinurus vulgaris
 Pandalus (Dichelopandalus)
 bonnieri
 Pandalus (Pandalina) brevisrostris
 Pandalus brevisrostris
 Parapandalus richardi
 Pasiphaë sulcatifrons
 Pasiphaea principalis
 Pasiphaea tarda

 Passiphaea tarda
 Penaeus japonicus
 Penaeus kerathurus
 Penaeus membranaceus
 Penaeus siphonocerus
 Penaeus trisulcatus
 Percnon gibbesii
 Perimela (Pirimela) denticulata
 Phyllosoma mediterranea
 Pinnotheres Marionii

 Pinnotheres pinnotheres

 Pinnotheres veterum

 Pirimela denticulata

 Pisa biaculeata
 Pisa gibbsii
 Pisidia longimana

Necora puber (Linnaeus, 1767)
Liocarcinus pusillus (Leach, 1815)
Macropodia deflexa Forest, 1978
Macropodia tenuirostris (Leach, 1814)
Macropodia rostrata (Linnaeus, 1761)
Macropodia rostrata (Linnaeus, 1761)
Maja squinado (Herbst, 1788)
Maja crispata (Risso, 1827)
Cancer pagurus Linnaeus, 1758
Liocarcinus depurator (Linnaeus, 1758)
Lysmata seticaudata (Risso, 1816)
Carcinus maenas (Linnaeus, 1758)
Munida rugosa (Fabricius, 1775)
Munida rugosa (Fabricius, 1775) or
Munida sarsi Huus, 1935
Munidopsis serricornis (Lovén, 1853)
Nematocarcinus exilis Bate, 1888
Nematocarcinus exilis Bate, 1888
Clibanarius erythropus (Latreille, 1818)
Paguristes eremita (Linnaeus, 1767)
Pagurus alatus (Fabricius, 1775) or
Pagurus excavatus (Herbst, 1791)
Dardanus arrosor (Herbst, 1796)
Anapagurus chiroacanthus (Lilljeborg, 1856)
Clibanarius erythropus (Latreille, 1818)
 Pagurus prideauxi Leach, 1815
Pagurus forbesii Bell, 1845
Pagurus alatus (Fabricius, 1775)
Palaemon adspersus Rathke, 1837
Palaemon elegans Rathke, 1837
Palaemonetes varians (Leach, 1814)
Palaemonetes varians (Leach, 1814)
Palinurus elephas (Fabricius, 1787)

Dichelopandalus bonnieri (Caullery, 1896)
Pandalina brevisrostris (Rathke, 1843)
Pandalina brevisrostris (Rathke, 1843)
Stylopandalus richardi (Coutière, 1905)
Parapasiphaea sulcatifrons S. I. Smith, 1884
Pasiphaea multidentata Esmark, 1866
Pasiphaea tarda Kröyer, 1865 or
Pasiphaea sivado (Risso, 1816)
Pasiphaea multidentata Esmark, 1866
Marsupenaeus japonicus (Bate, 1888)
Melicertus kerathurus (Forskål, 1775)
Solenocera membranacea (Risso, 1816)
Solenocera membranacea (Risso, 1816)
Melicertus kerathurus (Forskål, 1775)
Percnon gibbesii (H.H. Edwards, 1853)
Pirimela denticulata (Montagu, 1808)
Scyllarus arctus (Linnaeus, 1758)
Neopinnotheres pinnotheres (Linnaeus, 1758)
Neopinnotheres pinnotheres (Linnaeus, 1758)
Neopinnotheres pinnotheres (Linnaeus, 1758) or *Pisa tetraodon* (Pennant, 1777)
Pirimela denticulata (Montagu, 1808) or *Portumnus latipes* (Pennant, 1777)
Pisa armata (Latreille, 1803)
Pisa armata (Latreille, 1803)
Pisidia longicornis (Linnaeus, 1767)

 Pluteocaris sp.
 Polybius henslowii
 Pontocaris cataphracta
 Pontocaris cataphractus
 Pontocaris lacazei
 Pontonia custos
 Pontonia phallusiae
 Pontonia tyrrehena
 Porcellana (Polyonyx)
 macrocheles
 Porcellana bluteli
 Porcellana longicornis
 Porcellana platycheles

 Portumnus biguttatus
 Portunus arcuatus
 Portunus corrugatus
 Portunus depurator
 Portunus holsatus
 Portunus maenas
 Portunus marmoreus
 Portunus puber
 Portunus pusillus
 Processa canaliculata

 Processa edulis crassipes
 Processa edulis edulis
 Processa modica carolii
 Processa modica modica
 Processa noveli holthuisi

 Processa noveli noveli

 Pseudibacus veranyi
Sergestes arcticus

 Sergestes corniculum

Sergestes cornutus

 Sergestes diaponticus

 Sergestes nudus
 Sergestes robustus

 Sicyonia sculpta
 Solenocera siphonocera
 Spirontocaris cranchii
 Spirontocaris occulta
 Spiropagurus chiroacanthus
 Stenorhynchus phalangium
 Synalpheus laevimanus
 Taxea nocturna
 Thenus orientalis
 Thia polita
 Thia residua
 Trachelifer
 Tritodynamia atlantica
 Upogebia littoralis
 Xantho hydrophilus

 Xantho rivulosus
 Zoea Virbii

Percnon gibbesii (H.M. Edwards, 1853)
Polybius henslowii Leach, 1820
Aegaeon cataphractus (Olivieri, 1792)
Aegaeon cataphractus (Olivieri, 1792)
Aegaeon lacazei (Gourret, 1887)
Pontonia pinnophylax (Otto, 1821)
Pontonia flavomaculata Heller, 1864
Pontonia pinnophylax (Otto, 1821)

Porcellana platycheles (Pennant, 1777)
Pisidia bluteli (Risso, 1816)
Pisidia longicornis (Linnaeus, 1767)
Porcellana platycheles (Pennant, 1777) or *Pisidia longicornis* (Linnaeus, 1767)
Xaiva biguttata (Risso, 1816)
Liocarcinus arcuatus (Leach, 1814)
Liocarcinus corrugatus (Pennant, 1777)
Liocarcinus depurator (Linnaeus, 1758)
Liocarcinus holsatus (Fabricius, 1798)
Carcinus maenas (Linnaeus, 1758)
Liocarcinus marmoreus (Leach, 1814)
Necora puber (Linnaeus, 1767)
Liocarcinus pusillus (Leach, 1815)
Processa edulis (Risso, 1816) or *Processa noveli* Al-Adhub and Williamson, 1975
Processa edulis (Risso, 1816)
Processa edulis (Risso, 1816)
Processa modica Williamson, 1979
Processa modica Williamson, 1979
Processa noveli Al-Adhub and Williamson, 1975
Processa noveli Al-Adhub and Williamson, 1975
Scyllarides latus (Latreille, 1803)
Sergestes arcticus Kröyer, 1855 or *Sergia robusta* (S.I. Smith, 1882)
Sergestes curvatus Crosnier and Forest, 1973 or *Sergestes henseni* (Ortmann, 1893)
Sergestes cornutus Kröyer, 1855 or *Sergestes atlanticus* H.M. Edwards, 1830
Sergestes armatus Kröyer, 1855 or *Sergestes vigilax* Stimpson, 1860
Sergestes sargassi Ortmann, 1893
Sergia japonica Bate, 1881 or *Sergia robusta* (S.I. Smith, 1882)
Sicyonia carinata (Brünnich, 1768)
Solenocera membranacea (Risso, 1816)
Thoralus cranchii (Leach, 1817)
Eualus occultus (Lebour, 1936)
Anapagurus chiroacanthus (Lilljeborg, 1856)
Macropodia rostrata (Linnaeus, 1761)
Synalpheus gambarelloides (Nardo, 1847)
Jaxea nocturna Nardo, 1847
Scyllarides latus (Latreille, 1803)
Thia scutellata (Fabricius, 1793)
Thia scutellata (Fabricius, 1793)
Jaxea nocturna Nardo, 1847
Asthenognathus atlanticus Monod, 1933
Upogebia pusilla (Petagna, 1792)
Xantho pilipes M. Edwards, 1867 or *Xantho poressa* (Olivieri, 1792)
Xantho poressa (Olivieri, 1792)
Clibanarius erythropus (Latreille, 1818)